

US EPA ARCHIVE DOCUMENT

**AMENDED DECISION DOCUMENT
REGARDING FLORIDA
DEPARTMENT OF ENVIRONMENTAL
PROTECTION'S
SECTION 303(d) LIST AMENDMENTS
FOR BASIN GROUPS 1, 2, AND 5**

Prepared by the
Environmental Protection Agency, Region 4
Water Management Division

September 2, 2009

Table of Contents

| | | |
|-----|---|----|
| I. | Executive Summary | 3 |
| II. | Statutory and Regulatory Background | 6 |
| A. | Identification of Water Quality Limited Segments (WQLSs) for Inclusion on the section 303(d) list | 6 |
| B. | Consideration of Existing and Readily Available Water Quality-Related Data and Information | 6 |
| C. | Priority Ranking | 7 |
| II. | Analysis of the Florida Department of Environmental Protection's Submission | 7 |
| A. | Florida's 2009 Update | 8 |
| 1. | Florida's Water Quality Standards and Section 303(d) list Development | 9 |
| 2. | List Development Methodology and Data Assessment | 10 |
| 3. | Public Participation Process | 12 |
| 4. | Consideration of Existing and Readily Available Water Quality-Related Data and Information | 13 |
| B. | Review of FDEP's Identification of Waters | 15 |
| 1. | Review of FDEP's Data Guidelines | 16 |
| 2. | Minimum Sample Size | 17 |
| 3. | No Pollutant Identified for Impairment | 17 |
| 4. | Aquatic Life Use Impairment | 18 |
| 5. | Primary and Secondary Recreational Use Support | 23 |
| 6. | Fish and Shellfish Consumption Use Support | 23 |

| | | |
|---|---|----|
| 7. | Drinking Water Use Support and Protection of Human Health | 25 |
| C. | 303(d) List of Impaired Waters | 25 |
| 1. | FDEP's Addition of Water Quality Limited Segments | 26 |
| 2. | Section 303(d) Delistings | 26 |
| 3. | Other Pollution Control Requirements | 26 |
| 4. | EPA Identified Waters | 28 |
| 5. | Priority Ranking and Targeting | 28 |
| IV. | Final Recommendation | 30 |
| Appendix A: 2003 EPA-approved 303(d) List for the State of Florida | | |
| Appendix B: Water Quality Limited Segments added by FDEP to the Florida 303(d) List | | |
| Appendix C: Water Quality Limited Segments added by EPA to the Florida 303(d) List | | |
| Appendix D: Water Quality Limited Segments removed by FDEP from 303(d) List | | |
| Appendix E: FDEP's Rotating Basin Approach | | |
| Appendix F: Assessing Ambient Data for Naturally Variable Parameters Against Numeric Water Quality Criteria | | |
| Appendix G: FDEP Data Exclusion Screens | | |

I Executive Summary

On October 17, 2008, the Florida Department of Environmental Protection (FDEP) submitted its 2008 update to its section 303(d) list for Group One and Group Five watersheds to the Environmental Protection Agency (EPA) for review. On August 17, 2009, FDEP amended that submission to include its Group Two Update for EPA review. The combined section 303(d) update submission for Group One, Two, and Five basins is referred to in this document as the 2009 Update. Florida's 2009 submittal is an update to the state's most recently approved section 303(d) list, approved by EPA on June 11, 2003. That submittal updated, for Group One basins, the list approved by EPA on November 24, 1998 (the 1998 list). Following its review of Florida's 2009 Update, EPA is approving that list in part and is adding waters to the state's section 303(d) list. This document summarizes EPA's review and the basis for the Agency's decision.

Section 303(d)(1) of the Clean Water Act (CWA or Act) directs states to identify those waters within their jurisdictions for which effluent limitations required by sections 301(b)(1)(A) and (B) of the Act are not stringent enough to implement any applicable water quality standard (referred to as water quality limited segments, as defined in 40 C.F.R. § 130.7), and to establish a priority ranking for such waters, taking into account the severity of the pollution and the uses to be made of such waters. The section 303(d) listing requirement applies to water quality limited segments impaired by pollutant loadings from both point and/or nonpoint sources. After a state submits its section 303(d) list to EPA, the Agency is required to approve or disapprove that list.

FDEP assessed waters for the 2009 Updates pursuant to its approved water quality standards, including the water quality standards contained in the Impaired Waters Rule, commonly referred to as the IWR. Through the Florida Watershed Restoration Act, the state legislature directed the Florida Department of Environmental Protection (FDEP) to develop and adopt by rule a methodology to identify waters that do not meet the State's approved water quality standards and, therefore, are required to be included on section 303(d) lists. The IWR was adopted on April 26, 2001, and amended in 2006 and 2007. See Identification of Impaired Surface Waters, Chapter 62-303, Florida Administrative Code (F.A.C.). FDEP submitted the IWR to EPA for review pursuant to section 303(c) of the Clean Water Act in September 2007. EPA determined certain provisions of the IWR to be new or revised water quality standards¹ and

¹ Determination Upon Review of Amended Florida Administrative Code Chapter 62-3-3, Identification of Impaired Waters. United States Environmental Protection Agency, February 19, 2008 (2008 IWR Determination) .

approved those standards on February 19, 2008.² EPA determined that other provisions of the IWR are not water quality standards and therefore did not review these provisions under CWA section 303(c). EPA views these other provisions as part of FDEP's section 303(d) listing methodologies. Consistent with EPA's implementing regulations and guidance, EPA considered these methodologies, to the extent that they reflect a reasonable interpretation of Florida's water quality standards and sound science, when it reviewed FDEP's section 303(d) list submittals.

Waters that are not attaining Florida's water quality standards are identified by FDEP as water quality limited segments and submitted to EPA as an update to Florida's then-current section 303(d) list. The water quality standards and listing methodologies contained in the IWR establish specific protocols and thresholds for assessing waterbodies, in addition to data sufficiency and data quality requirements. The IWR contains procedures for assessing both aquatic life use support and human health use support. FDEP conducts these assessments based on Florida's rotating basin approach. Florida waters are divided into five basin groups, with each group representing approximately 20% of state watersheds. Each year, FDEP assesses waterbodies within one group of basins. Lists based on those basin assessments constitute updates to the state's then-current section 303(d) list. All five basin groups are assessed within a five year period. All waters which were included in Florida's approved 1998 section 303(d) list will remain on Florida's section 303(d) list, unless FDEP removes a waterbody and EPA approves that removal.

FDEP submitted a 2002 update to EPA for review, assessing Group One waterbodies. EPA's decision partially approving that update and partially disapproving and adding waters to Florida's section 303(d) list was challenged in court. While that litigation, and related litigation challenging the IWR, were pending, FDEP developed basin group assessment reports but did not submit section 303(d) lists to EPA. In October 2008, FDEP submitted Groups One and Five to EPA for review. On August 17, 2009, FDEP submitted Group Two assessments, along with revised Group One and Five updates, to EPA for review. These three updates comprise the 2009 Update.

FDEP's updated list submittal includes, among other things:

- Additional waterbodies in Groups One, Two and Five which FDEP determined to be water quality limited segments.
- Group One, Two and Five waterbodies included on Florida's previously approved 1998 section 303(d) list which were determined not to need TMDLs and were, therefore, removed from Florida's 303(d) list as submitted to EPA.

EPA reviewed FDEP's submittal to determine whether the 2009 Update appropriately assessed waters based on Florida's water quality standards, including those provisions of the IWR which have themselves been determined to be water quality standards and approved by

² Letter from James D. Giattina to Michael W. Sole. February 19, 2008 (2008 IWR Approval Letter).

EPA pursuant to section 303(c) of the CWA. EPA further considered whether those provisions of the IWR which it determined to be listing methodologies reasonably identified water quality limited segments, considering the state's water quality standards.

Where EPA was unsure whether the methodology was a reasonable method for identifying water quality limited segments, the Region conducted further waterbody and data analysis. Where EPA determined that FDEP's application of the IWR did not properly implement Florida's approved water quality standards or EPA regulations, EPA addressed that inconsistency as part of this 303(d) list review process.

The Agency reviewed FDEP's waterbody assessments for all designated uses, based on Florida's water quality standards. The results of EPA's review demonstrate that FDEP's application of its listing methodology was very successful for identifying waters that are not meeting water quality standards. Through its data collection and assessment process, FDEP assessed water quality for over 4,000 waterbodies, which is a significant accomplishment.

EPA concluded that FDEP was largely successful in assessing the Group One, Two, and Five waterbodies for attainment of designated uses and water quality criteria, including aquatic life use support and water quality criteria for most naturally variable indicator pollutants, aquatic life use support for water quality criteria with a toxic effect, aquatic life use support and narrative water quality criteria for nutrient impairments, fish consumption use support, and use support for those pollutants with water quality criteria expressed as an annual average.

FDEP has an extensive monitoring network and data collection effort. Without the database compiled by FDEP, which contains over 9,000,000 data points for Groups One, Two, and Five waterbodies, much of the analysis conducted the State and by EPA would not have been possible.

Following EPA's decision to approve Florida's 2009 Update, the current section 303(d) list in the State of Florida contains:

| | | |
|---|--|--------------|
| Approved 2003 Updated Section 303(d) List | | (Appendix A) |
| (+) | Approved Groups One, Two, and Five FDEP additions | (Appendix B) |
| (+) | Groups One, Two, and Five EPA additions | (Appendix C) |
| (-) | Approved FDEP Groups One, Two, and Five delistings | (Appendix D) |

The statutory and regulatory requirements relevant to section 303(d) lists, and EPA's review of Florida's compliance with each requirement, are described in detail below.

II. Statutory and Regulatory Background

A. Identification of Water Quality Limited Segments (WQLSs) for Inclusion on the Section 303(d) list

Section 303(d)(1) of the Clean Water Act directs states to identify those waters within their jurisdictions for which effluent limitations required by section 301(b)(1)(A) and (B) are not stringent enough to implement any applicable water quality standard, and to establish a priority ranking for such waters, taking into account the severity of the pollution and the uses to be made of such waters. The section 303(d) listing requirement applies to waters impaired by point and/or nonpoint sources, pursuant to EPA's long-standing interpretation of section 303(d).

EPA regulations at 40 CFR 131.7(b)(1) provide that

[e]ach State shall identify those water quality-limited segments still requiring TMDLs within its boundaries for which: (i) Technology-based effluent limitations required by sections 301(b), 306, 307, or other sections of the Act; (ii) More stringent effluent limitations (including prohibitions) required by either State or local authority preserved by section 510 of the Act, or Federal authority (law, regulation, or treaty); and (iii) Other pollution control requirements (e.g., best management practices) required by local, State, or Federal authority are not stringent enough to implement any water quality standards applicable to such waters.

EPA regulations at 40 CFR 130.2(j) define water quality limited segment as

[a]ny segment where it is known that water quality does not meet applicable water quality standards, and/or is not expected to meet applicable water quality standards, even after the application of the technology-based effluent limitations required by sections 301(b) and 306 of the Act.

“Water quality limited segment” may also be referred to as “WQLS,” “impaired waterbodies,” or “impairments” in this document.

B. Consideration of Existing and Readily Available Water Quality-Related Data and Information

In developing section 303(d) lists, states are required to assemble and evaluate all existing and readily available water quality-related data and information, including, at a minimum, considering existing and readily available data and information about the following categories of waters: (1) waters identified as partially meeting or not meeting designated uses, or as threatened, in the state's most recent section 305(b) report; (2) waters for which dilution calculations or predictive modeling indicate nonattainment of applicable standards; (3) waters for

which water quality problems have been reported by governmental agencies, members of the public, or academic institutions; and (4) waters identified as impaired or threatened in any section 319 nonpoint assessment submitted to EPA. See 40 CFR 130.7(b)(5). In addition to these minimum categories, states are required to consider any other water quality-related data and information that is existing and readily available. EPA's *1991 Guidance for Water Quality-Based Decisions* describes categories of water quality-related data and information that may be existing and readily available. See Appendix C of *Guidance for Water Quality-Based Decisions: The TMDL Process*, EPA Office of Water, 1991 (EPA's 1991 Guidance). While states are required to evaluate all existing and readily available water quality-related data and information, states may reasonably decide to rely or not rely on particular data or information in determining whether to list particular waters.

In addition to requiring states to assemble and evaluate all existing and readily available water quality-related data and information, EPA regulations require states to include, as part of their submissions to EPA, documentation to support decisions to list or not list waters. See 40 CFR 130.7(b)(6). Such documentation includes, at a minimum, the following information: (1) a description of the methodology used to develop the list, (2) a description of the data and information used to identify waters, (3) a rationale for any decision to not use any existing and readily available data and information, and (4) any other reasonable information requested by the Region.

C. Priority Ranking

EPA regulations also codify and interpret the requirement in section 303(d)(1)(A) of the Act that states establish a priority ranking for listed waters. The regulations require states to prioritize waters on their section 303(d) lists for TMDL development and to identify those WQLSs targeted for TMDL development in the next two years. See 40 CFR 130.7(b)(4). In prioritizing and targeting waters, states must, at a minimum, take into account the severity of the pollution and the uses to be made of such waters. See section 303(d)(1)(A). As long as these factors are taken into account, the Act provides that states establish priorities. States may consider other factors relevant to prioritizing waters for TMDL development, including immediate programmatic needs; vulnerability of particular waters as aquatic habitats; recreational, economic, and aesthetic importance of particular waters; degree of public interest and support; and state or national policies and priorities. See 57 FR 33040, 33045 (July 24, 1992) and EPA's 1991 Guidance at 4.

III. Analysis of the Florida Department of Environmental Protection's Submission

In reviewing FDEP's 2009 Update, EPA first reviewed the listing methodology used by the State to develop the list update in light of Florida's approved water quality standards. EPA then reviewed the list of waters. This section describes FDEP's listing methodology and outlines EPA's evaluation of both that methodology and the list of water quality limited segments included in the 2009 Update. Where EPA was unsure whether the listing methodology identified

all water quality limited segments for a given designated use or water quality criteria, EPA reviewed water quality data and information to determine whether any waterbodies should be added to the 303(d) list.

A. Florida's 2009 Update.

Florida submitted list updates for Groups One, Two and Five waterbodies for the 2009 Update. FDEP submitted its section 303(d) lists updates for Groups One and Five to EPA for review on October 17, 2008. FDEP submitted revised list updates for Groups One and Five and a list update for Group Two on August 17, 2009, including newly listed waterbodies and waterbodies proposed for delisting within those Groups. All other waterbodies included on Florida's approved 2003 section 303(d) list which were not delisted remain on the section 303(d) list.³ Details of Florida's listing approach and EPA's review of the list are described below.

1. Florida's Water Quality Standards and Section 303(d) List Development

Section 303(d) of the Clean Water Act requires each State to identify and prioritize those waters where technology-based controls are inadequate to implement water quality standards:

Each State shall identify those waters within its boundaries for which the effluent limitations required by section 1311(b)(1)(A) and section 1311(b)(1)(B) of this title are not stringent enough to implement any water quality standards applicable to such waters.

33 U.S.C. § 1313(d)(1)(A); see also 40 C.F.R. 130.7(b) (EPA's 303(d) listing regulations).

EPA's regulations expressly provide that "[f]or purposes of listing waters under § 130.7(b), the term 'water quality standard applicable to such waters' and 'applicable water quality standards' refer to those water quality standards established under section 303 of the Act, including numeric criteria, narrative criteria, water body uses, and antidegradation requirements." 40 C.F.R. 130.7(b)(3). EPA's review of state section 303(d) lists ensures that those lists identify water quality limited segments consistent with existing state standards.

Water quality criteria can be expressed either as narrative or numeric criteria. Numeric criteria typically establish either a maximum level or a range of levels of a pollutant which can be present in the waterbody while still attaining water quality standards. Narrative criteria typically describe a condition (i.e. no imbalance of flora or fauna) which must be met for the waterbody to meet water quality standards. Determining whether a waterbody is meeting water quality standards for a narrative criterion generally involves the identification of reference points against which the waterbody can be evaluated. In the context of listing, EPA considers a state's

³ The 2003 EPA-approved section 303(d) list for the state of Florida is set out at Appendix L of EPA's 2003 Decision Document. That list contains all waters on the EPA approved 1998 section 303(d) list as updated by EPA's decision regarding FDEP's 2002 Group One Update.

interpretation of its water quality standards, including how narrative criteria should be interpreted, when that interpretation is consistent with the underlying narrative criterion and is a reasonable translation of that criterion.

a. Florida's numeric water quality criteria

The primary numeric water quality criteria in Florida are detailed in the Table under 62-302.530 FAC (Table: Surface Water Quality Criteria). These criteria are expressed in a number of different ways that will be discussed in more detail below.

b. Florida's narrative water quality criteria

The primary narrative water quality criteria in Florida are set out below, with a summary of EPA's review of FDEP's methodology for these narrative criteria.

- Criteria: 62-302.530(47) FAC (Nuisance Species): Substances in concentrations which result in the dominance of nuisance species: none shall be present.

To implement this narrative standard, FDEP relies on Florida's water quality criterion for biological integrity. That criterion, set out in Rule 62-302.530(11) FAC, provides that biological integrity is to be measured by percent reduction of the Shannon Weaver Diversity Index. Florida's water quality standards also allow the biological integrity to be assessed through BioRecons, Stream Condition Indices, and the benthic macroinvertebrate component of the Lake Condition Index.⁴ Use of these biological condition tools to assess Florida's narrative criteria for nuisance species is consistent with the state's water quality standards.

- Criteria: 62-302.530(47)(b) FAC (Nutrients): In no case shall nutrient concentrations of a body of water be altered so as to cause an imbalance in natural populations of aquatic flora or fauna.

Florida's water quality standards contain provisions which translate Florida's narrative nutrient standard for assessment purposes,⁵ establishing thresholds of nutrient impairment which

⁴ The IWR contains provisions that supplement Rule 62-302.530(11) by identifying additional biological condition indices, and methods for applying those indices, for use in water quality assessment. See Rules 62-303.200 (1), (2), (8) and (22); 62-303.330(2), (3)(a), and (3)(b); 62-303.430(1), (2), and (3); and 62-303.720(2)(b). EPA determined that these provisions constituted new or revised standards and approved those provisions as standards in February 2008. See 2008 IWR Determination, pp 26-32 and 2008 IWR Approval Letter.

⁵ The IWR contains provisions that translate Rule 62-302.530(47)(b) when assessing water quality. See Rules 62, 303.200(6), (11), (12) and (25); 62-303.350(2)(c), (3); 62-303.351(2); 62-303.352; 62-303.353; 62-303.450(1); and 62-303.720(2)(j). EPA determined that these translation provisions constituted new or revised standards and approved those provisions as standards in February 2008. See 2008 IWR Determination, pp 33-42 and 2008 IWR Approval Letter.

are “one-sided” in nature. That is, the thresholds represent upper boundary conditions above which a water body is not meeting its applicable water quality standards (unless demonstrated otherwise) and is identified as impaired. In other words, TSI or chlorophyll-a values are used to demonstrate that there is an “imbalance” in flora and fauna such that the narrative nutrient criterion is not attained. Waters below the IWR thresholds, however, are not considered “in attainment” of the narrative criterion. Rather, waters with TSI or chlorophyll-a values below the threshold of impairment will continue to be considered “unassessed” until FDEP adopts and EPA approves numeric criteria for nutrients or FDEP develops other methodologies that can be used to determine that an imbalance of flora and fauna does not exist in a water body.

FDEP has reasonably applied its water quality standards to assess waterbodies for attainment of the narrative nutrient standard.

2. List Development Methodology and Data Assessment

The Florida Watershed Restoration Act sets out, among other things, FDEP’s authority to establish methodologies for identifying water quality limited segments and developing section 303(d) lists. FDEP uses a watershed management approach to assess state waters, managing the state’s water resources on the basis of hydrologic units, as the framework for implementing the Watershed Restoration Act. Florida’s watershed management program also adopted a rotating basin approach to address water quality issues, which allows the state to achieve maximum effectiveness from limited monitoring and assessment resources by concentrating specific functional activities in specific basins according to an established, multi-year schedule. Florida’s basin planning process divides 52 water basins into five basin groups, with each group representing approximately 20% of state waters. The process rotates through those basin groups over an established five-year cycle. Information about Florida’s basin planning process, the functions occurring during each year of the rotating basin cycle, and the basins included in each basin group are set out in more detail in Appendix E. Consistent with its rotating basin approach, FDEP will update its 303(d) list and 305(b) report annually and submit an annual 303(d) list update to EPA for review.⁶

FDEP’s 2009 Update addresses waterbodies in the Group One, Two, and Five watersheds. The Update was developed in accordance with EPA’s *Guidance for 2006 Assessment, Listing and Reporting Requirements Pursuant to Sections 303(d), 305(b) and 314 of the Clean Water Act* (Integrated Report Guidance), issued on July 29, 2005 and updated on October 12, 2006. That guidance recommends that states submit Integrated Reports to satisfy CWA requirements for both section 305(b) water quality reports and section 303(d) impaired

⁶ FDEP submitted its first update to the state’s section 303(d) list under the rotating basin approach in 2002. That assessment report covered Group One basins. EPA’s decision regarding that update was challenged in federal court. That litigation was concluded in 2008. Litigation challenging the IWR was also concluded in 2008. EPA determined that certain provisions of the IWR, as amended in 2007, constituted new or revised water quality standards and approved those standards pursuant to section 303(c) of the CWA in February 2008. FDEP developed state assessment reports while the litigation was pending, but did not submit section 303(d) list updates to EPA for review.

waters lists. EPA's guidance advocates the use of a five category approach for classifying the water quality standard attainment status for each waterbody segment. Florida uses several subcategories, in addition to the categories included in EPA's guidance.

- Category 1** Data are available to assess whether all beneficial uses are being met and they are being met. (No waterbodies were included in this category.)
- Category 2** Data are available to assess whether some beneficial uses are being met, while insufficient data are available to assess whether all beneficial uses are being met.
- Category 3a** No data are available to assess whether beneficial uses are being met.
- Category 3b** Some data are available, but they are insufficient to assess whether beneficial uses are being met.
- Category 3c** Enough data are available to meet the requirements for the Planning List in Rule 62-303 and the water body is potentially impaired for one or more designated uses.
- Category 4a** One or more designated uses are impaired and the TMDL is complete.
- Category 4b** One or more designated uses are impaired but no TMDL will be developed because a proposed pollution control measure provides reasonable assurance that the designated uses will be restored in the future.
- Category 4c** Impaired for one or more criteria or designated use but does not require a TMDL because the impairment is not caused by a pollutant.
- Category 4d** No causative pollutant has been identified for impairment. Waterbody impairments identified in this category will be submitted to EPA for inclusion on the section 303(d) list.
- Category 4e** Impaired but recently completed or ongoing restoration activities are underway to restore the designated uses of the waterbody. All requirements for placing the waterbody in Category 4b have not been finalized or approved by FDEP. Because FDEP recognizes the ongoing implementation of restoration activities with the goal of restoring water quality, a TMDL is not scheduled at this time. Waterbody impairments identified in this category will be submitted to EPA for inclusion on the section 303(d) list.
- Category 5** Enough data are available to meet the requirements for the Verified List in Rule 62-303. These waters are impaired, are included on the state's 303(d) list, and will have TMDLs developed to restore them.

3. Public Participation Process

The Florida Department of Environmental Protection (FDEP) notified the public about opportunities to participate in the development of each 303(d) list update. The State used notices in the Florida Administrative Weekly (FAW), email and regular mail notifications to over 1000 interested parties; and notices published in several newspapers statewide to notify the public of the list development activities.

The notifications included a brief description of the list at issue and the applicable regulations; a state website address where interested parties could obtain the draft list; a contact name, e-mail address, regular mailing address, and phone number where interested parties could obtain supporting information and information about planned public meetings; the times and locations for public meetings; procedures for submitting written comments; and the timetable in which a decision would be made on the list. FDEP also posted the draft 303(d) lists on its website along with information regarding the public participation opportunities.

FDEP held public meetings across the State. Department staff provided background information about the TMDL program, the 303(d) list, and how waters were assessed for impairment. Attendees were provided an opportunity to make verbal comments and were requested to: (a) comment on the appropriateness of the listing for individual water segments; (b) provide more recent information about the listed waters, including water quality and bioassessment data; (c) provide “other information” such as evidence of algal blooms or site specific studies about nutrient impairment in area waters; and (d) provide information about planned pollution control mechanisms. Attendees were also notified that written comments would be accepted.

The update to Florida’s section 303(d) list which comprise the 2009 Update were adopted over a period of years. The update for Group One basins was adopted by Secretarial Order on June 2, 2008, and re-adopted, to incorporate revisions to the update, on May 19, 2009. The Group Five update was adopted by Secretarial Order on December 12, 2007, and re-adopted, to incorporate revisions to the update, on May 19, 2009. The update for the Group Two basins includes updates developed during two basin cycles. The first update for Group Two basins was adopted by Secretarial Order on May 27, 2004; the second update was adopted by Secretarial Order on May 19, 2009. Interested parties were notified about the adopted lists by e-mail, by publication of notices in the FAW, by notices in several newspapers statewide, and by issuance of Department press releases. Each Order notified interested parties of their right to challenge the order within 21 days or file an appeal within 30 days of receiving the notice.

EPA has reviewed Florida’s public participation process and has concluded that the State provided adequate public notice and opportunity for the public to comment on its decision regarding the section 303(d) list in compliance with federal requirements.

4. Consideration of Existing and Readily Available Water Quality Related Data and Information

Florida identified WQLSs in the 2009 Update based on assessment and consideration of all existing and readily available water quality-related information and data. The information and data included physical, chemical, and biological data; shellfish reclassification information; fish consumption information; and beach closure information. The information and data were collected from the following sources:

EPA's STORage and RETrieval (STORET) database
U.S. Geologic Survey
U.S. Army Corps of Engineers
Statewide Biological Database
Florida Department of Agriculture and Consumer Services
Florida Department of Health
Florida Game & Freshwater Fish Commission
Florida Marine Research Institute
FDEP Tallahassee
FDEP Northeast District
FDEP Northwest District
FDEP Central District
FDEP South District
FDEP Southeast District
FDEP Charlotte Harbor Aquatic/Buffer Preserves
FDEP Estero Bay Aquatic Preserve
Alachua County
Broward County
Choctaw Indian Tribe
Collier County
Dade County
East County
Lee County
Leon County
Hillsborough County
Lake County
Manatee County
McGlynn Labs
Orange County
Palm Beach County
Pinellas County
Polk County
Sarasota County
Seminole County
St. Johns County
Volusia County

City of Cape Coral
City of Jacksonville
City of Lakeland
City of Maitland
City of Naples
City of Orlando
City of Port St. Joe
City of Sanibel
City of Tampa
City of West Palm Beach
Northwest Florida Water Management District
St. Johns River Water Management District
Suwannee River Water Management District
South Florida Water Management District
Southwest Florida Water Management District
Apalachicola National Estuarine Research Reserve
Avon Park Air Force Reserve
Bay Watch
Bream Fisherman Association
Charlotte Harbor National Estuary Program
Choctawhatchee Basin Alliance
Conservancy of Southwest Florida
Emerald Coast Utility Authority
Environmental Research & Design, Inc
FDEP Rookery Bay National Estuarine Preserve
Georgia Department of Natural Resources
Gulf Power Company
Loxahatchee River District
Palm Coast Community Service Corporation
Peace River Manasota Regional Water Authority
Pensacola Bay Study (Gulf Breeze)
Phosphate Council
Reedy Creek Improvement District
Sanibel Captiva Conservation Foundation
The Nature Conservancy of the Florida Keys

Once all of the data and information was collected, FDEP screened the data to remove any data that would not be appropriate for assessing water quality for the purpose of identifying water quality limited segments. FDEP provided EPA a description of data excluded from use under this assessment and the basis for that exclusion. Data were excluded for reasons including: data were reported with negative values, data were reported with values less than the detection limit, data were identified by data providers as of suspect quality, and mercury data were not collected and analyzed using clean techniques. A complete list of FDEP's data exclusion screens is set out in Appendix G.

EPA has determined that FDEP's screening of data to remove data of suspect quality is a reasonable scientific approach for considering data when making decisions regarding the identification of water quality limited segments. In each case, it was reasonable to conclude that the sample result does not provide information that can be used to determine whether a waterbody meets water quality standards and the value reported cannot be relied upon as evidence of impairment.

B. Review of FDEP's Identification of Waters (40 CFR 130.7(b)(6)(i - iv))

Consistent with EPA regulations and guidance, EPA considered Florida's listing methodology to the extent that it reflects a reasonable interpretation of Florida's water quality standards and sound science.⁷ In reviewing Florida's submittal, EPA first reviewed the methodologies set out in the IWR and used by FDEP to develop the list update in light of Florida's approved water quality standards, and then reviewed the actual list of waters. This section describes FDEP's listing methodology and outlines EPA's evaluation of both that methodology and the actual list of impaired waterbodies included on the 2009 Update. In cases where EPA could not determine if the Florida's listing methodology identified all impaired waterbodies for a given designated use or water quality criteria, EPA conducted a review of water quality data to determine whether any waterbodies should be added to the section 303(d) list.

The listing methodologies set out in the IWR and used by FDEP are compared against Florida's approved water quality standards as found in Chapter 62-302, FAC and those provisions of Chapter 62-303 which EPA determined were water quality standards. Information on monitoring procedures was obtained from the FDEP documents: "Elements of Florida's Water Monitoring and Assessment Program (March 19, 2009) and "Standard Operating Procedures for Field Activities (DEP-SOP-001/01 (March 31, 2008)).

1. Review of FDEP's Data Guidelines

Federal regulations provide that each state "shall assemble and evaluate all existing and readily available water quality-related data and information to develop the list required by 130.7(b)(1) and 130.7(b)(2)." See 40 CFR 130.7(b)(5). The IWR listing methodology set out in the IWR also provides for FDEP to "assemble and evaluate" data to prepare the State's section 303(d) list and generally provides for assessment when that data meets certain temporal and spatial guidelines set out in the rule. The IWR methodology contains guidelines for the collection, evaluation, and use of data for assessing water quality and impairments to designated uses. See Rules 62-303.320 and 62-303.420, FAC.

⁷ In this document, the terms "IWR methodology," "listing methodology," or "methodology" are used to refer to those portions of the IWR which EPA determined were not water quality standards but were listing methodologies. EPA considers that methodology in reviewing Florida's 303(d) lists. The adequacy of the list, however, is measured only against EPA-approved state water quality standards, relevant provisions of the CWA, and EPA's implementing regulations.

If water quality data was available for a waterbody, but that data did not meet the data sufficiency provisions contained in the IWR methodology, the methodology provides that FDEP may still consider whether the water should be listed on Florida's section 303(d) list (Category 5) where (1) there are less than twenty samples, but there are five or more samples that do not meet an applicable water quality criterion based on at least five temporally independent samples or (2) scientifically credible and compelling information provides overwhelming evidence of impairment. See Rule 62-303.420(7), FAC. FDEP might also include the water on either the list of waters with insufficient data for assessment (Category 3b) or the list of waters that are potentially impaired, also known as the "planning list" (Category 3c).

In its review of FDEP's 2002 Update to the state's approved section 303(d) list, EPA considered whether the IWR methodology overly restricted data analysis and, therefore, led to FDEP not identifying water quality limited segments during its assessment. EPA reviewed a random sample of waterbodies listed in Category 3b of Florida's Integrated Report. The random sample was selected to give the Region a 95% confidence that FDEP did not overlook impaired waterbodies when it determined that there was insufficient data to assess waterbodies for listing purposes. Based on that review, EPA determined that the listing methodology used by FDEP in its assessment process did not result in the failure to identify any water quality limited segments.⁸

EPA believes that its 2003 review of the adequacy of FDEP's listing methodology continues to be applicable to FDEP's current listing methodology. Although the 2007 amendments to the IWR included amendments to FDEP's listing methodology, those amendments resulted in increased flexibility which allowed FDEP to consider more data and to make decisions, where appropriate, based on smaller data sets than allowed under the original IWR.⁹

a. Minimum Sample Size

FDEP's listing methodology generally provides for a minimum of 20 samples to be assessed before a water can be listed as impaired in Category 5 of the state's section 303(d) list. Rule 62-303.420(2), FAC. In its 2003 review of FDEP's 2002 Update to the state's approved section 303(d) list, EPA determined that use of the minimum sample size could result in FDEP failing to identify impaired waters.

The 2007 amendments to the IWR, however, revised this provision of the methodology. See Rule 62-303.420(7). Rule 62-303.420(7) addresses the two most significant concerns EPA identified associated with the IWR methodology's minimum sample size provisions. First, this provision allows listing where data demonstrates sufficient exceedences of a criterion, even though the full 20 samples have not yet been

⁸ See Appendix C. Decision Document Regarding Department Of Environmental Protection's §303(d) List Amendment Submitted On October 1, 2002 And Subsequently Amended On May 12, 2003. United States Environmental Protection Agency, Region 4. June 11, 2003.

⁹ See, for example, Rule 62-303.420(7)(a), which addresses assessment of data sets containing less than the minimum sample size of 20.

collected. For example, the binomial statistical method discussed below specifies 5 exceedances out of 20 samples to verify that a waterbody is impaired. Where a waterbody has 7 exceedances out of 10 samples, however, Rule 62-303.420(7)(a) provides that there is no need to collect an additional 10 samples to pass the IWR exceedance threshold. Second, Rule 62-303.420(7)(b) allows listing of waters based on limited data, without satisfying the methodology's exceedance threshold, in appropriate circumstances. Thus, FDEP's listing methodology doesn't categorically exclude data sets that don't meet a certain sample size but rather allows flexibility for further assessment in appropriate circumstances.

b. Age of Data

In its review of FDEP's 2002 Update, EPA considered the data cutoff in FDEP's methodology, which provided for FDEP to use only data collected within 7.5 years of that update. EPA's regulations require states to "assemble and evaluate all existing and readily available water quality-related data and information to develop [their impaired waters lists]." 40 CFR § 130.7(b)(5). EPA found FDEP's data cutoff reasonable, and found it an appropriate basis to not use existing and readily available data and information, as provided in 40 CFR § 130.7(b)(6)(iii). In Sierra Club et al. v. Leavitt, 488 F.3d 904 (11th Cir. 2007), the Eleventh Circuit Court of Appeals disagreed. The Court found that while 40 CFR § 130.7(b)(6)(iii) may allow a state to make a case for not using certain existing or readily available information, that regulation does not allow a state to avoid evaluating all such existing or readily available information. Bright line cutoffs which result in a state not considering data beyond a certain age result in the state not fulfilling requirement in 40 CFR § 130.7(b)(5) to consider all existing or readily available information.

For the assessments included in the 2009 Update, FDEP developed a process for including and considering data collected and analyzed outside of data periods established in the IWR methodology. This Period of Record (POR) assessment is an assessment of all data available for a particular waterbody. Since FDEP considers the most recent data as most representative of current conditions, if there is sufficient data within the 7.5 years preceding assessment, FDEP will make a listing decision based on that most recent data. However, if data collected with the preceding 7.5 years is not sufficient to make a listing decision, FDEP will consider data older than that period as addition to more recent data.

FDEP independently evaluates older data, considering the age and quality of the data, the magnitude of exceedances, the amount of old data relative to newer data, the source of the data, the documentation of the data, and any other information that would inform the Department regarding the quality of the data collectors and the laboratory used to analyze the samples. Data produced by the FDEP Central Laboratory or contained in Modern STORET and produced by a NELAC certified laboratory will be used without further data quality confirmation, although the other factors listed above will still be considered. Beginning with the 2009 Group 2 assessments, where older data indicates a waterbody may be impaired, FDEP will also ask the public, during the comment period

on draft lists, for information about whether the older data remains representative of waterbody conditions.

FDEP's listing methodology doesn't categorically exclude older data sets but rather allows the state to use older data for assessment in appropriate circumstances. EPA considers FDEP's methodology for review of older data to be consistent with Florida's approved water quality standard for nutrients and with EPA's regulations

3. Waterbodies Verified Impaired but no Pollutant causing Impairment Identified

Most of the waters that EPA added to FDEP's section 303(d) list in 2003 were waters which FDEP had verified as impaired but where the state had not been able to identify the pollutant causing the impairment. The IWR methodology provides that such waters are not included in Category 5 of Florida's Integrated Report. Since 2003, however, FDEP has included a new category in its report, Category 4d. A water will be placed in Category 4d when it has been identified as impaired by FDEP but the causative pollutant has not been identified. Category 4d is included as part of the section 303(d) list submitted to EPA for review, although a TMDL will not be scheduled for Category 4d waters until FDEP identifies the pollutant causing the impairment.

4. Aquatic life use support

In reviewing FDEP's assessment of waterbodies with data and information associated with numeric water quality criteria, EPA considered a number of factors. These factors included whether more recent data show attainment that renders earlier data suspect (trends); the magnitude of exceedence; the frequency of exceedence; pollutant levels during critical conditions; and any other site-specific data and information such as biological monitoring, whether new controls have been implemented on the water, etc. EPA's conclusions related to several specific issues are set out below.

EPA separated its review of FDEP's assessment of Aquatic Life Use Support into three categories of impairments, those due to exceedences of numeric criteria, toxic pollutants, biological assessments, and nutrient impairments.

a. Exceedances of numeric water quality criteria

Some of Florida's numeric water quality criteria are expressed in the Table of Surface Water Criteria as not to be exceeded at any time. Standards expressed in this manner pose several challenges in assessing attainment, especially for naturally variable parameters. In terms of assessing waters to create a list of water-quality limited segments, it is reasonable to not treat every single sample as representing the true ambient condition of the water segment. Florida's Legislature recognized that sampling introduces variability into the testing process -- some due to natural variability and some associated with sample collection and analysis. Thus, a single sample does not determine whether a waterbody fails to meet water quality standards.

The Florida legislature recognized that sampling introduces variability into the assessment process:

It is the intent of the Legislature that water quality standards be reasonably established and applied to take into account the variability occurring in nature. The [FDEP] shall recognize the statistical variability inherent in sampling and testing procedures that are used to express water quality standards. The [FDEP] shall also recognize that some deviations from water quality standards occur as the result of natural background conditions. The [FDEP] shall not consider deviations from water quality standards to be violations when the discharger can demonstrate that the deviations would occur in the absence of any human-induced discharges or alterations to the water body. Section 403.021(11), Fla. Stat.

Because Florida does not have a monitoring program that continuously measures all points in its waterbodies, FDEP uses statistical sampling to estimate a waterbody's compliance with water quality standards. When assessing aquatic life use support, the statistical sampling method set out in the IWR methodology is a test based on a binomial distribution. See Rule 62-303.420(2).

The binomial statistical test has two key components, a confidence value and a probability value. The confidence value represents the desired certainty that small sample sizes are truly representative of the entire population. The confidence value is also expressed as a percentage value. In the IWR methodology, the confidence value is 90%. The probability value represents the proportion of samples that do not meet applicable water quality criteria before the waterbody, itself, is determined to be impaired. In FDEP's listing methodology, the probability value is 10%.

In 2005, EPA determined that the binomial statistical test was a new or revised water quality standard because it changed the allowable frequency of exceeding Florida's numeric water quality criteria from "not to be exceeded at any time" to "not to be exceeded more than 10% of the time." EPA changed that determination when reviewing the amended IWR in 2007, based on consideration of additional information provided by FDEP. EPA now understands that the purpose of the 10% probability value is to exclude data that are likely to be unrepresentative of actual ambient water conditions. Unless the number of samples ostensibly showing exceedence of the relevant water quality criterion is 10% or more, then FDEP will not list the receiving waters as having exceeded the criterion. The 10% probability value reflects the fact that the universe of samples assessed by FDEP are likely to include many unreliable and thus unrepresentative measurements, which do not accurately reflect the condition of the ambient water. Therefore, the State's binomial statistical test specifies that 10% or more of such samples exceed criterion magnitude values before FDEP will determine the waterbody itself does not meet water quality standards.¹⁰

¹⁰ For a more detailed explanation of EPA's 2008 decision regarding the IWR binomial statistical test, see the 2008 IWR Determination, Appendix A.

EPA considers FDEP's use of the binomial statistical test to be a reasonable way to assess data for 303(d) purposes, based in large part on the extensive database FDEP has developed on Florida waterbodies. In 2008, FDEP had some 45 million records in its database, making it impossible to do quality assurance on each data point. Rather than exclude all data of unknown quality, which is the majority of the currently available data and much of which is from third parties, FDEP developed an assessment methodology that allows consideration of as much data as possible related to as many waterbodies as possible.

EPA's evaluation is informed by the provision in FDEP's methodology which allows the state to consider overwhelming evidence of impairment in making assessment decisions. See Rule 62-303.420(7). This provision allows FDEP to consider data of known high quality and reliability, as well as data having other characteristics that make a credible and compelling case for non-attainment, and include waters on the 303(d) list based on such data. This provision helps provide needed flexibility for considering all relevant information pursuant to the regulatory requirements of 40 C.F.R. Part 130 for preparing an appropriate and complete list of impaired waters.

Some of Florida's numeric water quality criteria are for naturally variable parameters. Naturally variable parameters are those that fluctuate in a waterbody due to non anthropogenic influences such as rainfall/flow, depth, time of day, salinity, etc. Naturally variable parameters include dissolved oxygen (DO), turbidity, fecal coliform, total coliform, conductivity, and alkalinity. As to naturally variable pollutants, even if EPA determined the probability value were an allowable rate of criteria exceedence, that allowable exceedence would be consistent with Florida's underlying water quality criteria for those naturally variable pollutants. As explained more fully in Appendix F, applying a 10% exceedence rate to naturally variable pollutants would be consistent with EPA's general recommendations for such pollutants and would represent a reasonable choice for attainment decisions. EPA believes that FDEP's methodology has correctly interpreted Florida's own statute and regulations to recognize natural and statistical variability when making determinations of impairment. In Sierra Club et al. v. Leavitt, 488 F.3d 904 (11th Cir. 2007), the Eleventh Circuit Court of Appeals agreed. The court found it was reasonable for Florida to interpret the regulatory phrase that criteria are "not to be exceeded at any time" in concert with legislation providing that FDEP was to take into account the variability occurring in nature when applying the State's water quality standards. Id. at 919.

FDEP's use of the binomial statistical test is a reasonable method for assessing aquatic life use support for Florida's numeric water quality criteria. EPA reviewed FDEP's Master List, which serves as Florida's Integrated Report and includes waters on the state's section 303(d) list as well as waters in other categories of the Integrated Report. EPA identified eight segments of Lake Okeechobee that met the methodology's statistical test, based on turbidity data, but that were not included on the section 303(d) list. EPA has identified those waterbodies in Appendix C. EPA is adding the identified waterbodies to the State's section 303(d) list. EPA is approving the remainder of FDEP's

listing decisions based on review of data and information regarding numeric criteria as relates to aquatic life use support based on that statistical test.

b. Waterbodies not Listed due to Natural Conditions

Based on direction from the legislature as set out above, Florida's water quality standards address natural conditions, providing that "the Department shall not strive to abate natural conditions." Rule 62-302.300(15), FAC. The standards define natural background as "the condition of waters in the absence of man-induced alterations based on the best scientific information available to the Department." The establishment of natural background for an altered waterbody "may be based upon a similar unaltered waterbody or on historical pre-alteration data." Rule 62-302.200, FAC. Such similar, unaltered waterbodies are also referred to as "reference waters." Rule 62-303.200(18). Reference waters can be representative of natural background conditions even where there is evidence of limited human disturbance in the waterbody or watershed, "as long as the anthropogenic sources do not produce a significant measurable or predicted effect on the parameter of concern in the waterbody." Id.

FDEP did not list a number of waterbodies where it determined that concentrations of dissolved oxygen measured below the numeric criteria due to natural conditions. The waterbodies affected by this decision can be placed into two categories, springs which originate from deep aquifer source water and blackwater streams which have extensive wetland dominated watersheds (marshes and swamps). Springs that originate from ground water from deep aquifers, such as the Floridan Aquifer, have been reported to be naturally low in dissolved oxygen content and do not contain higher levels of dissolved oxygen until adequate conditions for reaeration have occurred. Blackwater streams are characterized by warm water temperatures, low stream gradient, extensive riparian swamps, and waters darkly stained from humic substances leached from their catchments. Because of the high content of naturally occurring organic matter and low dissolved oxygen in waters in the associated riparian wetlands, periods of low dissolved oxygen naturally occur in these stream segments that serve as outflows and drain the wetlands areas.

EPA reviewed information submitted by FDEP as a demonstration that dissolved oxygen levels in 143 waterbodies represent natural background conditions in those waterbodies. EPA concluded that FDEP demonstrated that 122 of those waterbodies contain concentrations of dissolved oxygen that are below the water quality criterion generally applicable to Florida waterbodies due to natural background conditions. Therefore, EPA is approving FDEP's decision that these waterbodies should not be included on the State's section 303(d) list as reasonable. For 21 waterbodies, EPA concluded that the record submitted by FDEP was insufficient to support a determination that the DO concentrations in those waterbodies represent natural background conditions. EPA has identified those waterbodies in Appendix C. EPA is adding the identified waterbodies to the State's section 303(d) list.

c. Impairments Indicated by Biological Information

Florida's water quality criterion for biological integrity is set out in Rule 62-302.530(11), which provides that biological integrity is to be measured by percent reduction of the Shannon Weaver Diversity Index. These criteria apply to Class I, II, and III waters, and provide that "[t]he Index for benthic macroinvertebrates shall not be reduced to less than 75% of background level. . . ." Florida's water quality standards also allow biological integrity to be assessed through BioRecons, Stream Condition Indices, and the benthic macroinvertebrate component of the Lake Condition Index.¹¹

Based on its review of FDEP's assessment submittals, EPA has determined that FDEP appropriately assessed biological assessment data, in accordance with Florida's existing, EPA-approved water quality standards.

d. Impairments Indicated by Nutrient Information

Florida's water quality standard for nutrients is expressed as a narrative criteria, providing that "[i]n no case shall nutrient concentrations of a body of water be altered so as to cause an imbalance in natural populations of aquatic flora or fauna." 62-302.530(47)(b) FAC. Florida's water quality standards translate that narrative standard for assessment purposes.¹² The water quality standard provide for assessment of Florida's narrative criteria for nutrients as follows:

- Stream or stream segments shall be listed for nutrient impairment if the following biological imbalances are observed:
 - a) algal mats are present in sufficient quantities to pose a nuisance or hinder reproduction of a threatened or endangered species, or
 - b) annual mean chlorophyll a concentrations are greater than 20 ug/l or if data indicate annual mean chlorophyll a values have increased by more than 50% over historical values for at least two consecutive years.
- Lakes or lake segments will be listed for nutrients if:
 - a) for lakes with a mean color greater than 40 platinum cobalt units, the annual mean TSI for the lake exceeds 60, unless paleolimnological information indicates the lake was naturally greater than 60, or
 - b) for lakes with a mean color less than or equal to 40 platinum cobalt units,

¹¹ The biological assessment provisions in the IWR that EPA determined constituted new or revised water quality standards are Rules 62- 303.200 (1), (2), (8) and (22); 62-303.330(2), (3)(a), and (3)(b); 62-303.430(1), (2), and (3); and 62-303.720(2)(b). EPA approved those new or revised standards in February 2008.

¹² The narrative nutrient criteria translation provisions in the IWR that EPA determined constituted new or revised water quality standards are Rules 62, 303.200(6), (11), (12) and (25); 62-303.350(2)(c), (3); 62-303.351(2); 62-303.352; 62-303.353; 62-303.450(1); and 62-303.720(2)(j). EPA approved those standards in February 2008.

- the annual mean TSI for the lake exceeds 40, unless paleolimnological information indicates the lake was naturally greater than 40, or
- c) for any lake, data indicate that annual mean TSIs have increased over the assessment period, as indicated by a positive slope in the means plotted versus time, or the annual mean TSI has increased by more than 10 units over historical values.
- Estuaries or estuary segments shall be included on the planning list for nutrients if their annual mean chlorophyll a for any year is greater than 11 ug/l or if data indicate annual mean chlorophyll a values have increased by more than 50% over historical values for at least two consecutive years.

The thresholds of nutrient impairment established in the water quality standard are “one-sided” in nature. That is, the thresholds represent upper boundary conditions above which a water is not meeting its applicable designated uses and is identified as impaired, unless there is a site specific showing otherwise. While the standard only identifies “impairment thresholds” (upper boundary conditions for TSI and chlorophyll-a above which a water body is considered impaired), and does not identify “attainment thresholds,” it also provides for case-by-case assessment of water bodies that fall below the impairment threshold. Rule 62-303.450(1), FAC, provides for the development of site-specific thresholds that better represent the levels at which nutrient impairments occur. In addition, FDEP’s listing methodology provides for other information, aside from the thresholds, to be used to determine if an imbalance in flora or fauna exists. See Rule 62-303.350(1), FAC.

Florida’s water quality standards also outline the conditions under which a water body may be de-listed from the state’s section 303(d) list. Rule 62-303.720(2)(j), FAC, provides that, for waters listed based on nutrient impairment, “the water shall be de-listed if it does not meet the listing thresholds in Rule 62-303.450, FAC, for three consecutive years.” In these instances, the basis for removing the water from the list is that newer data express significant uncertainty as to whether the waters are impaired.

Typically, data used to assess waters is compared to numeric criteria as opposed to one-sided impairment thresholds. In such cases, a delisting decision is made where data show that pollutant concentrations are below the numeric criteria and the condition that was the basis for listing no longer exists. Similarly, in the case of one-side impairment thresholds, FDEP makes a delisting decision where data show that pollutant concentrations are below the impairment thresholds and, therefore, the condition that was the basis for the listing no longer exists. Because the threshold is one-sided, however, the water is considered “unassessed” rather than “unimpaired.”

Since FDEP’s listing methodology is consistent with Florida’s approved water quality standard for nutrients and with EPA’s regulations, EPA is approving FDEP’s listing decisions for nutrients based on that methodology.

5. Primary and Secondary Recreational Use Support

FDEP applies two tests for determining whether a waterbody's recreational use is impaired. First, FDEP looks at swimming advisories. Waterbodies which include a swimming area for which a local health department or county government has issued closures, advisories, or warnings based on bacteriological data are listed as impaired when those advisories apply for a total of 21 days or more during a calendar year.¹³ However, the methodology provides that closures, advisories, or warnings based on red tides, rip tides, sewer line breaks, sharks, medical wastes, hurricanes, or other factors not related to chronic discharges of pollutants are not included in the assessment. For waterbodies considered during this listing cycle, no beach closures, advisories, or warnings based on these circumstances occurred. Therefore exclusion of this type of advisory from the analysis did not factor into the assessment for 303(d) listing and it was unnecessary for EPA to review this provision further as it had no effect on the list.

FDEP's methodology considers ambient bacteria data in assessing the State's water quality standard for fecal coliform. For Class III: Recreation use, the bacteria criteria, set out at Rule 62-302.530(6), are as follows:

For fecal coliform: Most probable number (MPN) or membrane filter (MF) per 100 ml shall not exceed a monthly average of 200, nor exceed 400 in 10% of the samples, nor exceed 800 on any one day.

Monthly averages for fecal coliform shall be expressed as geometric means based on a minimum of 10 samples taken over a 30 day period.

The methodology provides that FDEP use the binomial statistical test in evaluating ambient water data for assessment of the water quality criteria for bacteriological quality, with the exception that paragraph 62-303.320(4)(a), FAC, does not apply and samples collected on different days within any four day period will be assessed as daily samples.

For the reasons set out in the section addressing assessment of aquatic life use support above, EPA has determined that use of the binomial statistical test is a reasonable method for FDEP to assess ambient water data for fecal coliform. EPA is approving FDEP's listing decisions for bacteria related to recreational use based on that methodology.

6. Fish and Shellfish Consumption Use Support

EPA reviewed FDEP's methodology for assessing fish and shellfish consumption use support (Class II). The methodology provides for FDEP to make listing decisions

¹³ EPA determined that provisions in the IWR further characterized the recreational designated use, set out in Rule 62-302.400, FAC, by quantifying the unacceptable loss of use from closures, advisories, and warnings at 21 days. See 2008 IWR Determination, pp 42-43. The associated criteria for those designated uses did not change.

based on bacteriological data, fish consumption advisories, and Shellfish Evaluation and Assessment (SEAS) Program status as it relates to fish and shellfish use support. See 62-303.470.

The listing methodology provides for use of the binomial statistical test in evaluating ambient water data for assessment of the water quality criteria for bacteriological quality, with the exception that paragraph 62-303.320(4)(a), FAC, does not apply and samples collected on different days within any four day period will be assessed as daily samples. The methodology further provides that waters will be identified as impaired where a sampling location has a median fecal coliform MPN value that exceeds 14 counts per 100 ml for the verified period being assessed.

The listing methodology provides that FDEP reviews data used by DOH as the basis for fish consumption advisories to determine if the data are appropriate to use for listing decisions. The methodology also provides FDEP the ability to use fish consumption advisories and other scientifically credible and compelling information indicating that applicable human health-based water quality criteria are not being met as a basis for listing decisions. Finally, the methodology provides that SEAS status will be used in listing decisions consistent with Florida's underlying uses and criteria.

EPA agrees that Florida's listing methodology, as revised, provides for FDEP to make listing decisions based on bacteriological data and shellfish harvesting classification information and in a manner consistent with the state's currently applicable water quality standards and EPA regulations. EPA believes that use of the binomial statistical test is a reasonable method for FDEP to assess ambient water data for fish and shellfish consumption use support. EPA is approving FDEP's listing decisions for fish and shellfish use support based on that methodology.

7. Drinking Water Use Support and Protection of Human Health

Assessment of drinking water use support can be broken down into the evaluation of three types of criteria: bacteriological criteria, criteria expressed as a maximum concentration, and criteria expressed as an annual average.

The FDEP listing methodology provides for listing waters on the section 303(d) list if they exceed human health-based criteria expressed as annual averages, or those expressed as maximums or single-sample bacteriological criteria. FDEP is to use the binomial statistical test in evaluating data in relation to maximum or single-sample bacteriological water quality criteria, with the exception that paragraph 62-303.320(4)(a), FAC, does not apply and samples collected on different days within any four day period will be assessed as daily samples.

EPA considers that the methodology provides for FDEP to make listing decisions based on bacteriological data in a manner consistent with the state's currently applicable water quality standards and EPA regulations. EPA believes that use of the binomial statistical test is a reasonable method for FDEP to assess ambient water data for drinking

water use support and protection of human health . EPA is approving FDEP's listing decisions for drinking water and protection of human health use support based on that methodology.

C. 303(d) List of Impaired Waters

FDEP submitted its 2009 section 303(d) submittals as updates to Groups One, Two, and Five which amend the State's previously approved 303(d) list. Following EPA's decision to partially approve and add waters to Florida's 2009 submission, the current 303(d) list in the State of Florida includes all waters on the 2003 EPA-approved section 303(d) list as well as approved FDEP additions and EPA additions to that list, minus EPA approved FDEP delistings from that list.

| | | |
|-----|-----------------------------------|--------------|
| | Approved 2003 303(d) List | (Appendix A) |
| (+) | Approved Group One FDEP Additions | (Appendix B) |
| (+) | EPA Additions | (Appendix C) |
| (-) | Approved FDEP Delistings | (Appendix D) |

1. FDEP's Addition of Water Quality Limited Segments

FDEP identified additional water quality limited segments in the Group One basins, consistent with section 303(d) and EPA's implementing regulations. EPA is approving the addition of those water quality limited segments to Florida's section 303(d) list. The newly listed waterbodies are identified in Appendix B.

2. FDEP's Delisting of Water Quality Limited Segments

FDEP has not included certain water quality limited segments on the 2009 Update which had been included on the previously approved 2003 section 303(d). As provided in 40 CFR 130.7(b)(6)(iv), EPA requested that the State demonstrate good cause for not including these waters.

The State did not include Lake Seminole on the section 303(d) list because the State believes there are other pollution control requirements affecting those waters that will result in attainment of water quality standards. EPA's review of FDEP's listing decision as Lake Seminole is set out below.

Waterbody specific information on the remainder of the waterbodies that had been included on the 2003 section 303(d) list but were not included on the 2009 Update, the good cause justification submitted by FDEP, and EPA's conclusions are included in Appendix D. For those waterbodies where EPA determined FDEP has not demonstrated good cause, EPA is adding the identified waterbodies to the State's section 303(d) list.

3. Other Pollution Control Requirements

EPA's regulations provide that TMDLs are not required for waterbodies where "[o]ther pollution control requirements (e.g., best management practices) required by local, State, or Federal authority are [] stringent enough to implement any water quality standards [WQS] applicable to such waters." 40 C.F.R. § 130.7(b)(1)(iii).

Consistent with this regulation, EPA's 2008 Integrated Water Quality Monitoring and Assessment Report Guidance suggests that waters may be listed in Category 4b of a state's Integrated Report, rather than Category 5 (waterbodies that still require TMDLs), where other pollution control requirements required by local, state, or federal authority are stringent enough to implement any water quality standard applicable to such waters. Demonstrations that waters should be placed in Category 4b should address the following six elements:

1. Identification of segment and statement of problem causing the impairment;
2. Description of pollution controls and how they will achieve water quality standards;
3. An estimate or projection of the time when WQS will be met;
4. Schedule for implementing pollution controls;
5. Monitoring plan to track effectiveness of pollution controls; and
6. Commitment to revise pollution controls, as necessary.

FDEP has placed Lake Seminole, WBID 1618, in Category 4b, rather than Category 5, based on proposed pollution control requirements that FDEP expects to result in the attainment of the water quality standards in the near future. In 2004, the Pinellas County Board of County Commissioners adopted the Lake Seminole Watershed Management Plan (Plan) to address elevated nutrients in the lake which have resulted in hyper-eutrophic conditions and associated water quality violations, such as dissolved oxygen.

The Lake Seminole Watershed Management Plan includes three proposed management activities to restore water quality in Lake Seminole:

- reduce external phosphorus loadings;
- reduce internal nutrient recycling; and
- reduce lake hydrologic residence time.

The Plan specifies four major projects aimed at improving water quality in the lake. These projects include: 1) retrofitting stormwater outflows from the five highest nutrient loading subbasins with alum treatment systems; 2) alum treatment and diversion of a portion of flows in the Lake Seminole Bypass Canal into Lake Seminole; 3) removal of organic muck sediments; and 4) lake level fluctuation.

Pinellas County has dedicated substantial funds in their 2007-2012 Capital Improvement Plan, and has secured funding agreements with other agencies, as necessary

to ensure the full implementation of the four major water quality improvement projects, as well as other associated infrastructure improvements. The County has allocated \$4.9 million for the design and construction of the alum stormwater and bypass canal diversion treatment facilities and \$8 million to remove organic sediments from the lake. The County is moving forward with construction on these projects, and as of April 2007 a contractor had been selected for the sediment removal project.

All proposed restoration projects at Lake Seminole are scheduled to be completed by 2012. This deadline coincides with the next scheduled impaired waters evaluation for Group 5 basins, including Lake Seminole.

Pinellas County's commitment to implement the water quality improvement projects are fully enforceable through the County's existing State of Florida Municipal Separate Storm Sewer System (MS4) Permit, issued under the National Pollutant Discharge Elimination System (NPDES) program. In addition, continued operation and maintenance of the alum stormwater and bypass canal diversion treatment facilities is guaranteed under a cooperative funding agreement between Pinellas County and SWFWMD.

Pinellas County has developed an extensive monitoring plan for the lake, including monitoring water, benthic and sediment quality, to evaluate the success of the treatment facility and the effectiveness of the settling area. The County will publish an annual State-of-the-Lake report which summarizes all of the monitoring data collected during the previous calendar year. In addition to monitoring data summaries, the annual report will include the status for all proposed management activities.

The water quality improvement projects outlined above will be implemented over three phases. Upon completion of each phase, the County will look at whether water quality in the Lake has improved. The third phase component, which includes whole lake alum applications, will be implemented only if previous restoration projects were not successful in improving water quality. After all proposed restoration projects have been implemented, Lake Seminole will be re-evaluated and new management techniques will be considered if further water quality improvement is necessary.

EPA has determined that the Lake Seminole Watershed Management Plan meets the requirements of 40 C.F.R. § 130.7(b)(1)(iii). Therefore, the lake need not be identified as a water quality limited segment and included on the section 303(d) list. EPA will periodically reevaluate the need to identify the lake as water quality limited, based on the outcome of the Pinellas County Plan.

4. EPA Identified Waters

Based on its review and analysis of FDEP's listing decisions as set out above, EPA has decided to add waters to Florida's section 303(d) list. The additional water quality limited segments identified by EPA are set out in Appendix C.

5. Priority Ranking and Targeting

Section 303(d)(1)(A) of the Clean Water Act requires states to “establish a priority ranking for [impaired waters], taking into account the severity of the pollution and the uses to be made of such waters.” EPA’s implementing regulations require states to include in their impaired waters list a priority ranking for all listed water quality limited segments as well as an identification of waters targeted for TMDL development within the next two years. 40 C.F.R. § 130.7(b)(4).

Pursuant to the listing methodology set out in the IWR, FDEP prioritized water quality limited segments for TMDL development according to the severity of the impairment and the designated uses of the segment, taking into account the most serious water quality problems, most valuable and threatened resources, and risk to human health and aquatic life. Waterbodies included on the section 303(d) list were prioritized as high, medium, or low priority. See Rule 62-303.500.

Waters were designated high priority if (a) the impairment poses a threat to potable water supplies or to human health, or (b) the impairment is due to a pollutant that has contributed to the decline or extirpation of a federally listed threatened or endangered species. Also, waters listed due to fish consumption advisories for mercury were designated high priority. FDEP notes its intent to address mercury through a statewide TMDL which is scheduled to be completed in 2012.

Waters were designated as low priority if (a) the water was an urban drainage ditch that was listed only due to exceedences of the DO criteria, or (b) waters not previously on a planning list of impaired waters that were identified as impaired during subsequent phases of Florida’s rotating basin approach, unless newly listed segments meet the criteria for high priority.

All other water quality limited segments were designated medium priority and were prioritized based on the following factors:

- (1) the presence of Outstanding Florida Waters;
- (2) the presence of water segments that fail to meet more than one designated use or exceed more than one applicable water quality criterion;
- (3) the presence of water segments that exceed an applicable water quality criterion or alternative threshold with a greater than twenty-five percent exceedence frequency with a minimum of a 90 percent confidence level; or
- (4) the administrative needs of the TMDL program, including meeting a TMDL development schedule agreed to with EPA, basin priorities related to following the Department’s watershed management approach, and the number of administratively continued permits in the basin.

Appendix B shows the priority and projected year for TMDL development for each waterbody included on the section 303(d) list. Waters with high priority were

generally scheduled for TMDL development by FDEP during the current watershed cycle, while medium and most low priority waters were scheduled for the next cycle. All water quality limited segments identified by EPA in Appendix C have been given low priority and are currently unscheduled for TMDL development, unless they are subject to the Consent Decree schedule described below.

TMDL development will also follow the schedule set out in the Consent Decree in Florida Wildlife Federation, et al. v. Browner, Civil Action No. 4: 98CV356-WS (Northern District of Fla.). All waterbodies on the 1998 list that were not delisted are scheduled for TMDL development according to this Consent Decree.

Upon review, EPA has determined that FDEP's priority ranking of impaired waters and targeting of those waters for TMDL development are consistent with the requirements of the CWA and EPA's implementing regulations.

IV. Final Recommendation on Florida's 2009 Section 303(d) List Submittal

After careful review of the final 303(d) list submittal package, the Water Management Division recommends that EPA Region 4:

- A. approve the State of Florida's amendments to the 2003 section §303(d) list as identified in Appendices B and D;
- B. disapprove specific failures to identify water quality limited segments as identified in Appendix C;
- C. disapprove specific delistings requests as identified in Appendix D;
- D. add the water quality limited segments identified in Appendix C and those specific delistings disapproved by EPA in Appendix D to the Florida section 303(d) list.

EPA's approval of Florida's section 303(d) list extends to all waterbodies on the list with the exception of those waters that are within Indian Country, as defined in 18 U.S.C. section 1151. EPA is taking no action to approve or disapprove the State's list with respect to those waters at this time. EPA, or eligible Indian Tribes, as appropriate, will retain responsibilities under section 303(d) for those waters.

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|--------------------|---|-------|---|--|----------|----------------------------|--|
| ALAFIA RIVER | POLEY CREEK | 1583 | Coliforms, Nutrients, Turbidity | | Low | Group 2 | 2008 |
| ALAFIA RIVER | BUCKHORN SPRING | 1635 | Nutrients | | Low | Group 2 | 2008 |
| ALAFIA RIVER | THIRTYMILE CREEK | 1639 | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 2 | 2003 |
| ALAFIA RIVER | SOUTH PRONG ALAFIA RIVER | 1653 | Coliforms, Nutrients | | Low | Group 2 | 2008 |
| ALAFIA RIVER | BELL CREEK (Alafia River) | 1660 | Dissolved Oxygen, Nutrients, Coliforms | | Low | Group 2 | 2008 |
| ALAFIA RIVER | OWENS BRANCH | 1675 | Coliforms, Nutrients | | Low | Group 2 | 2008 |
| ALAFIA RIVER | TURKEY CREEK ABOVE LITTLE ALAFIA RIVER | 1578B | Coliforms, Nutrients, Turbidity | | Low | Group 2 | 2008 |
| ALAFIA RIVER | ENGLISH CREEK | 1592C | Coliforms, Nutrients | | Low | Group 2 | 2008 |
| ALAFIA RIVER | NORTH PRONG ALAFIA RIVER | 1621E | Dissolved Oxygen, Nutrients, Coliforms | | Low | Group 2 | 2008 |
| ALAFIA RIVER | ALAFIA RIVER ABOVE HILLSBOROUGH BAY | 1621G | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 2 | 2008 |
| APALACHICOLA BAY | APALACHICOLA BAY | 1274 | Coliforms, Nutrients | | High | Group 2 | 2003 |
| APALACHICOLA BAY | APALACHICOLA BAY | 1274B | Coliforms, Nutrients | | High | Group 2 | 2003 |
| APALACHICOLA RIVER | NORTH MOSQUITO CREEK | 384 | Biology | Listing based on biological sampling. | Low | Group 2 | 2008 |
| APALACHICOLA RIVER | FLAT CREEK | 487 | Coliforms, Nutrients, Turbidity, Total Suspended Solids | | Low | Group 2 | 2008 |
| APALACHICOLA RIVER | SWEETWATER CREEK | 728 | Coliforms, Dissolved Oxygen | | Low | Group 2 | 2008 |
| APALACHICOLA RIVER | LITTLE GULLY CREEK | 1039 | Coliforms, Dissolved Oxygen, Turbidity | | Low | Group 2 | 2008 |
| APALACHICOLA RIVER | GREGORY MILL CREEK | 1135 | Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids | | Low | Group 2 | 2008 |
| APALACHICOLA RIVER | CYPRESS CREEK (Double Bayou) | 1262 | Biology | Listing based on biological sampling. | Low | Group 2 | 2008 |
| APALACHICOLA RIVER | HORSESHOE CREEK | 1272 | Coliforms, Dissolved Oxygen | | Low | Group 2 | 2008 |
| APALACHICOLA RIVER | HUCKLEBERRY CREEK | 1286 | Nutrients, Coliforms | | High | Group 2 | 2003 |
| APALACHICOLA RIVER | EQUILOXIC CREEK | 1109A | Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory). | | Low | Group 2 | 2008 & 2011 (mercury) |
| APALACHICOLA RIVER | APALACHICOLA RIVER-Scipio Creek | 375A | Coliforms | | High | Group 2 | 2003 |
| APALACHICOLA RIVER | APALACHICOLA RIVER | 375B | Coliforms | | High | Group 2 | 2003 |
| APALACHICOLA RIVER | APALACHICOLA RIVER | 375D | Turbidity | | High | Group 2 | 2003 |
| APALACHICOLA RIVER | APALACHICOLA RIVER | 375E | Coliforms | | High | Group 2 | 2003 |
| APALACHICOLA RIVER | GLEN JULIA SPRING | 393Z | Coliforms, Nutrients | | Low | Group 2 | 2008 |
| AUCILLA RIVER | AUCILLA RIVER | 3310 | Dissolved Oxygen | | Low | Group 1 | |
| BLACKWATER RIVER | BIG COLDWATER CREEK | 18 | Coliforms, Total Suspended Solids | | Low | Group 4 | 2001 (coliforms), 2011 |
| BLACKWATER RIVER | BIG JUNIPER CREEK | 19 | Coliforms, Turbidity | | Low | Group 4 | 2001 (coliforms), 2011 |
| BLACKWATER RIVER | MARE CREEK | 88 | Dissolved Oxygen, Turbidity | | Low | Group 4 | 2011 |
| BLACKWATER RIVER | MANNING CREEK | 127 | Coliforms, Turbidity, Total Suspended Solids | | Low | Group 4 | 2001 (coliforms), 2011 |
| BLACKWATER RIVER | BUCKET BRANCH | 356 | | Listing based on NPS survey. | Low | Group 4 | 2011 |
| BLACKWATER RIVER | WEST FORK (Big Coldwater Creek-West Fork) | 11A | Coliforms, Nutrients | | Low | Group 4 | 2001 (coliforms), 2011 |
| BLACKWATER RIVER | EAST FORK (Big Coldwater Creek-East Fork) | 18A | Coliforms, Total Suspended Solids | | Low | Group 4 | 2001 (coliforms), 2011 |
| BLACKWATER RIVER | BLACKWATER RIVER | 24A | Total Suspended Solids, Coliforms, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2001 (coliforms), 2011 |
| BLACKWATER RIVER | BLACKWATER RIVER | 24B | | Listing based on NPS survey. | Low | Group 4 | 2011 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|---------------------------|--|-------|--|----------|----------|----------------------|--|
| BLACKWATER RIVER | BLACKWATER RIVER | 24D | Coliforms, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2001 (coliforms), 2011 |
| CALOOSAHATCHEE RIVER | EAST CALOOSAHATCHEE | 3237A | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand | | Low | Group 3 | 2009 |
| CALOOSAHATCHEE RIVER | LAKE HICPOCHEE | 3237C | Nutrients | | High | Group 3 | 2004 |
| CALOOSAHATCHEE RIVER | NINEMILE CANAL | 3237D | Nutrients, Dissolved Oxygen, Biochemical Oxygen Demand, Coliforms | | High | Group 3 | 2004 |
| CALOOSAHATCHEE RIVER | YELLOW FEVER CREEK | 3240E | Dissolved Oxygen | | Low | Group 3 | 2009 |
| CALOOSAHATCHEE RIVER | DAUGHTREY CREEK (East Branch Cocohatchee River & Popash Creek) | 3240F | Nutrients, Dissolved Oxygen | | High | Group 3 | 2004 |
| CALOOSAHATCHEE RIVER | TROUT CREEK | 3240G | Dissolved Oxygen, Coliforms, Biochemical Oxygen Demand | | Low | Group 3 | 2009 |
| CALOOSAHATCHEE RIVER | MANUEL BRANCH | 3240I | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2009 |
| CALOOSAHATCHEE RIVER | BILLY CREEK | 3240J | Dissolved Oxygen, Nutrients | | High | Group 3 | 2004 |
| CHARLOTTE HARBOR | NORTH PRONG ALLIGATOR CREEK | 2071 | Dissolved Oxygen, Coliforms, Turbidity | | Low | Group 2 | 2009 |
| CHARLOTTE HARBOR | MATLACHA PASS | 2065F | Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 2 | 2004, 2011 (mercury) |
| CHATTAHOOCHEE RIVER | LAKE SEMINOLE | 60 | Dissolved Oxygen, Nutrients | | High | Group 2 | 2003 |
| CHATTAHOOCHEE RIVER | THOMPSON POND | 272 | Coliforms, Nutrients | | High | Group 2 | 2003 |
| CHIPOLA RIVER | MUDDY BRANCH | 175 | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 2 | 2003 |
| CHIPOLA RIVER | OTTER CREEK | 819 | Coliform, Nutrients | | Low | Group 2 | 2008 |
| CHIPOLA RIVER | CHIPOLA RIVER (Dead Lakes) | 51A | Coliforms, Turbidity, Mercury (Based on Fish Consumption Advisory) | | High | Group 2 | 2003, 2011 (mercury) |
| CHIPOLA RIVER | CHIPOLA RIVER | 51B | Nutrients | | High | Group 2 | 2003 |
| CHOCTAWHATCHEE BAY | LAFAYETTE CREEK | 646 | Coliforms | | Low | Group 3 | 2009 |
| CHOCTAWHATCHEE BAY | BOGGY BAYOU | 692 | Dissolved Oxygen | | Low | Group 3 | 2009 |
| CHOCTAWHATCHEE BAY | JOES BAYOU | 906 | Nutrients | | Low | Group 3 | 2009 |
| CHOCTAWHATCHEE BAY | INDIAN BAYOU (Old Pass Lagoon) | 917 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2009 |
| CHOCTAWHATCHEE BAY | CHOCTAWHATCHEE BAY AB C | 778B | Coliforms | | High | Group 3 | 2004 |
| CHOCTAWHATCHEE BAY | CHOCTAWHATCHEE BAY AB C | 778C | Biochemical Oxygen Demand, Coliforms, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory) | | Low | Group 3 | 2009, 2011 (mercury) |
| CHOCTAWHATCHEE BAY | CHOCTAWHATCHEE BAY AB C | 778D | Dissolved Oxygen, Nutrients | | High | Group 3 | 2004 |
| CHOCTAWHATCHEE RIVER | CHOCTAWHATCHEE RIVER | 49 | Coliforms, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2001 (coliforms), 2009, 2011 (mercury) |
| CHOCTAWHATCHEE RIVER | ALLIGATOR CREEK | 123 | Coliforms, Biological Oxygen Demand, Dissolved Oxygen, Nutrients, Turbidity | | Low | Group 3 | 2001 (coliforms), 2009 |
| CHOCTAWHATCHEE RIVER | FISH BRANCH (Minnow Creek) | 130 | Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity | | Low | Group 3 | 2001 (coliforms), 2009 |
| CHOCTAWHATCHEE RIVER | SIKES CREEK | 142 | Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity | | Low | Group 3 | 2001 (coliforms), 2009 |
| CHOCTAWHATCHEE RIVER | CAMP BRANCH | 251 | Coliforms, Nutrients, Turbidity | | Low | Group 3 | 2001 (coliforms), 2009 |
| CHOCTAWHATCHEE RIVER | BRUCE CREEK | 343 | Coliforms, Turbidity | | Low | Group 3 | 2001 (coliforms), 2009 |
| CHOCTAWHATCHEE RIVER | CHOCTAWHATCHEE RIVER | 49E | Coliforms, Turbidity, Total Suspended Solids | | High | Group 3 | 2004 |
| CHOCTAWHATCHEE RIVER | CHOCTAWHATCHEE RIVER | 49F | Coliforms, Nutrients, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory) | | Low | Group 3 | 2001 (coliforms), 2009, 2011 (mercury) |
| CRYSTAL RIVER TO ST. PETE | PITHLACHASCOTEE RIVER | 1409 | Dissolved Oxygen, Coliforms | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | ANCLOTE RIVER | 1440 | Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory) | | Low | Group 5 | 2011 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|---------------------------|--|-------|--|---------------------------------------|----------|----------------------|--|
| CRYSTAL RIVER TO ST. PETE | SOUTH BRANCH (South Branch Anclote River) | 1456 | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 5 | 2006 |
| CRYSTAL RIVER TO ST. PETE | HOLLIN CREEK | 1475 | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | KLOSTERMAN BAYOU RUN (Innisbrook Canal) | 1508 | Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients | | High | Group 5 | 2006 |
| CRYSTAL RIVER TO ST. PETE | HEALTH SPRING | 1512 | Nutrients | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | SUTHERLAND BAYOU | 1527 | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | DIRECT RUNOFF TO GULF (Clearwater Harbor) | 1528 | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | DIRECT RUNOFF TO GULF (Minnow Creek) | 1535 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | CURLEW CREEK | 1538 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | CEDAR CREEK | 1556 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | STEVENSON CREEK | 1567 | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 5 | 2006 |
| CRYSTAL RIVER TO ST. PETE | LAKE SEMINOLE | 1618 | Coliforms, Nutrients | | High | Group 5 | 2006 |
| CRYSTAL RIVER TO ST. PETE | MCKAY CREEK | 1633 | Dissolved Oxygen, Nutrients, Coliforms | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | SOUTH CROSS CANAL (Cross Bayou Canal South) | 1641 | | Listing based on NPS survey. | High | Group 5 | 2006 |
| CRYSTAL RIVER TO ST. PETE | PINELLAS PARK DITCH | 1662 | Dissolved Oxygen, Nutrients, Coliforms | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | CLAM BAYOU DRAIN | 1716 | Dissolved Oxygen, Nutrients, Coliforms | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | CRYSTAL RIVER | 1341I | Nutrients | | High | Group 5 | 2006 |
| CRYSTAL RIVER TO ST. PETE | CRYSTAL RIVER BAY | 1345A | Biology | Listing based on biological sampling. | High | Group 5 | 2006 |
| CRYSTAL RIVER TO ST. PETE | SPRING BAYOU | 1440A | Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand | | Low | Group 5 | 2011 |
| CRYSTAL RIVER TO ST. PETE | ST JOE CREEK | 1668A | Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand | | High | Group 5 | 2006 |
| CRYSTAL RIVER TO ST. PETE | BONN CREEK (& Joe Creek & Cross Bayou Canal) | 1668B | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand | | High | Group 5 | 2006 |
| EAST COAST, MIDDLE | ADDISON CANAL | 3028 | | Listed for NPS assessment. | High | Group 5 | 2006 |
| EAST COAST, MIDDLE | HORSE CREEK | 3081 | Dissolved Oxygen | | Low | Group 5 | 2011 |
| EAST COAST, MIDDLE | EAU GALLIE RIVER | 3082 | Coliforms, Iron, Nutrients | | High | Group 5 | 2002 (nutrients), 2006 |
| EAST COAST, MIDDLE | CRANE CREEK | 3085 | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 5 | 2002 (nutrients), 2006 |
| EAST COAST, MIDDLE | DRAINED FARMLAND (C1, C69, C10) | 3090 | Dissolved Oxygen, Nutrients, Iron, Lead, Cadmium | | Low | Group 5 | 2011 |
| EAST COAST, MIDDLE | TURKEY CREEK | 3098 | Dissolved Oxygen, Nutrients | | High | Group 5 | 2003 (nutrients), 2006 |
| EAST COAST, MIDDLE | GOAT CREEK | 3107 | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| EAST COAST, MIDDLE | MOSQUITO LAGOON | 2924B | Coliforms | | Low | Group 5 | 2011 |
| EAST COAST, MIDDLE | INDIAN RIVER ABOVE SEBASTIAN INLET | 2963A | Dissolved Oxygen, Silver, Lead, Cadmium, Selenium, Thallium, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2003 (nutrients), 2006, 2011 (mercury) |
| EAST COAST, MIDDLE | INDIAN RIVER ABOVE MELBOURNE CAUSEWAY | 2963B | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2003 (nutrients), 2006, 2011 (mercury) |
| EAST COAST, MIDDLE | INDIAN RIVER ABOVE MELBOURNE CAUSEWAY | 2963C | Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2003 (nutrients), 2006, 2011 (mercury) |
| EAST COAST, MIDDLE | INDIAN RIVER ABOVE 520 CAUSEWAY | 2963D | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2003 (nutrients), 2006, 2011 (mercury) |
| EAST COAST, MIDDLE | INDIAN R. AB NASA CSWY | 2963E | Dissolved Oxygen | | Low | Group 5 | 2011 |
| EAST COAST, MIDDLE | INDIAN RIVER ABOVE M. BREWER | 2963F | Iron, Lead | | Low | Group 5 | 2011 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|----------------------|---------------------------------|-------|--|----------|-----------------|----------------------|---|
| EAST COAST, MIDDLE | NEWFOUND HARBOR | 3044A | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| EAST COAST, MIDDLE | SYKES CREEK/BARGE CAN. | 3044B | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| EAST COAST, MIDDLE | BANANA RIVER BELOW MATHERS | 3057A | Dissolved Oxygen, Nutrients | | High | Group 5 | 2003 (nutrients), 2006 |
| EAST COAST, MIDDLE | BANANA RIVER ABOVE 520 CAUSEWAY | 3057B | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2003 (nutrients), 2006, 2011 (mercury) |
| EAST COAST, MIDDLE | BANANA RIVER ABOVE BARGE CANAL | 3057C | Dissolved Oxygen | | Low | Group 5 | 2011 |
| EAST COAST, MIDDLE | CRANE CREEK | 3085A | Iron, Nutrients | | High | Group 5 | 2002 (nutrients), 2006 |
| EAST COAST, UPPER | GUANA RIVER | 2320 | Dissolved Oxygen, Coliforms | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | CRACKER BRANCH (Pellicer Creek) | 2553 | Dissolved Oxygen, Coliforms, Iron | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | TOMOKA RIVER | 2634 | Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | UNNAMED DITCH (B-19 Canal) | 2666 | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | ROSE BAY | 2672 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | SPRUCE CREEK | 2674 | Dissolved Oxygen, Nutrients, Coliforms, Iron | | High | Group 5 | 2006 |
| EAST COAST, UPPER | HALIFAX RIVER | 2363A | Nutrients, Coliforms | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | HALIFAX RIVER | 2363B | Nutrients, Iron, Lead, Copper | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | PALM COAST | 2363D | Dissolved Oxygen, Coliforms, Nutrients, Thallium, Silver, Lead, Cadmium, Selenium | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | MATANZAS RIVER | 2363I | Coliforms, Nutrients | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | PELLICER CREEK | 2580B | Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | TOMOKA RIVER | 2634A | Nutrients, Iron, Lead | | Low | Group 5 | 2011 |
| EAST COAST, UPPER | SPRUCE CREEK | 2674A | Dissolved Oxygen, Nutrients, Iron | | High | Group 5 | 2006 |
| ECONFINA-FENHOLLOWAY | ECONFINA RIVER | 3402 | Cadmium | | Low | Group 1 | 2002 |
| ECONFINA-FENHOLLOWAY | ROCKY CREEK | 3489 | Turbidity, Coliforms (fecal & total) | | Low | Group 1 | 2002 |
| ECONFINA-FENHOLLOWAY | STEINHATCHEE RIVER | 3573 | Dissolved Oxygen | | Low | Group 1 | |
| ECONFINA-FENHOLLOWAY | CALIFORNIA (ROCKY) CREEK | 3577 | Dissolved Oxygen | | Low | Group 1 | |
| ECONFINA-FENHOLLOWAY | BEVINS (BOGGY) CREEK | 3603 | Dissolved Oxygen, Biochemical Oxygen Demand, Coliforms (fecal & total) | | Low | Group 1 | 2002 |
| ECONFINA-FENHOLLOWAY | FENHOLLOWAY AT MOUTH | 3473A | Dissolved Oxygen, Coliforms (total), Nutrients, Biochemical Oxygen Demand, Dioxin (Based on Fish Consumption Advisory) | | High | Group 1 | 2002 |
| ECONFINA-FENHOLLOWAY | FENHOLLOWAY BELOW PULP | 3473B | Dissolved Oxygen, Nutrients, Un-ionized Ammonia, Biochemical Oxygen Demand, Conductivity, Mercury (Based on Fish Consumption Advisory) | | High/ Medium | Group 1 | 2002, 2007 (conductivity), 2011 (mercury) |
| ECONFINA-FENHOLLOWAY | FENHOLLOWAY ABOVE PULP | 3473C | Dissolved Oxygen | | High | Group 1 | 2002 |
| ECONFINA-FENHOLLOWAY | STEINHATCHEE RIVER | 3573B | Dissolved Oxygen | | Low | Group 1 | 2002 |
| ECONFINA-FENHOLLOWAY | STEINHATCHEE RIVER | 3573C | Dissolved Oxygen | | Low | Group 1 | |
| ESCAMBIA RIVER | PINE BARREN CREEK | 5 | Coliforms, Turbidity | | Low | Group 4 | 2011 |
| ESCAMBIA RIVER | CANOE CREEK | 7 | Coliforms | | Low | Group 4 | 2011 |
| ESCAMBIA RIVER | BIG ESCAMBIA CREEK | 10 | Coliforms, Total Suspended Solids, Turbidity | | Low | Group 4 | 2011 |
| ESCAMBIA RIVER | BRAY MILL CREEK | 36 | Nutrients | | Low | Group 4 | 2011 |
| ESCAMBIA RIVER | LITTLE PINE BARREN CREEK | 87 | Coliforms, Turbidity | | Low | Group 4 | 2011 |
| ESCAMBIA RIVER | ESCAMBIA RIVER | 10C | Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2011 |
| ESCAMBIA RIVER | ESCAMBIA RIVER | 10D | Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2011 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-----------------------|--|--------|--|---|------------|----------------------|------------------------------------|
| ESCAMBIA RIVER | ESCAMBIA RIVER | 10E | Coliforms, Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2011 |
| ESCAMBIA RIVER | ESCAMBIA RIVER | 10F | Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2011 |
| EVERGLADES-WEST COAST | EVERGLADES NATIONAL PARK - SHARK SLOUGH | 3289 | Dissolved Oxygen, Iron, Mercury (Based on Fish Consumption Advisory), Nutrients | | Low | Group 1 | 2007, 2011 (mercury) |
| EVERGLADES-WEST COAST | SOUTHWEST GULF 5 | 8065 | Bacteria (shellfish) | | Medium | Group 1 | 2007 |
| EVERGLADES-WEST COAST | IMPERIAL RIVER (marine) | 3258E1 | Copper | | Medium | Group 1 | 2007 |
| EVERGLADES-WEST COAST | HENDRY CREEK (fresh) | 3258B | Nutrients, Dissolved Oxygen | | Medium/Low | Group 1 | 2007 |
| EVERGLADES-WEST COAST | HENDRY CREEK (marine) | 3258B1 | Dissolved Oxygen, Nutrients (chla), Coliforms (fecal) | | Medium | Group 1 | 2007 |
| EVERGLADES-WEST COAST | ESTERO BAY DRAINAGE (Mullock Creek) | 3258C | Dissolved Oxygen, Nutrients (chla) | | Medium | Group 1 | 2007 |
| EVERGLADES-WEST COAST | ESTERO RIVER (fresh) | 3258D | Dissolved Oxygen | | Low | Group 1 | |
| EVERGLADES-WEST COAST | ESTERO RIVER (marine) | 3258D1 | Dissolved Oxygen, Nutrients (chla), Copper | | Medium | Group 1 | 2007 |
| EVERGLADES-WEST COAST | IMPERIAL RIVER (fresh) | 3258E | Dissolved Oxygen, Nutrients (chla), Coliforms (fecal) | | Low | Group 1 | 2007 |
| EVERGLADES-WEST COAST | TENMILE CANAL | 3258G | Dissolved Oxygen | | Low | Group 1 | |
| EVERGLADES-WEST COAST | SPRING CREEK (fresh) | 3258H | Dissolved Oxygen | | Low | Group 1 | 2007 |
| EVERGLADES-WEST COAST | SPRING CREEK (marine) | 3258H1 | Dissolved Oxygen, Nutrients (chla), Copper | | Medium | Group 1 | 2007 |
| EVERGLADES-WEST COAST | COCOHATCHEE RIVER | 3259A | Dissolved Oxygen, Coliforms (fecal & total), Biochemical Oxygen Demand | | Low | Group 1 | 2007 |
| EVERGLADES-WEST COAST | COCOHATCHEE RIVER CANAL | 3259B | Dissolved Oxygen, Iron | | Medium | Group 1 | 2007 |
| EVERGLADES-WEST COAST | GORDON RIVER | 3259C | Dissolved Oxygen, Biochemical Oxygen Demand, Coliforms (fecal & total) | | Low | Group 1 | 2007 |
| EVERGLADES-WEST COAST | GORDON RIVER CANAL | 3259D | Dissolved Oxygen | | Medium | Group 1 | 2007 |
| EVERGLADES-WEST COAST | HENDERSON CREEK CANAL | 3259E | Dissolved Oxygen | | Medium | Group 1 | 2007 |
| EVERGLADES-WEST COAST | GOLDEN GATE CANAL | 3259F | Dissolved Oxygen | | Low | Group 1 | |
| EVERGLADES-WEST COAST | NAPLES BAY | 3259G | Nutrients | | Low | Group 1 | 2007 |
| EVERGLADES-WEST COAST | HENDERSON CREEK CANAL | 3259H | Dissolved Oxygen | | Low | Group 1 | |
| EVERGLADES-WEST COAST | BLACKWATER RIVER | 3259L | Dissolved Oxygen | | Medium | Group 1 | 2007 |
| EVERGLADES-WEST COAST | RUNOFF TO GULF | 3259M | Fecal Coliform | | Low | Group 1 | |
| EVERGLADES-WEST COAST | LAKE TRAFFORD | 3259W | Nutrients | | Low | Group 1 | 2007 |
| EVERGLADES-WEST COAST | TAMIAMI CANAL | 3261B | Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory), Cadmium | | Low | Group 1 | 2007, 2011 (mercury) |
| EVERGLADES-WEST COAST | BARRON RIVER CANAL (North) | 3261C | Dissolved Oxygen | | Low | Group 1 | |
| EVERGLADES-WEST COAST | EVERGLADES NATIONAL PARK - L-67 CULVERT US41 | 3289J | Dissolved Oxygen, Iron | | Low | Group 1 | 2007 |
| EVERGLADES-WEST COAST | EVERGLADES NATIONAL PARK - TAYLOR SLOUGH | 3289K | Dissolved Oxygen, Iron | | Low | Group 1 | 2007 |
| FISHEATING CREEK | HARNEY POND CANAL | 3204 | Dissolved Oxygen, Lead, Nutrients | | Low | Group 4 | 2010 |
| FISHEATING CREEK | INDIAN PRAIRIE CANAL | 3206 | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 4 | 2005 |
| FLORIDA KEYS | FLORIDA KEYS | | Nutrients | | Low | Group 5 | 2011 |
| GULF COAST | FLORIDA GULF COAST | 8999 | Mercury (Based on Fish Consumption Advisory) | Includes WBIDs 8025, 8026, 8049, 8060, 8061, 8062, 8063, 8064, and 8065 | Low | Group 1 | 2011 |
| HILLSBOROUGH RIVER | CYPRESS CREEK | 1402 | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 2 | 2003 |
| HILLSBOROUGH RIVER | NEW RIVER | 1442 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids | | High | Group 2 | 2003 |
| HILLSBOROUGH RIVER | TROUT CREEK | 1455 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 2 | 2008 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|---------------------|--------------------------------------|-------|--|----------|----------|----------------------|--|
| HILLSBOROUGH RIVER | BIG DITCH | 1469 | Coliforms, Nutrients, Turbidity | | Low | Group 2 | 2008 |
| HILLSBOROUGH RIVER | BLACKWATER CREEK | 1482 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand | | High | Group 2 | 2003 |
| HILLSBOROUGH RIVER | CHANNELIZED STREAM (Pemberton Creek) | 1483 | Nutrients, Coliforms | | Low | Group 2 | 2008 |
| HILLSBOROUGH RIVER | TWO HOLE BRANCH | 1489 | Nutrients, Turbidity, Biochemical Oxygen Demand, Coliforms | | Low | Group 2 | 2008 |
| HILLSBOROUGH RIVER | COW HOUSE CREEK | 1534 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids | | High | Group 2 | 2003 |
| HILLSBOROUGH RIVER | PEMBERTON CREEK | 1542 | Dissolved Oxygen, Nutrients | | Low | Group 2 | 2008 |
| HILLSBOROUGH RIVER | LAKE HUNTER | 1543 | Nutrients | | High | Group 2 | 2003 |
| HILLSBOROUGH RIVER | SPARKMAN BRANCH | 1561 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids | | High | Group 2 | 2003 |
| HILLSBOROUGH RIVER | HILLSBOROUGH RIVER | 1443A | Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory) | | Low | Group 2 | 2008, 2011 (mercury) |
| HILLSBOROUGH RIVER | HILLSBOROUGH RIVER | 1443B | Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 2 | 2003, 2011 (mercury) |
| HILLSBOROUGH RIVER | HILLSBOROUGH RIVER | 1443D | Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 2 | 2003, 2011 (mercury) |
| HILLSBOROUGH RIVER | HILLSBOROUGH RIVER | 1443E | Nutrients, Mercury (Based on Fish Consumption Advisory), Coliforms | | High | Group 2 | 2003, 2011 (mercury) |
| HILLSBOROUGH RIVER | CRYSTAL SPRINGS | 1462A | Dissolved Oxygen, Nutrients | | High | Group 2 | 2003 |
| HILLSBOROUGH RIVER | ITCHEPACKASASSA CREEK | 1495B | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand | | High | Group 2 | 2003 |
| HILLSBOROUGH RIVER | FLINT CREEK | 1522A | Dissolved Oxygen, Coliforms, Lead, Nutrients, Turbidity, Biochemical Oxygen Demand | | High | Group 2 | 2003 |
| HILLSBOROUGH RIVER | LAKE THONOTOSASSA | 1522B | Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Lead, Nutrients | | High | Group 2 | 1998 (nutrients), 2003 |
| HILLSBOROUGH RIVER | BAKER CREEK | 1522C | Dissolved Oxygen, Coliforms, Lead, Nutrients, Turbidity | | High | Group 2 | 2003 |
| HILLSBOROUGH RIVER | MILL CREEK | 1542A | Dissolved Oxygen, Coliforms, Nutrients, Un-ionized Ammonia, Lead | | Low | Group 2 | 2008 |
| INDIAN RIVER, SOUTH | NORTH PRONG SEBASTIAN RIVER | 3128 | Dissolved Oxygen, Copper, Nutrients, Turbidity, Total Suspended Solids | | High | Group 5 | 2002 (nutrients), 2006 |
| INDIAN RIVER, SOUTH | C-54 CANAL | 3135 | Dissolved Oxygen, Nutrients | | High | Group 5 | 2002 (nutrients), 2006 |
| INDIAN RIVER, SOUTH | FELSMERE CANAL | 3136 | Dissolved Oxygen, Nutrients, Total Suspended Solids | | High | Group 5 | 2002 (nutrients), 2006 |
| INDIAN RIVER, SOUTH | BELCHER CANAL/TAYLOR CREEK | 3163 | Dissolved Oxygen, Nutrients | | High | Group 5 | 2002 (nutrients), 2006 |
| INDIAN RIVER, SOUTH | SEBASTIAN RIVER ABOVE INDIAN RIVER | 3129A | Dissolved Oxygen, Nutrients | | High | Group 5 | 2002 (nutrients), 2006 |
| INDIAN RIVER, SOUTH | SEBASTIAN RIVER | 3129B | Dissolved Oxygen, Iron | | High | Group 5 | 2006 |
| INDIAN RIVER, SOUTH | SOUTH INDIAN RIVER | 5003C | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2002 (nutrients), 2006, 2011 (mercury) |
| INDIAN RIVER, SOUTH | SOUTH INDIAN RIVER | 5003D | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2002 (nutrients), 2006, 2011 (mercury) |
| KISSIMMEE RIVER | HORSESHOE CREEK | 1436 | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 4 | 2005 |
| KISSIMMEE RIVER | EAST LAKE TOHOPEKALIGA | 3172 | Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2011 |
| KISSIMMEE RIVER | LAKE CENTER | 3174 | Dissolved Oxygen, Nutrients | | Low | Group 4 | 2010 |
| KISSIMMEE RIVER | CANOE CREEK | 3181 | Turbidity | | Low | Group 4 | 2010 |
| KISSIMMEE RIVER | LAKE MARIAN | 3184 | Nutrients | | Low | Group 4 | 2010 |
| KISSIMMEE RIVER | S-65D | 3188 | Dissolved Oxygen, Nutrients | | High | Group 4 | 2005 |
| KISSIMMEE RIVER | KISSIMMEE RIVER | 3209 | Dissolved Oxygen, Nutrients | | High | Group 4 | 2005 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|----------------------|-------------------------------------|-------|---|----------|----------|----------------------|------------------------------------|
| KISSIMMEE RIVER | DEAD RIVER | 1472C | Nutrients, Turbidity | | High | Group 4 | 2005 |
| KISSIMMEE RIVER | KISSIMMEE RIVER | 3156A | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand | | Low | Group 4 | 2010 |
| KISSIMMEE RIVER | LAKE HOLDEN | 3168H | Nutrients, Un-ionized Ammonia | | Low | Group 4 | 2010 |
| KISSIMMEE RIVER | SHINGLE CREEK | 3169A | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand | | Low | Group 4 | 2010 |
| KISSIMMEE RIVER | REEDY CREEK | 3170A | Nutrients, Turbidity | | High | Group 4 | 2005 |
| KISSIMMEE RIVER | REEDY CREEK | 3170C | Dissolved Oxygen, Nutrients, Turbidity, Coliforms | | High | Group 4 | 2005 |
| KISSIMMEE RIVER | BONNET CREEK | 3170D | Nutrients, Turbidity | | High | Group 4 | 2005 |
| KISSIMMEE RIVER | LAKE TOHOPEKALIGA NORTH | 3173A | Un-ionized Ammonia, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| KISSIMMEE RIVER | LAKE TOHOPEKALIGA SOUTH | 3173C | Un-ionized Ammonia, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| KISSIMMEE RIVER | LAKE CYPRESS | 3180A | Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| KISSIMMEE RIVER | LAKE KISSIMMEE NORTH | 3183A | Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| KISSIMMEE RIVER | LAKE KISSIMMEE MID | 3183B | Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| KISSIMMEE RIVER | LAKE KISSIMMEE SOUTH | 3183E | Dissolved Oxygen, Lead, Cadmium, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| KISSIMMEE RIVER | KISSIMMEE RIVER | 3186B | Dissolved Oxygen, Biochemical Oxygen Demand | | High | Group 4 | 2005 |
| KISSIMMEE RIVER | BLANKET BAY SLOUGH | 3186C | Dissolved Oxygen, Nutrients | | Low | Group 4 | 2010 |
| KISSIMMEE RIVER | EIGHTMILE SLOUGH (Ice Cream Slough) | 3186D | Dissolved Oxygen | | Low | Group 4 | 2010 |
| KISSIMMEE RIVER | CHANDLER SLOUGH | 3188A | Dissolved Oxygen, Nutrients | | High | Group 4 | 2005 |
| KISSIMMEE RIVER | OAK CREEK | 3192C | Nutrients, Dissolved Oxygen, Coliforms | | High | Group 4 | 2005 |
| LAKE OKEECHOBEE | TURKEY SLOUGH | 3199A | Dissolved Oxygen | | Low | Group 1 | |
| LAKE OKEECHOBEE | L-63 CANAL | 3203C | Dissolved Oxygen | | Low | Group 1 | |
| LAKE OKEECHOBEE | POPASH SLOUGH | 3205C | Dissolved Oxygen | | Low | Group 1 | |
| LAKE OKEECHOBEE | LAKE OKEECHOBEE | 3212B | Coliforms (fecal & total) | | High | Group 1 | 2002 |
| LAKE OKEECHOBEE | LAKE OKEECHOBEE | 3212D | Iron | | High | Group 1 | 2002 |
| LAKE OKEECHOBEE | LAKE OKEECHOBEE | 3212E | Iron | | High | Group 1 | 2002 |
| LAKE OKEECHOBEE | LAKE OKEECHOBEE | 3212G | Iron | | High | Group 1 | 2002 |
| LAKE OKEECHOBEE | LETTUCE CREEK | 3213A | Dissolved Oxygen, Nutrients (chla) | | High | Group 1 | 2002 |
| LAKE OKEECHOBEE | S-135 (Henry Creek) | 3213B | Dissolved Oxygen, Nutrients (chla), Coliforms (fecal & total) | | High | Group 1 | 2002 |
| LAKE OKEECHOBEE | S-135 | 3213C | Dissolved Oxygen, Nutrients (chla) | | High | Group 1 | 2002 |
| LAKE OKEECHOBEE | MYRTLE SLOUGH | 3213D | Dissolved Oxygen, Nutrients (chla), Coliforms (fecal & total) | | High | Group 1 | 2002 |
| LITTLE MANATEE RIVER | SOUTH FORK LITTLE MANATEE RIVER | 1790 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 2 | 2008 |
| LITTLE MANATEE RIVER | LITTLE MANATEE RIVER | 1742A | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 2 | 2008 |
| MANATEE RIVER | GAMBLE CREEK | 1819 | Dissolved Oxygen, Coliforms, Turbidity, Nutrients | | High | Group 2 | 2003 |
| MANATEE RIVER | GILLY CREEK | 1840 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 2 | 2008 |
| MANATEE RIVER | MILL CREEK | 1872 | Coliforms | | High | Group 2 | 2003 |
| MANATEE RIVER | GAP CREEK | 1899 | Coliforms | | High | Group 2 | 2003 |
| MANATEE RIVER | WILLIAMS CREEK | 1901 | Coliforms | | High | Group 2 | 2003 |
| MANATEE RIVER | UNNAMED STREAM (Nonsense Creek) | 1913 | Dissolved Oxygen, Coliforms, Total Suspended Solids | | Low | Group 2 | 2008 |
| MANATEE RIVER | BRADEN RIVER ABOVE WARD LAKE | 1914 | Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids | | Low | Group 2 | 2008 |
| MANATEE RIVER | RATTLESNAKE SLOUGH | 1923 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 2 | 2008 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-------------------|-----------------------|-------|---|---------------------------------------|----------|----------------------|------------------------------------|
| MANATEE RIVER | CEDAR CREEK | 1926 | Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids | | Low | Group 2 | 2008 |
| MANATEE RIVER | WARES CREEK | 1848C | Biochemical Oxygen Demand, Coliforms | | High | Group 2 | 2003 |
| MYAKKA RIVER | OWEN CREEK | 1933 | Dissolved Oxygen, Coliforms, Turbidity, Nutrients, Total Suspended Solids | | High | Group 3 | 2001 |
| MYAKKA RIVER | MUD LAKE SLOUGH | 1958 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids | | High | Group 3 | 2001 |
| MYAKKA RIVER | BIG SLOUGH CANAL | 1976 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 3 | 2001 |
| MYAKKA RIVER | DEER PRAIRIE SLOUGH | 2014 | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand | | Low | Group 3 | 2001 |
| MYAKKA RIVER | UNNAMED CREEK | 2038 | Nutrients | | High | Group 3 | 2001 |
| MYAKKA RIVER | MYAKKA RIVER | 1981B | Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids | | Low | Group 3 | 2001 |
| MYAKKA RIVER | UPPER LAKE MYAKKA | 1981C | Biology | Listing based on biological sampling. | Low | Group 3 | 2001 |
| MYAKKA RIVER | MYAKKA RIVER | 1991C | Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2001, 2011 (mercury) |
| NASSAU RIVER | PLUMMER CREEK | 2130 | Nutrients, Turbidity, Dissolved Oxygen, Coliforms | | High | Group 4 | 2005 |
| NASSAU RIVER | SOUTH AMELIA RIVER | 2149 | Nutrients | | Low | Group 4 | 2010 |
| NASSAU RIVER | ALLIGATOR CREEK | 2153 | Dissolved Oxygen, Nutrients | | High | Group 4 | 2005 |
| NASSAU RIVER | LITTLE MILL CREEK | 2157 | Turbidity, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| NASSAU RIVER | MILLS CREEK | 2120A | Nutrients, Coliforms | | High | Group 4 | 2005 |
| NASSAU RIVER | NASSAU RIVER | 2148B | Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Coliforms | | High | Group 4 | 2005 |
| NEW RIVER | WHISKEY GEORGE CREEK | 1236 | Dissolved Oxygen, Coliforms | | Low | Group 2 | 2008 |
| NEW RIVER | CROOKED RIVER | 1251 | Dissolved Oxygen, Coliforms, Mercury (Based on Fish Consumption Advisory) | | Low | Group 2 | 2008, 2011 (mercury) |
| OCHLOCKONEE RIVER | LITTLE RIVER | 424 | Coliforms (fecal & total), Nutrients | | Low | Group 1 | 2007 |
| OCHLOCKONEE RIVER | SWAMP CREEK | 427 | Coliforms (fecal & total), Nutrients, Turbidity, Total Suspended Solids | | Low | Group 1 | 2007 |
| OCHLOCKONEE RIVER | LAKE IAMONIA OUTLET | 442 | Coliforms (fecal & total), Dissolved Oxygen | | High | Group 1 | 2002 |
| OCHLOCKONEE RIVER | JUNIPER CREEK | 682 | Coliforms (fecal & total), Nutrients, Turbidity | | Low | Group 1 | 2007 |
| OCHLOCKONEE RIVER | HARBINWOOD ESTATES DN | 746 | Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand | | High | Group 1 | 2002 |
| OCHLOCKONEE RIVER | MEGGINNIS ARM RUN | 809 | Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Dissolved Oxygen | | Low | Group 1 | 2007 |
| OCHLOCKONEE RIVER | MOORE LAKE | 889 | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| OCHLOCKONEE RIVER | BLACK CREEK | 1024 | Coliforms (fecal & total) | | Low | Group 1 | 2007 |
| OCHLOCKONEE RIVER | DIRECT RUNOFF TO BAY | 1176 | Coliforms (fecal) | | Low | Group 1 | |
| OCHLOCKONEE RIVER | DICKERSON BAY | 1223 | Coliforms (fecal) | | Low | Group 1 | |
| OCHLOCKONEE RIVER | DIRECT RUNOFF TO GULF | 1239 | Coliforms (fecal) | | Low | Group 1 | |
| OCHLOCKONEE RIVER | CHAIRES CREEK | 1255 | Coliforms (fecal) | | Low | Group 1 | |
| OCHLOCKONEE RIVER | TELOGIA CREEK | 1300 | Coliforms (fecal & total) | | Medium | Group 1 | 2007 |
| OCHLOCKONEE RIVER | OCHLOCKONEE BAY GULF | 8025 | Coliforms (fecal) | | Low | Group 1 | |
| OCHLOCKONEE RIVER | OCHLOCKONEE BAY | 1248A | Coliforms (fecal) | | Low | Group 1 | |
| OCHLOCKONEE RIVER | OCHLOCKONEE BAY | 1248B | Coliforms (fecal) | | Low | Group 1 | |
| OCHLOCKONEE RIVER | OCHLOCKONEE RIVER | 1297A | Coliforms (fecal), Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| OCHLOCKONEE RIVER | OCHLOCKONEE RIVER | 1297B | Coliforms (fecal & total), Nutrients, Turbidity | | Low | Group 1 | 2007 |
| OCHLOCKONEE RIVER | OCHLOCKONEE RIVER | 1297E | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-------------------|--------------------------------------|-------|--|----------|----------------|----------------------|------------------------------------|
| OCHLOCKONEE RIVER | OCHLOCKONEE RIVER | 1297F | Coliforms (fecal & total), Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2007, 2011 (mercury) |
| OCHLOCKONEE RIVER | TALLAVANA LAKE | 540A | Nutrients (TSI) | | Medium | Group 1 | 2007 |
| OCHLOCKONEE RIVER | LAKE JACKSON | 582B | Dissolved Oxygen, Nutrients (TSI) | | Medium | Group 1 | 2007 |
| OCHLOCKONEE RIVER | MASHES ISLAND | 8025B | Bacteria (beach advisory) | | High | Group 1 | 2007 |
| OKLAWAHA RIVER | BIG CREEK REACH | 1406 | Dissolved Oxygen | | Low | Group 1 | |
| OKLAWAHA RIVER | HATCHET CREEK | 2688 | Coliforms (fecal & total), Iron, Dissolved Oxygen | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | LITTLE HATCHET CREEK | 2695 | Dissolved Oxygen | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | HOGTOWN CREEK | 2698 | Coliforms (fecal & total), Nutrients, Dissolved Oxygen | | Low/ Medium | Group 1 | 2002, 2007 (DO) |
| OKLAWAHA RIVER | NEWNANS LAKE OUTLET | 2705 | Nutrients (TSI) | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | SWEETWATER BRANCH | 2711 | Coliforms (fecal & total), Nutrients | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | KANAPAHA LAKE | 2717 | Nutrients | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | DEEP CREEK RODMAN RESERVOIR | 2730 | Dissolved Oxygen | | Low | Group 1 | |
| OKLAWAHA RIVER | WAUBERG (not WALBERG) LAKE OUTLET | 2741 | Nutrients (TSI) | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | ORANGE LAKE REACH | 2749 | Dissolved Oxygen | | Low | Group 1 | |
| OKLAWAHA RIVER | CROSS CREEK | 2754 | Dissolved Oxygen, Nutrients (chla), Total Suspended Solids, Biochemical Oxygen Demand | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | DAISY CREEK | 2769 | Dissolved Oxygen, Nutrients, Turbidity, Coliforms (fecal & total), Iron | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | SILVER RIVER | 2772 | Dissolved Oxygen | | Low | Group 1 | |
| OKLAWAHA RIVER | LAKE WEIR OUTLET | 2790 | Nutrients (TSI) | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | LAKE YALE CANAL (Yale-Griffin Canal) | 2807 | Dissolved Oxygen, Lead, Nutrients (TSI) | | Low/ Medium | Group 1 | 2002, 2007 (nutrients) |
| OKLAWAHA RIVER | NONCONTRIBUTING AREA | 2809 | Nutrients, Turbidity | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | IRRIGATED FARM (Knight Farm) | 2811 | Dissolved Oxygen, Nutrients, Turbidity | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | HELENA RUN | 2832 | Dissolved Oxygen, Nutrients (chla) | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | PALATLAHA RIVER | 2839 | Dissolved Oxygen, Nutrients (chla) | | Low/ Medium | Group 1 | 2002 (DO), 2007 |
| OKLAWAHA RIVER | APOPKA MARSH | 2856 | Dissolved Oxygen, Nutrients, Turbidity, Un-ionized Ammonia | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | BLACK LAKE OUTLET | 2875 | Un-ionized Ammonia | | Low | Group 1 | |
| OKLAWAHA RIVER | LITTLE CREEK | 2883 | Dissolved Oxygen | | Low | Group 1 | |
| OKLAWAHA RIVER | NEWNANS LAKE | 2705B | Nutrients (TSI), Un-ionized Ammonia | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | REDWATER LAKE | 2713B | Nutrients (TSI) | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | TUMBLING CREEK | 2718A | Dissolved Oxygen, Coliforms (fecal & total), Biochemical Oxygen Demand | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | BEVENS CREEK (Tumbling Creek South) | 2718C | Nutrients (chla) | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | ALACHUA SINK | 2720A | Nutrients (TSI) | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | LOCHLOOSA LAKE | 2738A | Nutrients (TSI & historic chla) | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | OKLAWAHA RIVER ABOVE ST JOHNS RIVER | 2740A | Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2002, 2011 (mercury) |
| OKLAWAHA RIVER | LAKE OCKLAWAHA | 2740B | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| OKLAWAHA RIVER | OKLAWAHA RIVER ABOVE LAKE OCKLAWAHA | 2740C | Dissolved Oxygen, Nutrients, Lead, Cadmium, Selenium, Silver, Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2002, 2011 (mercury) |
| OKLAWAHA RIVER | OKLAWAHA RIVER ABOVE DAISY CREEK | 2740D | Dissolved Oxygen, Coliforms (fecal & total), Nutrients (chla), Biochemical Oxygen Demand, Iron, Mercury (Based on Fish Consumption Advisory) | | Low/ Medium | Group 1 | 2002, 2007 (iron), 2011 (mercury) |
| OKLAWAHA RIVER | OKLAWAHA RIVER/SUNNYHILL | 2740F | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms | | Low | Group 1 | 2002 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|----------------|------------------------------|-------|--|----------|-----------------|----------------------|------------------------------------|
| OKLAWAHA RIVER | ORANGE LAKE | 2749A | Dissolved Oxygen, Nutrients (TSI), Lead | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | LAKE BRYANT | 2782C | Nutrients (TSI) | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | LAKE WEIR | 2790A | Nutrients (TSI), Copper | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | LAKE YALE | 2807A | Nutrients (TSI) | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | LAKE GRIFFIN | 2814A | Nutrients (TSI & historic chla), Un-ionized Ammonia | | High | Group 1 | 2003 |
| OKLAWAHA RIVER | HAYNES CREEK REACH | 2817A | Dissolved Oxygen, Coliforms (fecal & total), Nutrients (chla), Biochemical Oxygen Demand | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | LAKE EUSTIS | 2817B | Nutrients (TSI), Lead, Un-ionized Ammonia | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | DEAD RIVER | 2817C | Nutrients (chla) | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | TROUT LAKE | 2819A | Nutrients (TSI) | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | LAKE LORRAINE | 2829A | Nutrients (TSI) | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | EXTENSION DITCH (Dora Canal) | 2831A | Dissolved Oxygen, Nutrients (chla) | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | LAKE DORA | 2831B | Nutrients (TSI), Silver, Un-ionized Ammonia | | High | Group 1 | 2003 |
| OKLAWAHA RIVER | LAKE DENHAM | 2832A | Nutrients (TSI) | | Medium | Group 1 | 2007 |
| OKLAWAHA RIVER | LAKE BEAUCLAIR | 2834C | Nutrients (TSI) | | High | Group 1 | 2003 |
| OKLAWAHA RIVER | LAKE APOPKA OUTLET | 2835A | Dissolved Oxygen, Nutrients (chla), Biochemical Oxygen Demand | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | GOURD NECK SPRING | 2835C | Nutrients (chla) | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | LAKE APOPKA | 2835D | Nutrients (TSI), Pesticides (fish tissue) | | High/ Medium | Group 1 | 2002 (nutrients), 2007 |
| OKLAWAHA RIVER | LAKE CARLTON | 2837B | Nutrients (TSI), Dissolved Oxygen, Un-ionized Ammonia | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | LAKE HARRIS | 2838A | Nutrients (TSI), Lead, Selenium | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | LITTLE LAKE HARRIS | 2838B | Nutrients (TSI), Un-ionized Ammonia | | High | Group 1 | 2002 |
| OKLAWAHA RIVER | BLUE SPRINGS | 2838C | Nutrients, Cadmium | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | HOLIDAY SPRINGS | 2838D | Nutrients | | Low | Group 1 | 2002 |
| OKLAWAHA RIVER | LAKE WILSON | 2839C | Dissolved Oxygen | | Low | Group 1 | |
| OKLAWAHA RIVER | LAKE SUSAN | 2839Y | Dissolved Oxygen | | Low | Group 1 | |
| PEACE RIVER | SADDLE CREEK | 1497 | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE LENA | 1501 | Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE LULU OUTLET | 1521 | Dissolved Oxygen, Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | PEACE CREEK DRAIN CANAL | 1539 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2004, 2011 (mercury) |
| PEACE RIVER | WAHNETA FARMS DRAIN CANAL | 1580 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity | | High | Group 3 | 2004 |
| PEACE RIVER | PEACE CREEK TRIBUTARY CANAL | 1613 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE EFFIE OUTLET | 1617 | Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | WEST WALES DRAINAGE CANAL | 1626 | Dissolved Oxygen, Nutrients, Turbidity | | High | Group 3 | 2004 |
| PEACE RIVER | WHIDDEN CREEK | 1751 | Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen | | High | Group 3 | 2004 |
| PEACE RIVER | LITTLE CHARLIE CREEK | 1774 | Coliforms, Nutrients | | Low | Group 3 | 2008 |
| PEACE RIVER | THOMPSON BRANCH | 1844 | Coliforms, Nutrients | | Low | Group 3 | 2008 |
| PEACE RIVER | ALLIGATOR BRANCH | 1871 | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LIMESTONE CREEK | 1921 | Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids | | High | Group 3 | 2004 |
| PEACE RIVER | BRANDY BRANCH | 1939 | Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | BEAR BRANCH | 1948 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| PEACE RIVER | PRAIRIE CREEK | 1962 | Dissolved Oxygen, Nutrients, Turbidity | | Low | Group 3 | 2008 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-------------|---------------------------------|-------|--|------------------------------|----------|----------------------------|--|
| PEACE RIVER | MYRTLE SLOUGH | 1995 | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms | | Low | Group 3 | 2008 |
| PEACE RIVER | HAWTHORNE CREEK | 1997 | Coliforms, Nutrients | | Low | Group 3 | 2008 |
| PEACE RIVER | MYRTLE SLOUGH | 2054 | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms | | Low | Group 3 | 2008 |
| PEACE RIVER | LAKE SMART | 1488A | Dissolved Oxygen, Un-ionized Ammonia, Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE HAINES | 1488C | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE ALFRED | 1488D | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| PEACE RIVER | CRYSTAL LAKE | 1497A | Dissolved Oxygen, Un-ionized Ammonia, Nutrients | | Low | Group 3 | 2008 |
| PEACE RIVER | LAKE PARKER | 1497B | Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE TENOROC | 1497C | Dissolved Oxygen | | Low | Group 3 | 2008 |
| PEACE RIVER | LAKE BONNY | 1497E | Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE LENA RUN | 1501A | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE ARIANNA | 1501B | Nutrients | | Low | Group 3 | 2008 |
| PEACE RIVER | LAKE ELOISE | 1521B | Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE LULU RUN | 1521C | | Listing based on NPS survey. | High | Group 3 | 2004 |
| PEACE RIVER | LAKE SHIPP | 1521D | Dissolved Oxygen, Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE MAY | 1521E | Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE HOWARD | 1521F | Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE MIRROR | 1521G | Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE CANNON | 1521H | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE JESSIE | 1521K | Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | BANANA LAKE CANAL | 1549A | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids | | High | Group 3 | 2004 |
| PEACE RIVER | BANANA LAKE | 1549B | Dissolved Oxygen, Un-ionized Ammonia, Fluoride, Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | PEACE RIVER ABOVE JOSHUA CREEK | 1623C | Dissolved Oxygen, Nutrients, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2004, 2011 (mercury) |
| PEACE RIVER | PEACE RIVER ABOVE CHARLIE CREEK | 1623D | Coliforms, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2004, 2011 (mercury) |
| PEACE RIVER | PEACE RIVER ABOVE OAK CREEK | 1623E | Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2004, 2011 (mercury) |
| PEACE RIVER | PEACE RIVER ABOVE PAYNE CREEK | 1623H | Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2004, 2011 (mercury) |
| PEACE RIVER | PEACE RIVER ABOVE BOWLEGS CREEK | 1623J | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2004, 2011 (mercury) |
| PEACE RIVER | SADDLE CREEK BELOW LAKE HANCOCK | 1623K | Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids | | High | Group 3 | 2004 |
| PEACE RIVER | LAKE HANCOCK | 1623L | Dissolved Oxygen, Un-ionized Ammonia, Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | PAYNE CREEK | 1757A | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| PEACE RIVER | PAYNE CREEK | 1757B | Coliforms, Nutrients | | Low | Group 3 | 2008 |
| PEACE RIVER | HORSE CREEK ABOVE PEACE RIVER | 1787A | Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand | | Low | Group 3 | 2008 |
| PEACE RIVER | C WILL OUTFALL AT CONV | 1939A | Dissolved Oxygen, Nutrients | | High | Group 3 | 2004 |
| PEACE RIVER | PEACE RIVER LOWER ESTUARY | 2056A | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 3 | 2008, 2011 (mercury) |
| PEACE RIVER | PEACE RIVER MID ESTUARY | 2056B | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 3 | 2008, 2011 (mercury) |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|----------------|--|------|--|---|----------|----------------------------|--|
| PENSACOLA BAY | PACE MILL CREEK (Escambia River) | 420 | Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity | | Low | Group 4 | 2011 |
| PENSACOLA BAY | JUDGES BAYOU | 493 | Dissolved Oxygen, Nutrients | | Low | Group 4 | 2011 |
| PENSACOLA BAY | MULATTO BAYOU | 539 | Coliforms, Dissolved Oxygen, Nutrients | | Low | Group 4 | 2011 |
| PENSACOLA BAY | DIRECT RUNOFF TO BAY (Escambia Bay, Mulatto Bayou, Indian Bayou) | 639 | | Listing based on NPS survey. | High | Group 4 | 2006 |
| PENSACOLA BAY | INDIAN BAYOU | 649 | Coliforms, Dissolved Oxygen | | Low | Group 4 | 2011 |
| PENSACOLA BAY | DIRECT RUNOFF TO BAY (Mulatto Bayou, Escambia Bay) | 666 | | Listing based on NPS survey. | High | Group 4 | 2006 |
| PENSACOLA BAY | CARPENTER CREEK | 676 | Coliforms | | Low | Group 4 | 2011 |
| PENSACOLA BAY | TROUT BAYOU | 694 | Coliforms, Dissolved Oxygen | | Low | Group 4 | 2011 |
| PENSACOLA BAY | EAST RIVER BAY | 701 | Coliforms, Turbidity | | Low | Group 4 | 2011 |
| PENSACOLA BAY | TEXAR BAYOU | 738 | Coliforms | | Low | Group 4 | 2011 |
| PENSACOLA BAY | BAYOU GRANDE | 740 | Coliforms, Dissolved Oxygen | | High | Group 4 | 2006 |
| PENSACOLA BAY | BAYOU CHICO | 846 | Coliforms, Dissolved Oxygen, Nutrients | | High | Group 4 | 2006 |
| PENSACOLA BAY | BAYOU GARCON | 987 | Dissolved Oxygen, Color | | High | Group 4 | 2006 |
| PENSACOLA BAY | ESCAMBIA BAY | 548A | Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity | | High | Group 4 | 2006 |
| PENSACOLA BAY | ESCAMBIA BAY (S) | 548B | Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity | | High | Group 4 | 2006 |
| PENSACOLA BAY | PENSACOLA BAY | 548C | Coliforms | | High | Group 4 | 2006 |
| PENSACOLA BAY | PENSACOLA BAY | 548E | Copper, Lead, Biological Oxygen Demand, Nutrients, Turbidity, Total Suspended Solids | | High | Group 4 | 2006 |
| PENSACOLA BAY | JONES CREEK | 846A | Coliforms, Dissolved Oxygen, Nutrients, Turbidity | | Low | Group 4 | 2011 |
| PENSACOLA BAY | JACKSON CREEK | 846B | Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity | | Low | Group 4 | 2011 |
| PERDIDO BAY | ELEVENMILE CREEK | 489 | Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Dissolved Oxygen, Coliforms, Un-ionized Ammonia | | High | Group 5 | 2006 |
| PERDIDO BAY | EIGHTMILE CREEK | 624 | Coliforms, Turbidity | | Low | Group 5 | 2011 |
| PERDIDO BAY | MARCUS CREEK | 697 | Coliforms | | Low | Group 5 | 2011 |
| PERDIDO BAY | UNNAMED BRANCH (Marcus Creek - East Arm) | 725 | Coliforms | | Low | Group 5 | 2011 |
| PERDIDO BAY | DIRECT RUNOFF TO BAY (Tee Lake/Perdido Bay) | 784 | | Listing based on non-point source qualitative assessment. | Low | Group 5 | 2011 |
| PERDIDO BAY | PERDIDO BAY | 797 | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| PERDIDO BAY | UNNAMED STREAM (Weekly Bayou Creek) | 935 | Dissolved Oxygen | | Low | Group 5 | 2011 |
| PERDIDO BAY | DIRECT RUNOFF TO BAY (Big Lagoon) | 991 | Dissolved Oxygen | | Low | Group 5 | 2011 |
| PERDIDO RIVER | BRUSHY CREEK | 4 | Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity | | Low | Group 5 | 2011 |
| PERDIDO RIVER | JACKS BRANCH | 291 | Coliforms, Dissolved Oxygen, Turbidity | | Low | Group 5 | 2011 |
| PERDIDO RIVER | PERDIDO RIVER | 462A | Coliforms, Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 5 | 2011 |
| PERDIDO RIVER | PERDIDO RIVER | 462B | Coliforms, Mercury (Based on Fish Consumption Advisory) | | Low | Group 5 | 2011 |
| PERDIDO RIVER | PERDIDO RIVER | 462C | Coliforms, Mercury (Based on Fish Consumption Advisory) | | Low | Group 5 | 2011 |
| SANTA FE RIVER | NEW RIVER | 3506 | Dissolved Oxygen, Coliforms (fecal) | | Low | Group 1 | 2007 |
| SANTA FE RIVER | ALLIGATOR LAKE OUTLET | 3516 | Dissolved Oxygen, Nutrients (TSI) | | Low | Group 1 | 2007 |
| SANTA FE RIVER | PRICE CREEK | 3517 | Dissolved Oxygen | | Low | Group 1 | |
| SANTA FE RIVER | CANNON CREEK | 3520 | Coliforms (fecal) | | Medium | Group 1 | 2007 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|----------------|--|-------|---|----------|------------|----------------------|------------------------------------|
| SANTA FE RIVER | LAKE BUTLER | 3566 | Nutrients (TSI) | | Low | Group 1 | |
| SANTA FE RIVER | FIVEMILE CREEK | 3578 | Dissolved Oxygen, Coliforms (fecal & total), Nutrients | | Low | Group 1 | 2007 |
| SANTA FE RIVER | PARENERS BRANCH | 3626 | Coliforms (fecal & total) | | Medium | Group 1 | 2007 |
| SANTA FE RIVER | ROCKY CREEK | 3641 | Dissolved Oxygen, Coliforms (fecal & total), Nutrients, Biochemical Oxygen Demand | | Low | Group 1 | 2007 |
| SANTA FE RIVER | COW CREEK | 3649 | Dissolved Oxygen | | Low | Group 1 | |
| SANTA FE RIVER | BLUE CREEK | 3682 | Coliforms (fecal) | | Low | Group 1 | |
| SANTA FE RIVER | OLUSTEE CREEK | 3504A | Dissolved Oxygen | | Low | Group 1 | |
| SANTA FE RIVER | ALLIGATOR LAKE | 3516A | Dissolved Oxygen, Nutrients (TSI) | | Low | Group 1 | 2007 |
| SANTA FE RIVER | ICHETUCKNEE SPRING | 3519Z | Dissolved Oxygen, Nutrients | | Low | Group 1 | 2007 |
| SANTA FE RIVER | LAKE ROWELL | 3598B | Nutrients, Dissolved Oxygen | | Low | Group 1 | 2007 |
| SANTA FE RIVER | ALLIGATOR CREEK | 3598C | Coliforms (fecal) | | Low | Group 1 | |
| SANTA FE RIVER | SANTA FE RIVER | 3605A | Nutrients (historic chla), Mercury (Based on Fish Consumption Advisory) | | Medium/Low | Group 1 | 2007, 2011 (mercury) |
| SANTA FE RIVER | SANTA FE RIVER | 3605B | Dissolved Oxygen, Nutrients | | Low | Group 1 | 2007 |
| SANTA FE RIVER | SANTA FE RIVER | 3605C | Dissolved Oxygen, Nutrients | | Medium/Low | Group 1 | 2007 |
| SANTA FE RIVER | SANTA FE RIVER | 3605E | Dissolved Oxygen | | Low | Group 1 | |
| SANTA FE RIVER | ALTHO DRAINAGE | 3605F | Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2007, 2011 (mercury) |
| SANTA FE RIVER | HAMPTON LAKE | 3635A | Dissolved Oxygen | | Low | Group 1 | 2007 |
| SARASOTA BAY | DIRECT RUNOFF TO BAY (Buttonwood Harbor/Sarasota Bay) | 1916 | Dissolved Oxygen | | High | Group 3 | 2004 |
| SARASOTA BAY | DIRECT RUNOFF TO GULF (Whitaker Bayou, Big Sarasota Bay) | 1931 | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | WHITAKER BAYOU | 1936 | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | PHILIPPI CREEK | 1937 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 3 | 2008 |
| SARASOTA BAY | PHILIPPE CREEK | 1947 | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | DIRECT RUNOFF TO BAY (Little Sarasota Bay) | 1951 | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | HUDSON BAYOU | 1953 | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | CLARK LAKE/UNNAMED DITCH | 1971 | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | ELDIGRAW BAYOU | 1975 | Nutrients, Dissolved Oxygen, Coliforms | | High | Group 3 | 2004 |
| SARASOTA BAY | CATFISH CREEK | 1984 | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | ALLIGATOR CREEK | 2030 | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | FORKED CREEK | 2039 | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | DIRECT RUNOFF TO BAY (Alligator Creek) | 2042 | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | GOTTFRIED CREEK | 2049 | Dissolved Oxygen, Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | MAIN A CANAL | 1947A | Nutrients, Dissolved Oxygen, Coliforms | | High | Group 3 | 2004 |
| SARASOTA BAY | SARASOTA BAY | 1968B | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | SARASOTA BAY | 1968C | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | ROBERTS BAY | 1968D | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | LITTLE SARASOTA BAY | 1968E | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | CLOWERS CREEK (Segment 24.1 CA) | 1975A | Nutrients, Turbidity, Coliforms | | High | Group 3 | 2004 |
| SARASOTA BAY | SOUTH CREEK | 1982A | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | LEMON BAY | 1983A | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| SARASOTA BAY | NORTH CREEK | 1984A | Nutrients | | High | Group 3 | 2004 |
| SARASOTA BAY | CURRY CREEK | 2009A | Nutrients | | High | Group 3 | 2004 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-------------------------|-------------------------|-------|---|------------------------------|----------|----------------------|------------------------------------|
| SARASOTA BAY | CORAL CREEK EAST BRANCH | 2078B | Dissolved Oxygen, Nutrients, Lead, Cadmium, Copper, Zinc | | Low | Group 3 | 2008 |
| SOUTHEAST FLORIDA COAST | C-25 (Cowbone Creek) | 3189 | Dissolved Oxygen, Nutrients, Coliforms | | High | Group 4 | 2005 |
| SOUTHEAST FLORIDA COAST | NORTH ST. LUCIE | 3194 | Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 4 | 2005, 2011 (mercury) |
| SOUTHEAST FLORIDA COAST | C-24 | 3197 | Dissolved Oxygen, Nutrients | | High | Group 4 | 2005 |
| SOUTHEAST FLORIDA COAST | MANATEE POCKET | 3208 | Dissolved Oxygen, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | BESSEY CREEK | 3211 | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms | | High | Group 4 | 2005 |
| SOUTHEAST FLORIDA COAST | LOXAHATCHEE RIVER | 3232 | | Listing based on NPS survey. | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | L-8 | 3233 | Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory) | | High | Group 4 | 2005, 2011 (mercury) |
| SOUTHEAST FLORIDA COAST | C-18 | 3234 | Dissolved Oxygen, Coliforms, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| SOUTHEAST FLORIDA COAST | WEST PALM BEACH CANAL | 3238 | Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2005, 2011 (mercury) |
| SOUTHEAST FLORIDA COAST | C-17,M CANAL, L-30 | 3242 | Dissolved Oxygen, Coliforms, Biochemical Oxygen Demand | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | EAST BEACH | 3244 | Dissolved Oxygen, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids | | High | Group 5 | 2005 |
| SOUTHEAST FLORIDA COAST | C-51 | 3245 | Dissolved Oxygen, Coliforms, Nutrients, Iron | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | C-21 | 3246 | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | 715 FARMS | 3247 | Dissolved Oxygen, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids | | High | Group 5 | 2005 |
| SOUTHEAST FLORIDA COAST | NORTH NEW RIVER CANAL | 3248 | Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2005, 2011 (mercury) |
| SOUTHEAST FLORIDA COAST | S-236 | 3250 | Dissolved Oxygen, Un-ionized Ammonia, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | S-3 | 3251 | Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2005, 2011 (mercury) |
| SOUTHEAST FLORIDA COAST | WCA1 CENTER SECTOR | 3252 | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | SOUTH BAY | 3253 | Dissolved Oxygen, Un-ionized Ammonia, Nutrients | | High | Group 5 | 2005 |
| SOUTHEAST FLORIDA COAST | HILLSBORO CANAL | 3254 | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | S-8 | 3260 | Dissolved Oxygen, Mercury, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2006, 2011 (mercury) |
| SOUTHEAST FLORIDA COAST | S-7 | 3263 | Dissolved Oxygen, Mercury, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2006, 2011 (mercury) |
| SOUTHEAST FLORIDA COAST | WCA2A EAST SECTOR | 3265 | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | L-28 INTERCEPTOR | 3266 | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | WCA3A CENTER SECTOR | 3268 | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | L-28 GAP | 3269 | Dissolved Oxygen | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | POMPANO CANAL/CYPRESS | 3270 | Dissolved Oxygen, Coliforms | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | POMPANO CANAL | 3271 | Nutrients | | High | Group 4 | 2005 |
| SOUTHEAST FLORIDA COAST | CONSERVATION AREA 2B | 3272 | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | C-13 WEST/MIDDLE RIVER | 3273 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | C-12 | 3276 | Dissolved Oxygen, Coliforms | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | NORTH NEW RIVER CANAL | 3277 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-------------------------|--|-------|---|----------|----------|----------------------|------------------------------------|
| SOUTHEAST FLORIDA COAST | WCA3B | 3278 | Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory) | | High | Group 5 | 2006, 2011 (mercury) |
| SOUTHEAST FLORIDA COAST | SOUTH NEW RIVER CANAL | 3279 | Dissolved Oxygen, Nutrients, Coliforms | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | C-11 EAST | 3281 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | HOLLYWOOD CANAL | 3282 | Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | SNAKE CREEK CANAL WEST | 3284 | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| SOUTHEAST FLORIDA COAST | C-8/BISCAYNE CANAL | 3285 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | C-7/LITTLE RIVER | 3287 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | C-6/MIAMI RIVER | 3288 | Dissolved Oxygen, Coliforms | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | C-111 | 3303 | Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory) | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | MILITARY CANAL | 3304 | Lead, Cadmium, Copper | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | LONG SOUND | 6005 | Dissolved Oxygen | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | TENMILE CREEK | 3194A | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | ST. LUCIE | 3194B | Nutrients | | High | Group 4 | 2005 |
| SOUTHEAST FLORIDA COAST | ST. LUCIE CANAL | 3210A | Dissolved Oxygen, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | SOUTH FORK ST. LUCIE | 3210B | Dissolved Oxygen, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | KITCHINGS CREEK | 3224B | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | NORTHWEST FORK LOXAHATCHEE | 3226A | Dissolved Oxygen, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | SOUTHWEST FORK LOXAHATCHEE | 3226C | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | INTERCOASTAL WATERWAY ABOVE FLAGLER BRIDGE | 3226E | Dissolved Oxygen, Coliforms | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | INTERCOASTAL WATERWAY ABOVE POMPANO | 3226F | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | INTERCOASTAL WATERWAY ABOVE DADE COUNTY | 3226G | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | M CANAL | 3238E | Dissolved Oxygen, Nutrients | | High | Group 5 | 2005 |
| SOUTHEAST FLORIDA COAST | HILLSBORO CANAL | 3248A | Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients, Turbidity | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | KNIGHTS FARM FIELD1 | 3252A | Nutrients | | High | Group 5 | 2006 |
| SOUTHEAST FLORIDA COAST | KNIGHTS FARM FIELD3 | 3252B | Nutrients | | High | Group 5 | 2006 |
| SOUTHEAST FLORIDA COAST | WCA1 NORTH SECTOR | 3252C | Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids | | High | Group 5 | 2006 |
| SOUTHEAST FLORIDA COAST | WCA1 WEST SECTOR | 3252D | Dissolved Oxygen | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | WCA1 SOUTH SECTOR | 3252E | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | WCA1 EAST SECTOR | 3252F | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | LAKE OSBORNE | 3256A | Dissolved Oxygen, Coliforms | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | BOYTON CANAL | 3256B | Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | CANAL E-4 | 3256D | Coliforms, Turbidity, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | L-3 | 3260A | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | HOLEY LANDS | 3260B | Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | LAKE IDA | 3262A | Dissolved Oxygen, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | E-3 CANAL | 3262D | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | HOLEY LANDS | 3263A | Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | E-1 CANAL | 3264A | Dissolved Oxygen, Nutrients, Coliforms | | Low | Group 4 | 2010 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-------------------------|---|-------|---|----------|----------|----------------------------|--|
| SOUTHEAST FLORIDA COAST | E-4 CANAL | 3264D | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | WCA2A S-10 PERIMETER | 3265A | Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | WCA2A SOUTHWEST PERIMETER | 3265B | Dissolved Oxygen, Coliforms, Nutrients, Cadmium | | High | Group 5 | 2006 |
| SOUTHEAST FLORIDA COAST | WCA2A L-35B PERIMETER | 3265C | Dissolved Oxygen, Cadmium, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | WCA2A CENTER SECTOR | 3265E | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | WCA3A US27 PERIMETER | 3268A | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | WCA3A NORTH SECTOR | 3268B | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | SOUTH NEW RIVER CANAL | 3277A | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | EAST HOLLOWAY CANAL | 3277B | Nutrients, Dissolved Oxygen, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms | | High | Group 4 | 2005 |
| SOUTHEAST FLORIDA COAST | WCA3B S-333 | 3278A | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | WCA3B MIAMI CANAL | 3278B | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | NORTH NEW RIVER CANAL | 3280C | Dissolved Oxygen, Nutrients, Coliforms | | High | Group 4 | 2005 |
| SOUTHEAST FLORIDA COAST | AREA B TAMIAI CANAL | 3286B | Dissolved Oxygen, Nutrients | | Low | Group 4 | 2010 |
| SOUTHEAST FLORIDA COAST | WAGNER CREEK | 3288A | Dissolved Oxygen, Coliforms, Nutrients | | High | Group 4 | 2005 |
| SOUTHEAST FLORIDA COAST | C-113 | 3303A | Dissolved Oxygen, Nutrients | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | TRANSECT T3 | 3303C | Dissolved Oxygen | | Low | Group 5 | 2011 |
| SOUTHEAST FLORIDA COAST | FLORIDA BAY | | Nutrients, Chlorides, Dissolved Oxygen | | Low | Group 4 | 2010 |
| ST ANDREWS BAY | BEATTY BAYOU | 1088 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST ANDREWS BAY | CALLOWAY BAYOU | 1110 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST ANDREWS BAY | PARKER BAYOU | 1123 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST ANDREWS BAY | PITTS BAYOU | 1128 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST ANDREWS BAY | JOHNSON BAYOU | 1131 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST ANDREWS BAY | WATSON BAYOU | 1136 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST ANDREWS BAY | PRETTY BAYOU | 1141 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST ANDREWS BAY | MASSALINA BAYOU | 1144 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST ANDREWS BAY | DIRECT RUNOFF TO BAY (St. Andrews Bay & East Bay) | 1170 | Nutrients | | Low | Group 3 | 2008 |
| ST ANDREWS BAY | ROBINSON BAYOU | 1172 | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST ANDREWS BAY | ST. JOE BAY | 1267 | Coliforms, Nutrients, Iron, Chlorides, Biological Oxygen Demand | | High | Group 3 | 2004 |
| ST ANDREWS BAY | DEER POINT LAKE | 553A | Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2011 |
| ST ANDREWS BAY | WARREN BAYOU | | Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, LOWER | TROUT RIVER | 2203 | Dissolved Oxygen, Coliforms, Iron | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | LITTLE TROUT RIVER | 2206 | Nutrients, Total Suspended Solids | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | RIBAUT RIVER | 2224 | Coliforms, Lead | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | MONCRIEF CREEK | 2228 | Coliforms, Iron, Copper, Nutrients | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | STRAWBERRY CREEK | 2239 | Dissolved Oxygen, Coliforms, Nutrients, Copper | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | HOGAN CREEK | 2252 | Dissolved Oxygen, Coliforms | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | CEDAR RIVER | 2262 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Lead, Zinc, Copper | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | WILLS BRANCH | 2282 | Copper, Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen, Coliforms | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | WILLIAMSON CREEK | 2316 | Dissolved Oxygen, Coliforms | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | BUTCHER PEN CREEK | 2322 | Coliforms, Copper, Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | FISHING CREEK | 2324 | Dissolved Oxygen, Copper, Nutrients, Turbidity, Total Suspended Solids | | High | Group 2 | 2004 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-----------------------|--|-------|---|----------|----------|----------------------------|--|
| ST JOHNS RIVER, LOWER | GOODBYS CREEK | 2326 | Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | JULINGTON CREEK | 2351 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | BIG DAVIS CREEK | 2356 | Dissolved Oxygen, Nutrients, Selenium | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | DURBIN CREEK | 2365 | Dissolved Oxygen, Selenium, Nutrients, Coliforms | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | LITTLE BLACK CREEK | 2368 | Dissolved Oxygen, Coliforms, Iron | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | DOCTORS LAKE | 2389 | Dissolved Oxygen, Coliforms, Nutrients, Selenium, Cadmium, Lead, Silver | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | GROG BRANCH | 2407 | Dissolved Oxygen, Coliforms, Turbidity, Iron, Total Suspended Solids | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | SWIMMING PEN CREEK | 2410 | Nutrients, Lead, Cadmium, Silver, Zinc, Total Suspended Solids | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | SIXMILE CREEK | 2411 | Dissolved Oxygen, Nutrients, Lead, Silver | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | PETERS CREEK | 2444 | Dissolved Oxygen, Iron, Lead, Cadmium, Silver, Nutrients, Coliforms | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | MILL CREEK | 2460 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Iron | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | GREENE CREEK | 2478 | Coliforms, Nutrients, Biochemical Oxygen Demand | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | TOCOI CREEK | 2492 | Dissolved Oxygen, Nutrients | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | MOCCASIN BRANCH | 2540 | Dissolved Oxygen, Iron, Lead, Silver, Nutrients, Biochemical Oxygen Demand | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | DEEP CREEK | 2549 | Dissolved Oxygen, Iron, Lead, Cadmium, Copper, Silver, Nutrients, Biochemical Oxygen Demand | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | CRACKER BRANCH | 2555 | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | WEST RUN INTERCEPTER D | 2569 | Dissolved Oxygen, Iron, Silver, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | DOG BRANCH | 2578 | Dissolved Oxygen, Nutrients, Turbidity, Lead | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | SIXTEENMILE CREEK | 2589 | Dissolved Oxygen, Nutrients | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | MILL BRANCH | 2592 | Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | TROUT RIVER | 2203A | Nutrients, Coliforms, Cadmium | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | CEDAR POINT CREEK | 2205B | Nutrients, Iron | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | INTERCOASTAL WATERWAY | 2205C | Dissolved Oxygen, Coliforms | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | ST JOHNS RIVER ABOVE MOUTH | 2213A | Fluoride, Total Suspended Solids | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | ST JOHNS RIVER ABOVE INTERCOASTAL WATERWAY | 2213B | Coliforms, Turbidity, Total Suspended Solids | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | ST JOHNS RIVER ABOVE DAMES PT | 2213C | Nutrients, Turbidity, Total Suspended Solids | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | ST JOHNS RIVER ABOVE TROUT RIVER | 2213D | Coliforms, Nutrients, Turbidity, Total Suspended Solids | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | ST JOHNS RIVER ABOVE WARREN BRIDGE | 2213E | Coliforms, Nutrients | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | ST JOHNS RIVER ABOVE PINEY POINT | 2213F | Coliforms, Mercury, Nutrients | | High | Group 2 | 2002 & 2011 (mercury) |
| ST JOHNS RIVER, LOWER | ST JOHNS RIVER ABOVE DOCTOR LAKE | 2213G | Iron, Nutrients | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | ST JOHNS RIVER ABOVE TOCOI | 2213K | Lead, Copper, Silver, Nutrients | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | ST JOHNS RIVER ABOVE FEDERAL PT | 2213L | Lead, Cadmium, Copper, Silver, Nutrients | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | ORTEGA RIVER | 2213P | Nutrients, Coliforms, Lead, Copper, Total Suspended Solids, Dissolved Oxygen | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | MCCOY CREEK | 2262A | Lead, Copper, Zinc, Nutrients, Total Suspended Solids | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | ARLINGTON RIVER | 2265A | Nutrients, Lead, Copper | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | POTTSBURG CREEK | 2265B | Coliforms, Nutrients, Copper, Turbidity | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | BLACK CREEK | 2415B | Dissolved Oxygen, Iron, Lead, Cadmium, Silver | | Low | Group 2 | 2008 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-----------------------|--------------------------------------|-------|--|----------|----------|----------------------|--|
| ST JOHNS RIVER, LOWER | BLACK CREEK SOUTH FORK | 2415C | Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead, Silver | | Low | Group 2 | 2008 |
| ST JOHNS RIVER, LOWER | RICE CREEK DOWNSTREAM TO MILL | 2567A | Dissolved Oxygen, Iron, Lead, Cadmium, Silver, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand | | High | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | RICE CREEK UPSTREAM TO MILL | 2567B | Coliforms, Nutrients, Iron, Lead | | Low | Group 2 | 2004 |
| ST JOHNS RIVER, LOWER | HAW CREEK ABOVE CRESCENT LAKE | 2622A | Nutrients, Iron, Coliforms, Lead, Selenium, Silver, Dissolved Oxygen, Biochemical Oxygen Demand | | High | Group 2 | 2002 |
| ST JOHNS RIVER, LOWER | LITTLE HAW CREEK | 2630A | Dissolved Oxygen, Coliforms, Iron, Lead, Selenium | | High | Group 2 | 2004 |
| ST JOHNS RIVER, UPPER | DEEP CREEK - LAKE ASHBY CANAL | 2925 | Coliforms, Iron, Lead, Cadmium, Silver | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | RAVENNA PARK DITCHES (Smith Canal) | 2962 | Dissolved Oxygen, Coliforms, Nutrients, Iron, Turbidity | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | ROCK SPRINGS RUN | 2967 | Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand | | High | Group 3 | 2004 |
| ST JOHNS RIVER, UPPER | LAKE JESSUP | 2981 | Un-ionized Ammonia, Nutrients | | High | Group 3 | 2004 |
| ST JOHNS RIVER, UPPER | SOLDIER CREEK REACH | 2986 | Dissolved Oxygen, Coliforms, Nutrients, Lead | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | LITTLE WEKIVA RIVER | 2987 | Coliforms, Nutrients | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | LAKE PREVATT | 2993 | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | LITTLE ECONLOCKHATCHEE | 3001 | Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | LITTLE WEKIVA CANAL | 3004 | Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | CRANE STRAND DRAIN | 3014 | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand | | High | Group 3 | 2004 |
| ST JOHNS RIVER, UPPER | LONG BRANCH | 3030 | Dissolved Oxygen, Coliforms, Iron, Nutrients, Biochemical Oxygen Demand, Turbidity | | High | Group 3 | 2002 (nutrients), 2004, 2011 (mercury) |
| ST JOHNS RIVER, UPPER | CRABGRASS CREEK | 3073 | Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | WOLF CREEK | 3075 | Dissolved Oxygen, Nutrients, Coliforms, Cadmium, Iron, Lead | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | JANE GREEN CREEK | 3084 | Dissolved Oxygen, Nutrients, Iron, Lead | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | DRAINED FARMLAND | 3140 | Dissolved Oxygen, Nutrients, Turbidity | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | FORT DRUM CREEK | 3154 | Dissolved Oxygen, Coliforms, Nutrients, Lead | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | SAWGRASS LAKE | 28931 | Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 3 | 2008, 2011 (mercury) |
| ST JOHNS RIVER, UPPER | BLUE SPRINGS | 28933 | Nutrients | | High | Group 3 | 2004 |
| ST JOHNS RIVER, UPPER | ST JOHNS RIVER ABOVE WEKIVA RIVER | 2893C | Dissolved Oxygen, Lead, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | LAKE MONROE | 2893D | Dissolved Oxygen, Nutrients, Lead, Un-ionized Ammonia, Selenium | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | ST JOHNS RIVER ABOVE PUZZLE LAKE | 2893I | Dissolved Oxygen, Coliforms, Lead, Nutrients, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory) | | Low | Group 3 | 2008, 2011 (mercury) |
| ST JOHNS RIVER, UPPER | LAKE POINSETT | 2893K | Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory) | | Low | Group 3 | 2008, 2011 (mercury) |
| ST JOHNS RIVER, UPPER | ST JOHNS RIVER ABOVE LAKE POINSETT | 2893L | Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2002 (nutrients), 2004, 2011 (mercury) |
| ST JOHNS RIVER, UPPER | ST JOHNS RIVER ABOVE LAKE WINDER | 2893N | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2002 (nutrients), 2004, 2011 (mercury) |
| ST JOHNS RIVER, UPPER | ST JOHNS RIVER ABOVE LAKE WASHINGTON | 2893P | Dissolved Oxygen, Iron, Lead, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2002 (nutrients), 2004, 2011 (mercury) |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-----------------------|------------------------------------|-------|---|----------|-----------------|----------------------------|--|
| ST JOHNS RIVER, UPPER | LAKE HELEN BLAZES | 2893Q | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2002 (nutrients), 2004, 2011 (mercury) |
| ST JOHNS RIVER, UPPER | ST JOHNS RIVER ABOVE SAWGRASS LAKE | 2893X | Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory) | | High | Group 3 | 2002 (nutrients), 2004, 2011 (mercury) |
| ST JOHNS RIVER, UPPER | ST JOHNS RIVER ABOVE LAKE GEORGE | 2893Z | Dissolved Oxygen, Nutrients, Total Suspended Solids | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | BUCK LAKE | 2918B | Coliforms | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | BLACK WATER CREEK | 2929A | Dissolved Oxygen, Nutrients, Iron, Lead, Cadmium, Selenium, Zinc | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | WEKIVA SPRINGS | 2956C | Nutrients, Coliforms | | High | Group 3 | 2004 |
| ST JOHNS RIVER, UPPER | LAKE HARNEY | 2964A | Dissolved Oxygen, Nutrients, Cadmium, Silver | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | LOUGHMAN LAKE | 2978A | Biological Oxygen Demand, Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | SALT LAKE | 2978B | Biological Oxygen Demand, Dissolved Oxygen, Nutrients | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | LAKE JESSUP NEAR ST JOHNS RIVER | 2981A | Dissolved Oxygen, Nutrients | | High | Group 3 | 2004 |
| ST JOHNS RIVER, UPPER | ECONLOCKHATCHEE RIVER | 2991A | Dissolved Oxygen, Coliforms, Nutrients, Lead, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory) | | Low | Group 3 | 2008, 2011 (mercury) |
| ST JOHNS RIVER, UPPER | GEE CREEK | 2994A | Coliforms, Nutrients, Lead | | Low | Group 3 | 2008 |
| ST JOHNS RIVER, UPPER | FOX LAKE | 3008A | Nutrients | | High | Group 3 | 2004 |
| ST MARKS RIVER | WARD CREEK | 459 | Dissolved Oxygen, Coliforms (fecal & total) | | High | Group 1 | 2002 |
| ST MARKS RIVER | BLACK CREEK | 628 | Dissolved Oxygen | | Low | Group 1 | 2007 |
| ST MARKS RIVER | ALFORD ARM | 647 | Dissolved Oxygen | | Medium | Group 1 | 2007 |
| ST MARKS RIVER | LAKE LAFAYETTE DRAIN | 756 | Coliforms (fecal & total), Turbidity, Dissolved Oxygen | | High/ Medium | Group 1 | 2002 |
| ST MARKS RIVER | COPELAND SINK DRAIN | 808 | Dissolved Oxygen | | Low | Group 1 | |
| ST MARKS RIVER | GODBY DITCH | 820 | Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand | | High | Group 1 | 2002 |
| ST MARKS RIVER | CENTRAL DRAINAGE DITCH | 857 | Nutrients, Turbidity, Total Suspended Solids, Coliforms (fecal & total) | | High | Group 1 | 2002 |
| ST MARKS RIVER | ST AUGUSTINE BRANCH | 865 | Nutrients, Turbidity, Total Suspended Solids, Coliforms (fecal & total) | | High | Group 1 | 2002 |
| ST MARKS RIVER | EAST DRAINAGE DITCH | 916 | Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms (fecal & total) | | High | Group 1 | 2002 |
| ST MARKS RIVER | CHICKEN BRANCH | 971 | Dissolved Oxygen | | Low | Group 1 | |
| ST MARKS RIVER | LOST CREEK | 995 | Dissolved Oxygen | | Low | Group 1 | |
| ST MARKS RIVER | WAKULLA RIVER | 1006 | Biology | | Medium | Group 1 | 2007 |
| ST MARKS RIVER | MCBRIDE SLOUGH | 1028 | Dissolved Oxygen | | Low | Group 1 | |
| ST MARKS RIVER | APALACHEE BAY (west) | 8026 | Bacteria (shellfish) | | Medium | Group 1 | 2007 |
| ST MARKS RIVER | LAKE LAFAYETTE - UPPER | 756A | Nutrients (TSI), Dissolved Oxygen | | High | Group 1 | 2002 |
| ST MARKS RIVER | LAKE PINEY Z | 756B | Nutrients (TSI), Dissolved Oxygen | | Medium | Group 1 | 2002 |
| ST MARKS RIVER | LAKE LAFAYETTE - LOWER | 756C | Nutrients (TSI), Dissolved Oxygen | | High/ Medium | Group 1 | 2002 |
| ST MARKS RIVER | LAKE MICCOSUKEE | 791L | Dissolved Oxygen, Coliforms (total), Mercury (Based on Fish Consumption Advisory) | | Medium/Low | Group 1 | 2007, 2011 (mercury) |
| ST MARKS RIVER | ST. MARKS RIVER | 793A | Coliforms (fecal & total), Dissolved Oxygen | | High | Group 1 | 2002 |
| ST MARKS RIVER | ST MARKS RIVER | 793B | Dissolved Oxygen | | Low | Group 1 | |
| ST MARKS RIVER | SHELL POINT | 8026B | Bacteria (beach advisory) | | High | Group 1 | 2007 |
| ST MARKS RIVER | LAKE MUNSON | 807A | Nutrients | | Low | Group 1 | 2007 |
| ST MARKS RIVER | LAKE MUNSON | 807C | Dissolved Oxygen, Nutrients (TSI) | | Medium | Group 1 | 2007 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-----------------------|----------------------------|-------|--|----------|------------|----------------------|------------------------------------|
| ST MARKS RIVER | MUNSON SLOUGH (ABOVE LAKE) | 807D | Dissolved Oxygen, Coliforms (fecal & total), Nutrients | | Medium/Low | Group 1 | 2007 |
| ST MARKS RIVER | LAKE BRADFORD | 878A | Dissolved Oxygen | | Low | Group 1 | 2007 |
| ST MARKS RIVER | LAKE WEEKS | 971B | Dissolved Oxygen | | Medium | Group 1 | 2007 |
| ST MARYS RIVER | LITTLE ST. MARYS RIVER | 2106 | Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| ST MARYS RIVER | AMELIA RIVER | 2124 | Nutrients | | High | Group 4 | 2005 |
| ST MARYS RIVER | MIDDLE PRONG ST. MARYS | 2211 | Coliforms, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010 |
| ST MARYS RIVER | ST. MARYS RIVER AB ICWW | 2097A | Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| ST MARYS RIVER | ST. MARYS RIVER | 2097B | Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| ST MARYS RIVER | ST. MARYS RIVER | 2097C | Dissolved Oxygen, Nutrients, Total Suspended Solids, Coliforms | | Low | Group 4 | 2010 |
| ST MARYS RIVER | ST MARYS RIVER | 2097F | Biochemical Oxygen Demand | | Low | Group 4 | 2010 |
| ST MARYS RIVER | ST MARYS RIVER | 2097I | Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2010, 2011 (mercury) |
| ST MARYS RIVER | ST MARYS RIVER | 2097J | Biochemical Oxygen Demand | | Low | Group 4 | 2010 |
| ST MARYS RIVER | ST. MARYS R. N. PRONG | 2097K | Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2011 |
| ST MARYS RIVER | JACKSON CREEK | 2140A | Nutrients | | Low | Group 4 | 2010 |
| SUWANNEE RIVER, LOWER | SUWANNEE RIVER, LOWER | 3422 | Nutrients | | Low | Group 1 | |
| SUWANNEE RIVER, LOWER | ANDERSON BAY DRAIN | 3430 | Dissolved Oxygen | | Low | Group 1 | |
| SUWANNEE RIVER, LOWER | PEACOCK SLOUGH | 3483 | Dissolved Oxygen | | Low | Group 1 | |
| SUWANNEE RIVER, LOWER | ALLEN MILL POND | 3525 | Dissolved Oxygen, Nutrients | | Low | Group 1 | 2007 |
| SUWANNEE RIVER, LOWER | SANDERS CREEK | 3702 | Coliforms (fecal) | | Low | Group 1 | |
| SUWANNEE RIVER, LOWER | BLACK POINT SWAMP | 3729 | Coliforms (fecal) | | Low | Group 1 | |
| SUWANNEE RIVER, LOWER | SUWANNEE GULF 1 | 8029 | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| SUWANNEE RIVER, LOWER | SUWANNEE GULF 2 | 8030 | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| SUWANNEE RIVER, LOWER | SUWANNEE GULF 3 | 8031 | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| SUWANNEE RIVER, LOWER | SUWANNEE GULF 4 | 8032 | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| SUWANNEE RIVER, LOWER | SUWANNEE GULF 5 | 8033 | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| SUWANNEE RIVER, LOWER | SUWANNEE GULF 6 | 8034 | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| SUWANNEE RIVER, LOWER | SUWANNEE GULF 7 | 8035 | Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/Low | Group 1 | 2008, 2011 (mercury) |
| SUWANNEE RIVER, LOWER | SUWANNEE RIVER, LOWER | 3422A | Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| SUWANNEE RIVER, LOWER | SUWANNEE RIVER, LOWER | 3422B | Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 (mercury) |
| SUWANNEE RIVER, LOWER | LOWER SUWANNEE ESTUARY | 3422D | Nutrients, Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium | Group 1 | 2007, 2011 (mercury) |
| SUWANNEE RIVER, LOWER | MANATEE SPRINGS | 3422R | Biology | | Low | Group 1 | |
| SUWANNEE RIVER, LOWER | DEKLE BEACH | 8032A | Coliforms (beach advisory) | | Medium | Group 1 | 2007 |
| SUWANNEE RIVER, LOWER | KEATON BEACH | 8032B | Coliforms (beach advisory) | | Medium | Group 1 | 2007 |
| SUWANNEE RIVER, LOWER | CEDAR BEACH | 8032C | Coliforms (beach advisory) | | Medium | Group 1 | 2007 |
| SUWANNEE RIVER, UPPER | SUWANNEE RIVER (UPPER) | 3341 | Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 (mercury) |
| SUWANNEE RIVER, UPPER | SWIFT CREEK | 3375 | Dissolved Oxygen, Nutrients | | Low | Group 1 | 2002 |
| SUWANNEE RIVER, UPPER | DEEP CREEK | 3388 | Coliforms (fecal & total) | | Low | Group 1 | 2002 |
| SUWANNEE RIVER, UPPER | ROARING CREEK | 3392 | Nutrients | | Low | Group 1 | 2002 |
| SUWANNEE RIVER, UPPER | CAMP BRANCH | 3401 | Coliforms (fecal & total) | | Low | Group 1 | 2002 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|-----------------------|--------------------------|-------|--|--|------------|----------------------------|--|
| SUWANNEE RIVER, UPPER | FALLING CREEK | 3477 | Nutrients, Coliforms (fecal) | | Low | Group 1 | 2002 |
| SUWANNEE RIVER, UPPER | LAKE JEFFERY OUTLET | 3499 | Biology | Listing based on biological sampling. | Low | Group 1 | 2002 |
| TAMPA BAY | BROOKER CREEK | 1474 | Dissolved Oxygen, Coliforms (fecal) | | High | Group 1 | 2003 |
| TAMPA BAY | BRUSHY CREEK | 1498 | Dissolved Oxygen, Coliforms (fecal & total) | | Low | Group 1 | 2008 |
| TAMPA BAY | ROCKY CREEK | 1507 | Dissolved Oxygen, Coliforms (fecal & total), Nutrients, Total Suspended Solids | | High | Group 1 | 2003 |
| TAMPA BAY | DOUBLE BRANCH | 1513 | Dissolved Oxygen, Coliforms (fecal & total), Nutrients | | Low | Group 1 | 2008 |
| TAMPA BAY | SWEETWATER CREEK - UPPER | 1516 | Dissolved Oxygen, Coliforms (total), Nutrients (chla & historic chla), | | Low | Group 1 | 2008 |
| TAMPA BAY | COW BRANCH | 1529 | Dissolved Oxygen, Coliforms (fecal) | | Low | Group 1 | |
| TAMPA BAY | MOCCASIN CREEK | 1530 | Dissolved Oxygen, Coliforms (fecal), Nutrients (chla) | | Low | Group 1 | 2008 |
| TAMPA BAY | CHANNEL G | 1563 | Dissolved Oxygen, Nutrients (chla), Coliforms (fecal) | | Low | Group 1 | 2008 |
| TAMPA BAY | BISHOP CREEK | 1569 | Dissolved Oxygen, Coliforms (fecal & total) | | Low | Group 1 | 2008 |
| TAMPA BAY | ALLIGATOR CREEK | 1574 | Nutrients (chla), Dissolved Oxygen, Coliforms (fecal & total) | | Low | Group 1 | 2008 |
| TAMPA BAY | MULLET CREEK | 1575 | Dissolved Oxygen, Coliforms (fecal & total) | | Low | Group 1 | 2008 |
| TAMPA BAY | BELLOWS LAKE OUTLET | 1579 | Dissolved Oxygen, Coliforms (fecal & total), Nutrients | | Low | Group 1 | 2008 |
| TAMPA BAY | ALLEN CREEK | 1604 | Dissolved Oxygen, Nutrients, Coliforms (fecal) | | Low | Group 1 | 2008 |
| TAMPA BAY | DELANEY CREEK | 1605 | Dissolved Oxygen, Coliforms (fecal & total), Lead, Nutrients, Biochemical Oxygen Demand | | High | Group 1 | 2003 |
| TAMPA BAY | DIRECT RUNOFF TO BAY | 1624 | Dissolved Oxygen, Coliforms (fecal & total), Un-ionized Ammonia | | High | Group 1 | 2003 |
| TAMPA BAY | CROSS CANAL (NORTH) | 1625 | Dissolved Oxygen, Coliforms (fecal), Nutrients (chla) | | Low | Group 1 | 2008 |
| TAMPA BAY | LONG BRANCH | 1627 | Dissolved Oxygen, Coliforms (fecal & total) | | High | Group 1 | 2003 |
| TAMPA BAY | BLACK POINT CHANNEL | 1637 | Dissolved Oxygen, Nutrients | | Low | Group 1 | 2008 |
| TAMPA BAY | SNUG HARBOR | 1654 | Dissolved Oxygen | | Low | Group 1 | 2008 |
| TAMPA BAY | BULLFROG CREEK | 1666 | Coliforms (fecal & total) | | Medium | Group 1 | 2008 |
| TAMPA BAY | SMACKS BAYOU | 1683 | Dissolved Oxygen, Coliforms (fecal), Nutrients (chla) | | Low | Group 1 | 2008 |
| TAMPA BAY | COFFEEPOT BAYOU | 1700 | Dissolved Oxygen, Coliforms (fecal), Nutrients (chla) | | Low | Group 1 | 2008 |
| TAMPA BAY | COCKROACH BAY | 1778 | Dissolved Oxygen, Nutrients (chla), Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/Low | Group 1 | 2008, 2011 (mercury) |
| TAMPA BAY | LAKE JUANITA | 1473W | Nutrients (historic TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | MOUND LAKE | 1473X | Nutrients (historic TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | CALM LAKE | 1473Y | Nutrients (historic TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | DEAD LADY LAKE | 1474D | Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | CRESCENT | 1474V | Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | LAKE REINHEIMER - OPEN | 1478H | Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | LAKE TARPON | 1486A | Dissolved Oxygen, Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | BUCK LAKE | 1493E | Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | BRANT LAKE | 1494B | Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | SUNSET LAKE | 1496A | Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | LAKE ESTES | 1502A | Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | CHAPMAN LAKE | 1502C | Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | ROCKY CREEK | 1507A | Dissolved Oxygen, Nutrients (historic chla & chla) | | High | Group 1 | 2003 |
| TAMPA BAY | LAKE CARROLL | 1516A | Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | LAKE MADELENE | 1516B | Nutrients (TSI) | | Medium | Group 1 | 2008 |
| TAMPA BAY | LAKE ELLEN - OPEN WATER | 1516E | Nutrients (TSI) | | Medium | Group 1 | 2008 |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|------------------|------------------------------------|--------|--|----------|----------------|----------------------|------------------------------------|
| TAMPA BAY | TAMPA BYPASS CANAL | 1536C | Dissolved Oxygen, Nutrients (chla), Coliforms (total) | | Low/ Medium | Group 1 | 2008 |
| TAMPA BAY | PALM RIVER | 1536E | Dissolved Oxygen, Nutrients (historic chla & chla) | | Low | Group 1 | 2008 |
| TAMPA BAY | SIXMILE CREEK (Tampa Bypass Canal) | 1536F | Dissolved Oxygen, Nutrients (chla), Biochemical Oxygen Demand | | Low | Group 1 | 2008 |
| TAMPA BAY | LAKE TARPON CANAL | 1541A | Dissolved Oxygen, Coliforms (fecal & total), Nutrients | | Low | Group 1 | 2008 |
| TAMPA BAY | LAKE TARPON CANAL | 1541B | Dissolved Oxygen | | Low | Group 1 | 2008 |
| TAMPA BAY | LAKE TARPON SOUTH COVE | 1541C | Dissolved Oxygen | | Low | Group 1 | |
| TAMPA BAY | TAMPA BAY LOWER | 1558A | Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/ Low | Group 1 | 2008, 2011 |
| TAMPA BAY | TAMPA BAY MID | 1558B | Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/ Low | Group 1 | 2008, 2011 |
| TAMPA BAY | TAMPA BAY UPPER | 1558C | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| TAMPA BAY | HILLSBOROUGH BAY LOWER | 1558D | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| TAMPA BAY | HILLSBOROUGH BAY UPPER | 1558E | Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2011 |
| TAMPA BAY | OLD TAMPA BAY LOWER | 1558F | Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/ Low | Group 1 | 2008, 2011 (mercury) |
| TAMPA BAY | OLD TAMPA BAY | 1558G | Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/ Low | Group 1 | 2008, 2011 |
| TAMPA BAY | OLD TAMPA BAY | 1558H | Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/ Low | Group 1 | 2008, 2011 |
| TAMPA BAY | BEN T. DAVIS NORTH | 1558HB | Dissolved Oxygen | | Low | Group 1 | |
| TAMPA BAY | OLD TAMPA BAY | 1558I | Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/ Low | Group 1 | 2008, 2011 |
| TAMPA BAY | SWEETWATER CREEK TIDAL - LOWER | 1570A | Dissolved Oxygen, Coliforms (fecal & total), Nutrients (chla & historic chla) | | High | Group 1 | 2003 |
| TAMPA BAY | ALLIGATOR LAKE | 1574A | Dissolved Oxygen, Nutrients (historic chla & chla) | | Low | Group 1 | 2008 |
| TAMPA BAY | YBOR CITY DRAIN | 1584A | Nutrients, Total Suspended Solids, Biochemical Oxygen Demand, Chemical Oxygen Demand | | High | Group 1 | 2003 |
| TAMPA BAY | MCKAY BAY | 1584B | Dissolved Oxygen, Nutrients (historic chla & chla), Mercury (Based on Fish Consumption Advisory) | | High/ Low | Group 1 | 2003, 2011 (mercury) |
| TAMPA BAY | BECKETT LAKE - OPEN WATER | 1603C | Nutrients (TSI), Dissolved Oxygen | | Medium | Group 1 | 2008 |
| TAMPA BAY | DELANEY CREEK TIDAL | 1605D | Dissolved Oxygen, Nutrients (chla), Coliforms (fecal & total), Lead | | Medium | Group 1 | 2008 |
| TAMPA BAY | LONG BRANCH TIDAL | 1627B | Dissolved Oxygen | | Low | Group 1 | |
| TAMPA BAY | BULLFROG CREEK | 1666A | Dissolved Oxygen, Coliforms (fecal & total), Nutrients (chla) | | Low | Group 1 | 2008 |
| TAMPA BAY | LITTLE BAYOU - BASIN Q | 1709D | Dissolved Oxygen, Nutrients (chla), Coliforms (fecal) | | Medium | Group 1 | 2008 |
| TAMPA BAY | PINELLAS POINT - BASIN V | 1709E | Dissolved Oxygen | | Low | Group 1 | |
| TAMPA BAY | FRENCHMAN'S CREEK - BASIN U | 1709F | Coliforms (fecal) | | Low | Group 1 | |
| TAMPA BAY | TERRA CEIA BAY | 1797A | Coliforms (fecal) | | Low | Group 1 | |
| TAMPA BAY | BISHOPS HARBOR | 1797B | Nutrients, Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/Low | Group 1 | 2008, 2011 (mercury) |
| TAYLOR CREEK | TAYLOR CREEK | 3205 | Nutrients (chla), Dissolved Oxygen, Turbidity | | High/ Low | Group 1 | 2002 (nutrients), 2007 |
| TAYLOR CREEK | CHANDLER HAMMOCK SLOUGH | 3199B | Nutrients (chla), Turbidity, Dissolved Oxygen | | High | Group 1 | 2002 |
| TAYLOR CREEK | NUBBIN SLOUGH | 3203A | Nutrients (chla), Dissolved Oxygen, Coliforms (fecal & total) | | High/ Low | Group 1 | 2002 (nutrients), 2007 |
| TAYLOR CREEK | MOSQUITO CREEK | 3203B | Dissolved Oxygen, Nutrients (chla), Coliforms (fecal & total) | | High | Group 1 | 2002 |
| TAYLOR CREEK | OTTER CREEK | 3205D | Dissolved Oxygen, Nutrients (chla) | | High | Group 1 | 2002 |
| WACCASASSA RIVER | WACCASASSA RIVER | 3699 | Coliforms (fecal & total) | | Medium | Group 1 | 2007 |
| WACCASASSA RIVER | SANDERS CREEK | 3702 | Coliforms (fecal) | | Low | Group 1 | |

| HUC Name | Water Segment | WBID | Parameters of Concern | Comments | Priority | Basin Rotation Group | Projected Year of TMDL Development |
|---------------------------|----------------------------|-------|---|----------|------------|----------------------|------------------------------------|
| WACCASASSA RIVER | HORSEHOLE CREEK | 3703 | Dissolved Oxygen | | Low | Group 1 | 2007 |
| WACCASASSA RIVER | BLACK POINT SWAMP | 3729 | Nutrients (chla), Coliforms (fecal) | | Medium | Group 1 | 2007 |
| WACCASASSA RIVER | LITTLE WACCASASSA RIVER | 3747 | Dissolved Oxygen | | Low | Group 1 | 2007 |
| WACCASASSA RIVER | WACCASASSA RIVER GULF 1 | 8037 | Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/Low | Group 1 | 2007, 2011 |
| WACCASASSA RIVER | WACCASASSA RIVER GULF 2 | 8038 | Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory) | | Medium/Low | Group 1 | 2007, 2011 |
| WITHLACOOCHIE RIVER SOUTH | LESLIE-HEFNER CANAL | 1357 | Dissolved Oxygen | | High | Group 4 | 2005 |
| WITHLACOOCHIE RIVER SOUTH | BIG GANT CANAL | 1378 | Dissolved Oxygen, Coliforms | | Low | Group 4 | 2010 |
| WITHLACOOCHIE RIVER SOUTH | LITTLE WITHLACOOCHIE RIVER | 1381 | Dissolved Oxygen, Coliforms | | Low | Group 4 | 2010 |
| WITHLACOOCHIE RIVER SOUTH | DADE CITY CANAL | 1399 | Nutrients, Dissolved Oxygen, Biochemical Oxygen Demand | | High | Group 4 | 2005 |
| WITHLACOOCHIE RIVER SOUTH | LAKE MATTIE OUTLET | 1476 | Nutrients | | Low | Group 4 | 2010 |
| WITHLACOOCHIE RIVER SOUTH | RAINBOW RIVER | 1320A | Nutrients | | High | Group 4 | 2005 |
| WITHLACOOCHIE RIVER SOUTH | LAKE ROUSSEAU | 1329B | Dissolved Oxygen, Coliforms, Nutrients | | Low | Group 4 | 2010 |
| WITHLACOOCHIE RIVER SOUTH | LAKE LINDSEY | 1329H | Dissolved Oxygen, Coliforms | | Low | Group 4 | 2010 |
| WITHLACOOCHIE RIVER NORTH | WITHLACOOCHIE RIVER | 3315 | Nutrients, Mercury (Based on Fish Consumption Advisory) | | Low | Group 1 | 2007, 2011 (mercury) |
| WITHLACOOCHIE RIVER NORTH | JUMPING GULLY CREEK | 3318 | Dissolved Oxygen, Nutrients, Turbidity | | Low | Group 1 | 2007 |
| YELLOW RIVER | YELLOW RIVER | 30 | Coliforms, Turbidity, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2011 |
| YELLOW RIVER | MURDER CREEK | 107 | Dissolved Oxygen, Coliforms | | Low | Group 4 | 2011 |
| YELLOW RIVER | TURKEY CREEK | 117 | Coliforms, Turbidity | | Low | Group 4 | 2011 |
| YELLOW RIVER | LITTLE CREEK | 144 | Coliforms | | Low | Group 4 | 2011 |
| YELLOW RIVER | YELLOW RIVER | 30A | Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory) | | Low | Group 4 | 2011 |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------------|---------------|--------------------------------------|--------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Everglades West Coast | Estero Bay | ESTERO BAY WETLANDS | 3258A | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Estero Bay | HENDRY CREEK | 3258B | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Estero Bay | HENDRY CREEK MARINE | 3258B1 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Estero Bay | HENDRY CREEK MARINE | 3258B1 | Fecal Coliform | 5 | Low |
| Group 1 | Everglades West Coast | Estero Bay | HENDRY CREEK (MARINE SEGMENT) | 3258B1 | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Estero Bay | ESTERO BAY DRAINAGE | 3258C | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Estero Bay | ESTERO BAY DRAINAGE | 3258C | Fecal Coliform | 5 | Low |
| Group 1 | Everglades West Coast | Estero Bay | ESTERO BAY DRAINAGE MARINE | 3258C1 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Estero Bay | ESTERO BAY DRAINAGE MARINE | 3258C1 | Iron | 5 | Medium |
| Group 1 | Everglades West Coast | Estero Bay | ESTERO BAY DRAINAGE (MARINE SEGMENT) | 3258C1 | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Estero Bay | ESTERO RIVER | 3258D | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Estero Bay | ESTERO RIVER | 3258D | Fecal Coliform | 5 | Low |
| Group 1 | Everglades West Coast | Estero Bay | ESTERO RIVER MARINE | 3258D1 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Estero Bay | ESTERO RIVER (MARINE SEGMENT) | 3258D1 | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Estero Bay | IMPERIAL RIVER | 3258E | Dissolved Oxygen | 5 | Low |
| Group 1 | Everglades West Coast | Estero Bay | IMPERIAL RIVER | 3258E | Fecal Coliform | 5 | Low |
| Group 1 | Everglades West Coast | Estero Bay | IMPERIAL RIVER MARINE | 3258E1 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Estero Bay | IMPERIAL RIVER MARINE | 3258E1 | Fecal Coliform | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------------|--------------------|---|--------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Everglades West Coast | Estero Bay | IMPERIAL RIVER (MARINE SEGMENT) | 3258E1 | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Estero Bay | IMPERIAL RIVER MARINE | 3258E1 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Everglades West Coast | Estero Bay | OAK CREEK | 3258F | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Estero Bay | TENMILE CANAL | 3258G | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Estero Bay | SPRING CREEK (MARINE SEGMENT) | 3258H1 | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Estero Bay | ESTERO BAY | 3258I | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Estero Bay | HELL PECKNEY BAY | 3258J | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Estero Bay | GULF OF MEXICO (LEE COUNTY; ESTERO BAY) | 8060 | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Interdrainage Area | C-139 | 3255 | Dissolved Oxygen | 4d | |
| Group 1 | Everglades West Coast | Interdrainage Area | TAMIAMI CANAL | 3261B | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Interdrainage Area | BARRON RIVER CANAL | 3261C | Iron | 5 | Medium |
| Group 1 | Everglades West Coast | Interdrainage Area | BARRON RIVER CANAL | 3261C | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Interdrainage Area | L-28 Interceptor Upper | 3266A | Dissolved Oxygen | 4d | |
| Group 1 | Everglades West Coast | Interdrainage Area | L-28 INTERCEPTOR (UPPER SEGMENT) | 3266A | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Interdrainage Area | Feeder Canal | 3267 | Dissolved Oxygen | 4d | |
| Group 1 | Everglades West Coast | Interdrainage Area | L-28 Tieback | 3278M | Dissolved Oxygen | 4d | |
| Group 1 | Everglades West Coast | Interdrainage Area | L-28 TIEBACK | 3278M | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Interdrainage Area | OKALOHA-COOCHIEE | 3278T | Dissolved Oxygen | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------------|--------------------|----------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Everglades West Coast | Interdrainage Area | SILVER STRAND | 3278W | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | COCO-HATCHEE RIVER | 3259A | Fecal Coliform | 5 | Low |
| Group 1 | Everglades West Coast | Southwest Coast | COCO-HATCHEE RIVER | 3259A | Iron | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | COCOHATCHEE RIVER | 3259A | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | Camp Keais | 3259I | Dissolved Oxygen | 4d | |
| Group 1 | Everglades West Coast | Southwest Coast | CAMP KEAIS | 3259I | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | Ten Thousand Islands | 3259M | Dissolved Oxygen | 4d | |
| Group 1 | Everglades West Coast | Southwest Coast | TEN THOUSAND ISLANDS | 3259M | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | LAKE TRAFFORD | 3259W | Dissolved Oxygen | 5 | Low |
| Group 1 | Everglades West Coast | Southwest Coast | LAKE TRAFFORD | 3259W | Nutrients (TSI) | 5 | Low |
| Group 1 | Everglades West Coast | Southwest Coast | LAKE TRAFFORD | 3259W | Un-ionized Ammonia | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | LITTLE HICKORY BAY | 3259Z | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | COCO-HATCHEE INLAND | 3278D | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | Cow Slough | 3278E | Dissolved Oxygen | 4d | |
| Group 1 | Everglades West Coast | Southwest Coast | CORKSCREW MARSH | 3278F | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | FAKA-HATCHEE STRAND | 3278G | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | FAKA-HATCHEE STRAND | 3278G | Fecal Coliform | 5 | Low |
| Group 1 | Everglades West Coast | Southwest Coast | Faka Union North | 3278H | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------------|-----------------|-------------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Everglades West Coast | Southwest Coast | Faka Union South | 3278I | Dissolved Oxygen | 4d | |
| Group 1 | Everglades West Coast | Southwest Coast | FAKA UNION (SOUTH SEGMENT) | 3278I | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | GORDON RIVER EXTENSION | 3278K | Dissolved Oxygen | 5 | Low |
| Group 1 | Everglades West Coast | Southwest Coast | IMMOKALEE BASIN | 3278L | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | NAPLES | 3278Q | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | NAPLES BAY COASTAL | 3278R | Copper | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | NAPLES BAY COASTAL | 3278R | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | NAPLES BAY COASTAL | 3278R | Fecal Coliform | 5 | Low |
| Group 1 | Everglades West Coast | Southwest Coast | NAPLES BAY COASTAL | 3278R | Iron | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | NAPLES BAY (COASTAL SEGMENT) | 3278R | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | NORTH GOLDEN GATE | 3278S | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | NORTH GOLDEN GATE | 3278S | Iron | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | ROOKERY BAY COASTAL | 3278U | Dissolved Oxygen | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | ROOKERY BAY COASTAL | 3278U | Fecal Coliform | 5 | Low |
| Group 1 | Everglades West Coast | Southwest Coast | ROOKERY BAY (COASTAL SEGMENT) | 3278U | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | ROOKERY BAY COASTAL | 3278U | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Everglades West Coast | Southwest Coast | Rookery Bay Inland East | 3278V | Dissolved Oxygen | 4d | |
| Group 1 | Everglades West Coast | Southwest Coast | Rookery Bay Inland West | 3278Y | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------------|-----------------|---|-------|--|------------------------|-------------------------------|
| Group 1 | Everglades West Coast | Southwest Coast | GULF OF MEXICO (LEE COUNTY) | 8061 | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | GULF OF MEXICO (COLLIER COUNTY) | 8062 | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | GULF OF MEXICO (COLLIER COUNTY; ROOKERY BAY-NAPLES) | 8063 | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | GULF OF MEXICO (COLLIER COUNTY; MARCO ISLAND) | 8064 | Mercury (fish tissue) | 5 | High |
| Group 1 | Everglades West Coast | Southwest Coast | SOUTHWEST COAST GULF 5 | 8065 | Bacteria (in Shellfish) | 5 | |
| Group 1 | Everglades West Coast | Southwest Coast | GULF OF MEXICO (MONROE COUNTY; COLLIER COUNTY) | 8065 | Mercury (fish tissue) | 5 | High |
| Group 1 | Lake Okeechobee | CTP Complex | TURKEY SLOUGH | 3199A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Lake Okeechobee | CTP Complex | CHANDLER HAMMOCK SLOUGH | 3199B | Dissolved Oxygen | 5 | Low |
| Group 1 | Lake Okeechobee | CTP Complex | CHANDLER HAMMOCK SLOUGH | 3199B | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Lake Okeechobee | CTP Complex | POPASH SLOUGH | 3205C | Dissolved Oxygen | 5 | Medium |
| Group 1 | Lake Okeechobee | CTP Complex | POPASH SLOUGH | 3205C | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Lake Okeechobee | CTP Complex | POPASH SLOUGH | 3205C | Specific Conductance | 5 | Medium |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212B | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 1 | Lake Okeechobee | Lake Okeechobee | Lake Okeechobee | 3212C | Iron | 4d | |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212C | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212D | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212E | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212F | Mercury (Based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|-------------------------------|----------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212G | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212H | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212I | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 1 | Lake Okeechobee | NHLMS Complex | NUBBIN SLOUGH | 3203A | Dissolved Oxygen | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | NUBBIN SLOUGH | 3203A | Fecal Coliform | 5 | Medium |
| Group 1 | Lake Okeechobee | NHLMS Complex | NUBBIN SLOUGH | 3203A | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | MOSQUITO CREEK | 3203B | Dissolved Oxygen | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | MOSQUITO CREEK | 3203B | Fecal Coliform | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | LETTUCE CREEK | 3213A | Dissolved Oxygen | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | LETTUCE CREEK | 3213A | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | HENRY CREEK | 3213B | Dissolved Oxygen | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | HENRY CREEK | 3213B | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | S-135 | 3213C | Dissolved Oxygen | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | S-135 | 3213C | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | MYRTLE SLOUGH | 3213D | Dissolved Oxygen | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | MYRTLE SLOUGH | 3213D | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Lake Okeechobee | NHLMS Complex | S-153 | 3219 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Lake Okeechobee | NHLMS Complex | S-153 | 3219 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Lake Okeechobee | TOL Complex | L63 CANAL | 3203C | Dissolved Oxygen | 5 | Medium |
| Group 1 | Lake Okeechobee | TOL Complex | L63 CANAL | 3203C | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Lake Okeechobee | TOL Complex | L63 CANAL | 3203C | Specific Conductance | 5 | Medium |
| Group 1 | Lake Okeechobee | TOL Complex | TAYLOR CREEK | 3205 | Dissolved Oxygen | 5 | Low |
| Group 1 | Lake Okeechobee | TOL Complex | TAYLOR CREEK | 3205 | Fecal Coliform | 5 | Low |
| Group 1 | Lake Okeechobee | TOL Complex | TAYLOR CREEK | 3205 | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Lake Okeechobee | TOL Complex | OTTER CREEK | 3205D | Dissolved Oxygen | 5 | Low |
| Group 1 | Lake Okeechobee | TOL Complex | OTTER CREEK | 3205D | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | DIRECT RUNOFF TO BAY | 1071 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | EAST RIVER | 1089 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|-------------------------------|---|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | SPRING CREEK DRAIN | 1146 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | Spring Creek Spring | 1146Z | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | Otter Creek | 1165 | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | DIRECT RUNOFF TO BAY | 1176 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | WALKER CREEK | 1188 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | DICKERSON BAY | 1223 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | COASTAL APALACHEE GULF WEST | 8026 | Bacteria (in shellfish) | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | GULF OF MEXICO (WAKULLA COUNTY; APALACHEE BAY) | 8026 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | SHELL POINT | 8026B | Bacteria (Beach Advisories) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | GULF OF MEXICO (WAKULLA COUNTY; ST MARKS RIVER) | 8027 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Coastal Watershed and Apalach | GULF OF MEXICO (JEFFERSON COUNTY; WAKULLA COUNTY) | 8028 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Lake Iamonia | LAKE IAMONIA OUTLET | 442 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Lake Iamonia | Unnamed Drain | 563 | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|----------------|-----------------------|------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Ochlockonee - St. Marks | Lake Iamonia | UNNAMED DRAIN | 563 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Iamonia | UNNAMED DRAIN | 563 | Turbidity | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | Lake Jackson Outlet | 582 | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | LAKE JACKSON OUTLET | 582 | Un-ionized Ammonia | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | Lake Overstreet Drain | 689 | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | LAKE OVERSTREET DRAIN | 689 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | Lake Overstreet | 689A | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | Lake Hall | 689B | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | MEGGINNIS ARM RUN | 809 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | ALFORD ARM | 647 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | Lake Killarney | 647C | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | LAKE LAFAYETTE DRAIN | 756 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | UPPER LAKE LAFAYETTE | 756A | Dissolved Oxygen | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | UPPER LAKE LAFAYETTE | 756A | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | LAKE PINEY Z | 756B | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | LAKE PINEY Z | 756B | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | LOWER LAKE LAFAYETTE | 756C | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | LOWER LAKE LAFAYETTE | 756C | Nutrients (TSI) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|------------------------------|-----------------------------------|------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | UNNAMED SLOUGH | 919 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Miccosukee | WARD CREEK | 459 | Fecal Coliform | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Lake Miccosukee | CANEY BRANCH | 716 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Miccosukee | Lake Miccosukee | 791N | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Lake Miccosukee | LAKE MICCOSUKEE | 791N | Nutrients (TSI) | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | MUNSON SLOUGH (BELOW LAKE MUNSON) | 807 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | MUNSON SLOUGH (BELOW LAKE MUNSON) | 807 | Un-ionized Ammonia | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | LAKE MUNSON | 807C | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | LAKE MUNSON | 807C | Nutrients (TSI) | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | LAKE MUNSON | 807C | Turbidity | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | MUNSON SLOUGH (ABOVE LAKE MUNSON) | 807D | Dissolved Oxygen | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | MUNSON SLOUGH (ABOVE LAKE MUNSON) | 807D | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | GODBY DITCH | 820 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | GODBY DITCH | 820 | Turbidity | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|------------------------------|------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | CENTRAL DRAINAGE DITCH | 857 | Fecal Coliform | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | ST AUGUSTINE BRANCH | 865 | Fecal Coliform | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | Lake Hiawassa | 878C | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | Cascade Lake | 878D | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | EAST DRAINAGE DITCH | 916 | Fecal Coliform | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Lost Creek/Fisher Creek | BLACK CREEK | 1054 | Dissolved Oxygen | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Lost Creek/Fisher Creek | MOORE LAKE DRAIN | 889 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Lost Creek/Fisher Creek | Moore Lake | 889A | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Lost Creek/Fisher Creek | MOORE LAKE | 889A | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | LAKE TALQUIN | 1297C | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | LAKE TALQUIN | 1297C | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | LAKE TALQUIN | 1297C | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | Lake Talquin | 1297D | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|-------------------------|-------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | LAKE TALQUIN | 1297D | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | LAKE TALQUIN | 1297D | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | OCHLOCKONEE RIVER | 1297E | Iron | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | OCHLOCKONEE RIVER | 1297E | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | OCHLOCKONEE RIVER | 1297F | Iron | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | OCHLOCKONEE RIVER | 1297F | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | OCHLOCKONEE RIVER | 1297G | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | QUINCY CREEK | 1303 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | QUINCY CREEK | 1303 | Iron | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | SWAMP CREEK | 427 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | TALLAVANNA LAKE | 540A | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | BEAR CREEK | 757 | Fecal Coliform | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|----------------------------|----------------------------|----------------------------------|-------|-----------------------------------|------------------------------|-------------------------------------|
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | HAMMOCK CREEK | 879 | Dissolved Oxygen | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | POLK CREEK | 896 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | HARVEY CREEK | 921 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Sopchoppy River | SOPCHOPPY RIVER (WEST BRANCH) | 1038 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Sopchoppy River | SOPCHOPPY RIVER (EAST BRANCH) | 1038B | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Sopchoppy River | OCHLOCKONEE BAY | 1248C | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Sopchoppy River | OCHLOCKONEE BAY | 1248C | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Sopchoppy River | SOPCHOPPY RIVER | 998 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | BLACK CREEK | 1024 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | CROOKED RIVER | 1241 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE BAY | 1248A | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE BAY | 1248B | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE BAY | 1248B | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | CHAIRES CREEK | 1255 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|-------------------------|---|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE RIVER | 1297A | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE RIVER | 1297B | Iron | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE RIVER | 1297B | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | GULF OF MEXICO (FRANKLIN COUNTY; OCHLOCKONEE BAY) | 8025 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | MASHES ISLAND | 8025B | Bacteria (Beach Advisories) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | Blue Creek | 961 | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | BLACK CREEK | 628 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | ST MARKS RIVER (SOUTH SEGMENT) | 793A | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | ST MARKS RIVER | 793B | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | Newport Spring | 793X | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | NEWPORT SPRING | 793X | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | St. Marks Spring | 793Y | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | ST MARKS SPRING | 793Y | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | HORN SPRING | 793Z | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | COPELAND SINK DRAIN | 808 | Dissolved Oxygen | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|-----------------|---------------------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Ochlockonee - St. Marks | St. Marks River | SWEETWATER BRANCH | 965 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | CHICKEN BRANCH | 971 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | LAKE WEEKS | 971B | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | MOORE BRANCH | 977 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Telogia Creek | Big Branch | 1049 | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Telogia Creek | BIG BRANCH | 1049 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Telogia Creek | TELOGIA CREEK | 1300 | Fecal Coliform | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Telogia Creek | TELOGIA CREEK | 1300 | Iron | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Telogia Creek | JUNIPER CREEK | 682 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Telogia Creek | JUNIPER CREEK | 682 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Telogia Creek | MULE CREEK | 684 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Telogia Creek | BIG CREEK | 913 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Wakulla River | WAKULLA RIVER | 1006 | Biology | 5 | Medium |
| Group 1 | Ochlockonee - St. Marks | Wakulla River | Wakulla River | 1006 | Dissolved Oxygen | 4d | |
| Group 1 | Ochlockonee - St. Marks | Wakulla River | WAKULLA RIVER | 1006 | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Wakulla River | WAKULLA RIVER BELOW HIGHWAY 98 BRIDGE | 1006V | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Wakulla River | WAKULLA RIVER BETWEEN BRIDGES | 1006W | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Wakulla River | Wakulla Springs | 1006X | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|---------------------|-----------------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Ochlockonee - St. Marks | Wakulla River | WAKULLA SPRINGS | 1006X | Mercury (fish tissue) | 5 | High |
| Group 1 | Ochlockonee - St. Marks | Wakulla River | MCBRIDE SLOUGH | 1028 | Fecal Coliform | 5 | Low |
| Group 1 | Ochlockonee - St. Marks | Wakulla River | BIG BOGGY BRANCH | 1124 | Fecal Coliform | 5 | Low |
| Group 1 | Ocklawaha | Lake Apopka | Apopka Springs Run | 2868 | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Lake Apopka | Johns Lake Outlet | 2873 | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Lake Apopka | JOHNS LAKE | 2873C | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Lake Apopka | JOHNS LAKE | 2873C | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ocklawaha | Lake Griffin Unit | OCKLAWAHA RIVER/SUNNYHILL | 2740F | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Lake Griffin Unit | OCKLAWAHA RIVER/SUNNYHILL | 2740F | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Lake Griffin Unit | OCKLAWAHA RIVER/SUNNYHILL | 2740F | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Ocklawaha | Lake Griffin Unit | Ella Lake | 2797A | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Lake Griffin Unit | ELLA LAKE | 2797A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Lake Griffin Unit | Holly Lake | 2803A | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Lake Griffin Unit | HOLLY LAKE | 2803A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Lake Griffin Unit | NONCONTRIBUTING AREA | 2809 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Ocklawaha | Lake Griffin Unit | HAYNES CREEK REACH | 2817A | Fecal Coliform | 5 | Low |
| Group 1 | Ocklawaha | Lake Griffin Unit | SILVER LAKE | 2825A | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ocklawaha | Lake Harris Unit | Bugg Spring Run | 1362 | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE EUSTIS | 2817B | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Lake Harris Unit | TROUT LAKE | 2819A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE JOANNA | 2821B | Nutrients (Historic TSI) | 5 | Medium |
| Group 1 | Ocklawaha | Lake Harris Unit | DORA CANAL | 2831A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE DENHAM | 2832A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE DENHAM | 2832A | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ocklawaha | Lake Harris Unit | Lake Blue Springs | 2838C | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE HARRIS OUTLET | 2838G | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Ocklawaha | Marshall Swamp Unit | OCKLAWAHA RIVER ABOVE DAISY | 2740D | Dissolved Oxygen | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------|-----------------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Ocklawaha | Marshall Swamp Unit | OCKLAWAHA RIVER ABOVE DAISY | 2740D | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Marshall Swamp Unit | OCKLAWAHA RIVER ABOVE DAISY | 2740D | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Ocklawaha | Marshall Swamp Unit | Silver Springs | 2772A | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Marshall Swamp Unit | Silver Springs | 2772A | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Ocklawaha | Marshall Swamp Unit | Silver Springs | 2772A | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Ocklawaha | Marshall Swamp Unit | Silver Springs Group | 2772C | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Ocklawaha | Marshall Swamp Unit | Silver River Upper | 2772E | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Ocklawaha | Marshall Swamp Unit | SMITH LAKE | 2785A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Marshall Swamp Unit | LAKE WEIR | 2790A | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | HATCHET CREEK | 2688 | Fecal Coliform | 5 | Low |
| Group 1 | Ocklawaha | Orange Creek | HATCHET CREEK | 2688 | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | LITTLE HATCHET CREEK | 2695 | Fecal Coliform | 5 | Low |
| Group 1 | Ocklawaha | Orange Creek | POSSUM CREEK | 2696 | Fecal Coliform | 5 | Low |
| Group 1 | Ocklawaha | Orange Creek | PRAIRIE CREEK | 2705A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | NEWNANS LAKE | 2705B | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | LITTLE ORANGE CREEK | 2713 | Fecal Coliform | 5 | Low |
| Group 1 | Ocklawaha | Orange Creek | REDWATER LAKE | 2713B | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | BEVENS ARM OUTLET | 2718 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | BEVENS ARM | 2718B | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | BEVENS ARM | 2718B | Turbidity | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | Tumbling Creek South | 2718C | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Orange Creek | ALACHUA SINK OUTLET | 2720 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | ALACHUA SINK OUTLET | 2720 | Fecal Coliform | 5 | Low |
| Group 1 | Ocklawaha | Orange Creek | ALACHUA SINK | 2720A | Fecal Coliform | 5 | Low |
| Group 1 | Ocklawaha | Orange Creek | COWPEN LAKE | 2723A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Orange Creek | CAMPS CANAL REACH | 2733 | Dissolved Oxygen | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|-----------------------|--------------------------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Ocklawaha | Orange Creek | LOCHLOOSA LAKE OUTLET | 2738 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | LOCHLOOSA LAKE | 2738A | Nutrients (TSI) | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | RIVER STYX REACH | 2744 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | ORANGE CREEK | 2747 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | ORANGE LAKE REACH | 2749 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | ORANGE LAKE | 2749A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | CROSS CREEK | 2754 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Orange Creek | CROSS CREEK | 2754 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Ocklawaha | Palatlakaha River | BIG CREEK REACH | 1406 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Palatlakaha River | LAKE MINNEOLA | 2839A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Palatlakaha River | Lake Hiawatha | 2839B | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Palatlakaha River | Lake Cherry | 2839D | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Palatlakaha River | LAKE CHERRY | 2839D | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Palatlakaha River | LAKE CHERRY | 2839D | Nutrients (Historic TSI) | 5 | Medium |
| Group 1 | Ocklawaha | Palatlakaha River | LAKE LOUISA | 2839M | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Palatlakaha River | LAKE LOUISA | 2839M | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Palatlakaha River | Lake Minnehaha | 2839N | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Palatlakaha River | LAKE MINNEHAHA | 2839N | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Palatlakaha River | LITTLE CREEK | 2883 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | OCKLAWAHA RIVER ABOVE STJOHNS RIVER | 2740A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | LAKE OCKLAWAHA | 2740B | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | OCKLAWAHA RIVER ABOVE LAKE OCKLAWAHA | 2740C | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | OCKLAWAHA RIVER ABOVE LAKE OCKLAWAHA | 2740C | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | OCKLAWAHA RIVER ABOVE LAKE OCKLAWAHA | 2740C | Nutrients (Historic Chlorophyll-a) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|-----------------------|-------------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Ocklawaha | Rodman Reservoir Unit | Mill Creek | 2756 | Dissolved Oxygen | 4d | |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | DAISY CREEK | 2769 | Chlorine | 5 | Medium |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | DAISY CREEK | 2769 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | DAISY CREEK | 2769 | Lead | 5 | Medium |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | LAKE EATON | 2771A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | LAKE EATON | 2771A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | MILL DAM LAKE | 2779A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | LAKE BRYANT | 2782C | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | LAKE BRYANT | 2782C | Nutrients (TSI) | 5 | Medium |
| Group 1 | Suwannee | Alapaha River | ALAPAHA RIVER | 3324 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Alapaha River | ALAPAHA RIVER | 3324A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Alapaha River | ALLIGATOR CREEK | 3325 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Alapaha River | LITTLE ALAPAHA RIVER | 3330 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Aucilla River | AUCILLA RIVER | 3310 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Aucilla River | Aucilla River | 3310A | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Aucilla River | Aucilla River | 3310C | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Aucilla River | LITTLE AUCILLA RIVER | 3314 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Aucilla River | Little River | 3428 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Econfina | Econfina River | 3402 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Econfina | ECONFINA RIVER | 3402 | Lead | 5 | Medium |
| Group 1 | Suwannee | Econfina | ECONFINA RIVER | 3402 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Econfina | ECONFINA RIVER AT MOUTH | 3402A | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|----------------|----------------------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Suwannee | Fenholloway | FENHOLLOWAY AT MOUTH | 3473A | BOD | 5 | High |
| Group 1 | Suwannee | Fenholloway | FENHOLLOWAY AT MOUTH | 3473A | Dissolved Oxygen | 5 | High |
| Group 1 | Suwannee | Fenholloway | FENHOLLOWAY AT MOUTH | 3473A | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Fenholloway | FENHOLLOWAY AT MOUTH | 3473A | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Suwannee | Fenholloway | FENHOLLOWAY BL PULP | 3473B | BOD | 5 | High |
| Group 1 | Suwannee | Fenholloway | FENHOLLOWAY BL PULP | 3473B | Conductivity | 5 | Medium |
| Group 1 | Suwannee | Fenholloway | FENHOLLOWAY BL PULP | 3473B | Dissolved Oxygen | 5 | High |
| Group 1 | Suwannee | Fenholloway | FENHOLLOWAY BL PULP | 3473B | Un-ionized Ammonia | 5 | High |
| Group 1 | Suwannee | Fenholloway | FENHOLLOWAY AB PULP | 3473C | Dissolved Oxygen | 5 | High |
| Group 1 | Suwannee | Fenholloway | Rocky Creek | 3489 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Fenholloway | Woods Creek | 3512 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Fenholloway | WOODS CREEK | 3512 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Fenholloway | Spring Creek | 3518 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Fenholloway | SPRING CREEK | 3518 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Lower Suwannee | SUWANNEE RIVER (LOWER) | 3422 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Lower Suwannee | SUWANNEE RIVER (LOWER) | 3422 | Nutrients (Historic Chlorophyll-a) | 5 | High |
| Group 1 | Suwannee | Lower Suwannee | Suwannee River (Lower) | 3422A | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Lower Suwannee | LOWER SUWANNEE ESTUARY | 3422D | Fecal Coliform (Shellfish) | 5 | Low |
| Group 1 | Suwannee | Lower Suwannee | LOWER SUWANNEE ESTUARY | 3422D | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Lower Suwannee | SUWANNEE ESTUARY (LOWER SEGMENT) | 3422D | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Lower Suwannee | LOWER SUWANNEE ESTUARY | 3422D | Nutrients (Chlorophyll-a) | 5 | High |
| Group 1 | Suwannee | Lower Suwannee | Guaranto Spring | 3422K | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Lower Suwannee | Turtle Spring | 3422M | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Lower Suwannee | MANATEE SPRINGS | 3422R | Iron | 5 | Medium |
| Group 1 | Suwannee | Lower Suwannee | MANATEE SPRINGS | 3422R | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Lower Suwannee | FANNING SPRINGS | 3422S | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Lower Suwannee | Rock Bluff Spring | 3673 | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|-----------------|------------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Suwannee | Lower Suwannee | UNNAMED DRAIN | 3707 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Lower Suwannee | UNNAMED DRAIN | 3708 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Lower Suwannee | UNNAMED DRAIN | 3709 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Lower Suwannee | UNNAMED DRAIN | 3717 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Lower Suwannee | UNNAMED DRAIN | 3717 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Lower Suwannee | DIRECT RUNOFF TO GULF | 3733 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Lower Suwannee | DIRECT RUNOFF TO GULF | 3733 | Fecal Coliform (3) | 5 | Low |
| Group 1 | Suwannee | Middle Suwannee | SUWANNEE RIVER (LOWER) | 3422B | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | BRANFORD SPRING | 3422J | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | BRANFORD SPRING | 3422J | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Middle Suwannee | Ruth Spring | 3422L | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Middle Suwannee | RUTH SPRING | 3422L | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Middle Suwannee | Mearson Spring | 3422P | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Middle Suwannee | MEARSON SPRING | 3422P | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | ELLAVILLE SPRING | 3422Q | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | TROY SPRING | 3422T | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | TROY SPRING | 3422T | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Middle Suwannee | ROYAL SPRING | 3422U | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | ROYAL SPRING | 3422U | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Middle Suwannee | Convict Spring | 3422V | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Middle Suwannee | CONVICT SPRING | 3422V | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | RUNNING SPRING | 3422W | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | Telford Spring | 3422X | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Middle Suwannee | TELFORD SPRING | 3422X | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | Charles Spring | 3422Y | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Middle Suwannee | CHARLES SPRING | 3422Y | Mercury (based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|-----------------|---|-------|--|------------------------|-------------------------------|
| Group 1 | Suwannee | Middle Suwannee | FALMOUTH SPRING | 3422Z | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | FALMOUTH SPRING | 3422Z | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Middle Suwannee | Peacock Lake | 3438A | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Middle Suwannee | BETHEL CREEK | 3480 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Middle Suwannee | PEACOCK SLOUGH | 3483 | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Middle Suwannee | LOW LAKE | 3496A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Middle Suwannee | Little River Springs | 3496Z | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Middle Suwannee | Lafayette Blue Springs | 3528Z | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Middle Suwannee | LAFAYETTE BLUE SPRINGS | 3528Z | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Middle Suwannee | LAFAYETTE BLUE SPRINGS | 3528Z | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Other Coastal | WEAVER WARRIOR CREEK | 3556 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Other Coastal | Spring Warrior Creek | 3556A | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Other Coastal | DIRECT RUNOFF TO GULF | 3701 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | BUTLER (LILLY) CREEK | 3705 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Other Coastal | BUTLER CREEK (LILLY CREEK) | 3705 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | AMASON CREEK | 3706 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | DIRECT RUNOFF TO GULF | 3718 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | DIRECT RUNOFF TO GULF | 3720 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | DIRECT RUNOFF TO GULF | 3724 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | GULF OF MEXICO (TAYLOR COUNTY; ECONFINA RIVER) | 8029 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | GULF OF MEXICO (TAYLOR COUNTY; FENHOLLOWAY RIVER) | 8030 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | GULF OF MEXICO (TAYLOR COUNTY) | 8031 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | GULF OF MEXICO (TAYLOR COUNTY) | 8032 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | DEKLE BEACH | 8032A | Bacteria | 5 | High |
| Group 1 | Suwannee | Other Coastal | KEATON BEACH | 8032B | Bacteria | 5 | High |
| Group 1 | Suwannee | Other Coastal | CEDAR BEACH | 8032C | Bacteria | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|----------------|--|-------|--|------------------------|-------------------------------|
| Group 1 | Suwannee | Other Coastal | HAGENS COVE BEACH | 8032E | Bacteria | 5 | High |
| Group 1 | Suwannee | Other Coastal | GULF OF MEXICO (TAYLOR COUNTY; STEINHATCHEE RIVER) | 8033 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | GULF OF MEXICO (DIXIE COUNTY) | 8034 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | SUWANNEE GULF 7 | 8035 | Fecal Coliform (Shellfish) | 5 | Low |
| Group 1 | Suwannee | Other Coastal | GULF OF MEXICO (DIXIE COUNTY) | 8035 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Other Coastal | SHIRED ISLAND PARK | 8035A | Bacteria | 5 | High |
| Group 1 | Suwannee | Santa Fe River | Olustee Creek | 3504 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | OLUSTEE CREEK | 3504A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | OLUSTEE CREEK | 3504A | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Santa Fe River | NEW RIVER | 3506 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Santa Fe River | NEW RIVER | 3506A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | NEW RIVER | 3506A | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Santa Fe River | ALLIGATOR LAKE | 3516A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | ALLIGATOR LAKE | 3516A | Nutrients (TSI) | 5 | Low |
| Group 1 | Suwannee | Santa Fe River | Ichetucknee River | 3519 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | Coffee Springs | 3519C | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | Mill Pond Spring | 3519Q | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | Grassy Hole Spring | 3519R | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | Mission Spring | 3519S | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | MISSION SPRING | 3519S | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | Devil's Eye Spring | 3519T | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | DEVIL'S EYE SPRING | 3519T | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | BLUE HOLE SPRING | 3519X | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | BLUE HOLE SPRING | 3519X | Nutrients (Algal Mats) | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | Cedar Head Spring | 3519Y | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | CANNON CREEK | 3520 | Fecal Coliform | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | Swift Creek | 3530 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | SWIFT CREEK | 3530 | Turbidity | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | ROSE CREEK SINK | 3531A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | ROSE CREEK SINK | 3531A | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | LAKE CROSBY | 3593A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Santa Fe River | Sampson River | 3598 | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|----------------|---------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Suwannee | Santa Fe River | ALLIGATOR CREEK | 3598C | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Santa Fe River | LAKE SAMPSON | 3598D | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Santa Fe River | SANTA FE RIVER | 3605 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Santa Fe River | SANTA FE RIVER | 3605A | Dissolved Oxygen | 5 | High |
| Group 1 | Suwannee | Santa Fe River | SANTA FE RIVER | 3605A | Nutrients (Algal Mats) | 5 | High |
| Group 1 | Suwannee | Santa Fe River | SANTA FE RIVER | 3605C | Dissolved Oxygen | 5 | High |
| Group 1 | Suwannee | Santa Fe River | SANTA FE RIVER | 3605C | Nutrients (Algal Mats) | 5 | High |
| Group 1 | Suwannee | Santa Fe River | ALTHO DRAINAGE | 3605F | Dissolved Oxygen | 5 | High |
| Group 1 | Suwannee | Santa Fe River | Santa Fe Lake | 3605G | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | Ala 112971 | 3605Q | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | Santa Fe Rise | 3605R | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | Trail Springs | 3605Z | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Santa Fe River | PARENERS BRANCH | 3626 | Fecal Coliform | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | HAMPTON LAKE | 3635A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Santa Fe River | MILL CREEK SINK | 3644 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | MILL CREEK SINK | 3644 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Santa Fe River | COW CREEK | 3649 | Fecal Coliform | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | TURKEY CREEK | 3681 | Fecal Coliform | 5 | Medium |
| Group 1 | Suwannee | Santa Fe River | BLUE CREEK | 3682 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Steinhatchee | STEINHATCHEE RIVER | 3573 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Steinhatchee | STEINHATCHEE RIVER | 3573A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Steinhatchee | STEINHATCHEE RIVER | 3573B | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Steinhatchee | STEINHATCHEE RIVER | 3573B | Iron | 5 | Medium |
| Group 1 | Suwannee | Steinhatchee | STEINHATCHEE RIVER | 3573B | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Steinhatchee | STEINHATCHEE RIVER | 3573C | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Steinhatchee | STEINHATCHEE RIVER | 3573C | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Steinhatchee | STEINHATCHEE RISE | 3573X | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Steinhatchee | Steinhatchee Spring | 3573Z | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Steinhatchee | STEINHATCHEE SPRING | 3573Z | Mercury (based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|------------------|------------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Suwannee | Steinhatchee | BEVINS (BOGGY) CREEK | 3603 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Upper Suwannee | SUWANNEE RIVER (UPPER) | 3341 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Upper Suwannee | Suwannee River (Upper) | 3341B | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Upper Suwannee | LITTLE CREEK | 3368 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Upper Suwannee | LITTLE CREEK | 3368 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Upper Suwannee | SWIFT CREEK | 3375 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Upper Suwannee | DEEP CREEK | 3388 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Upper Suwannee | Roaring Creek | 3392 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Upper Suwannee | Camp Branch | 3401 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Upper Suwannee | CAMP BRANCH | 3401 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Upper Suwannee | ROCKY CRK NR WELLBORN | 3449 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Waccasassa River | Sheephead Creek | 1326 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Waccasassa River | SHEEPHEAD CREEK | 1326 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Waccasassa River | SHEEPHEAD CREEK | 1326 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Waccasassa River | SHEEPHEAD CREEK | 1326 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Waccasassa River | SHEEPHEAD CREEK | 1326 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Waccasassa River | DIRECT RUNOFF TO GULF | 1328 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Waccasassa River | DIRECT RUNOFF TO GULF | 1332 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Waccasassa River | DIRECT RUNOFF TO GULF | 1335 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Waccasassa River | DIRECT RUNOFF TO GULF | 1335 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Waccasassa River | Waccasassa River | 3699 | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Waccasassa River | WACCASASSA RIVER | 3699 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Waccasassa River | WACCASASSA RIVER | 3699 | Mercury (based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------|---|-------|--|------------------------|-------------------------------|
| Group 1 | Suwannee | Waccasassa River | WACCASASSA RIVER | 3699B | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Waccasassa River | Watermelon Pond | 3703A | Dissolved Oxygen | 4d | |
| Group 1 | Suwannee | Waccasassa River | DIRECT RUNOFF TO GULF | 3729 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Waccasassa River | BLACK POINT SWAMP | 3729 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Waccasassa River | BLACK POINT SWAMP | 3729 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Suwannee | Waccasassa River | LAKE MARION | 3731A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Waccasassa River | DIRECT RUNOFF TO GULF | 3739 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Waccasassa River | DIRECT RUNOFF TO GULF | 3743 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Waccasassa River | WACCASASSARIVER GULF 1 | 8037 | Fecal Coliform (Shellfish) | 5 | Low |
| Group 1 | Suwannee | Waccasassa River | GULF OF MEXICO (LEVY COUNTY; CEDAR KEY) | 8037 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Waccasassa River | WACCASASSARIVER GULF 1 | 8037 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Suwannee | Waccasassa River | CEDAR KEY PARK | 8037A | Bacteria | 5 | High |
| Group 1 | Suwannee | Waccasassa River | WACCASASSARIVER GULF 2 | 8038 | Fecal Coliform (Shellfish) | 5 | Low |
| Group 1 | Suwannee | Waccasassa River | GULF OF MEXICO (LEVY COUNTY; WITHLACOOCHEE RIVER) | 8038 | Mercury (fish tissue) | 5 | High |
| Group 1 | Suwannee | Withlacoochee River | WITHLACOOCHEE RIVER | 3315 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Withlacoochee River | LAKE OCTAHATCHEE OUTLET | 3321 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Suwannee | Withlacoochee River | LAKE OCTAHATCHEE OUTLET | 3321 | Fecal Coliform | 5 | Low |
| Group 1 | Suwannee | Withlacoochee River | LAKE OCTAHATCHEE | 3321A | Mercury (based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|------------------------------------|---------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Suwannee | Withlacoochee River | LAKE CHERRY | 3322A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Withlacoochee River | ALAPAHA RIVER RISE | 3341X | Mercury (based on fish consumption advisory) | 5 | High |
| Group 1 | Suwannee | Withlacoochee River | LAKE FRANCIS OUTLET | 3366 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | PALM RIVER | 1536A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | PALM RIVER | 1536A | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | TAMPA BYPASS CANAL | 1536C | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | TAMPA BYPASS CANAL | 1536C | Nutrients (Chlorophyll-a and Historic Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | PALM RIVER | 1536E | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | PALM RIVER | 1536E | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | PALM RIVER | 1536E | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | SIXMILE CREEK | 1536F | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | SIXMILE CREEK | 1536F | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | MANGO DRAIN | 1576 | Dissolved Oxygen | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|------------|--|---------------------|-------|-----------------------------------|------------------------------|-------------------------------------|
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BELLOWS LAKE OUTLET | 1579 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BELLOWS LAKE OUTLET | 1579 | Fecal Coliform | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BELLOWS LAKE OUTLET | 1579 | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BELLOWS LAKE | 1579A | Nutrients (TSI) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | YBOR CITY DRAIN | 1584A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | YBOR CITY DRAIN | 1584A | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | YBOR CITY DRAIN | 1584A | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | MCKAY BAY | 1584B | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | MCKAY BAY | 1584B | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | MCKAY BAY | 1584B | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | EAST BAY | 1584C | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | EAST BAY | 1584C | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|------------------------------------|-----------------------|-------|------------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | UCETA YARD DRAIN | 1599 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DELANEY CREEK | 1605 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DELANEY CREEK | 1605 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DELANEY CREEK | 1605 | Lead | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DELANEY CREEK | 1605 | Nutrients (Historic Chlorophyll-a) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DELANEY CREEK TIDAL | 1605D | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DELANEY CREEK TIDAL | 1605D | Fecal Coliform | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DELANEY CREEK TIDAL | 1605D | Lead | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DELANEY CREEK (TIDAL) | 1605D | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DELANEY CREEK TIDAL | 1605D | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DIRECT RUNOFF TO BAY | 1609 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | UNNAMED DITCH | 1615 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|------------------------------------|-----------------------|-------|--|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | ARCHIE CREEK (TIDAL) | 1628A | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | UNNAMED CANAL | 1632 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BLACK POINT CHANNEL | 1637 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DIRECT RUNOFF TO BAY | 1648 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DIRECT RUNOFF TO BAY | 1664 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BULLFROG CREEK | 1666 | Fecal Coliform | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BULLFROG CREEK | 1666A | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BULLFROG CREEK | 1666A | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BULLFROG CREEK | 1666A | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BULLFROG CREEK | 1666A | Nutrients (Chlorophyll-a and Historic Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | DIRECT RUNOFF TO BAY | 1676 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | LITTLE BULLFROG CREEK | 1688 | Dissolved Oxygen | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|------------|--|-----------------------|-------|-----------------------------------|------------------------------|-------------------------------------|
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | LITTLE BULLFROG CREEK | 1688 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BIG BEND BAYOU | 1691 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Lower Tampa Bay Tribut | TERRA CEIA BAY | 1797A | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Lower Tampa Bay Tribut | TERRA CEIA BAY | 1797A | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Lower Tampa Bay Tribut | BISHOPS HARBOR | 1797B | Bacteria (in shellfish) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Lower Tampa Bay Tribut | BISHOPS HARBOR | 1797B | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Lower Tampa Bay Tribut | BUFFALO CREEK | 1823 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Lower Tampa Bay Tribut | BUFFALO CREEK | 1823 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Lower Tampa Bay Tribut | FROG CREEK | 1825 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Lower Tampa Bay Tribut | FROG CREEK | 1825 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | RIVIERA BAY | 1661A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | RIVIERA BAY | 1661A | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | RIVIERA BAY | 1661A | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | 70TH AVE N CANAL | 1661B | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | RIVIERA BAY DRAINAGE | 1661C | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | TINNEY CREEK | 1661D | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | 77th Ave. Canal | 1661E | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|-----------------------------------|----------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | RIVIERA BAY DRAINAGE | 1661F | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | PAPYS BAYOU | 1661G | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | SMACKS BAYOU | 1683 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | SMACKS BAYOU | 1683 | Fecal Coliform | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | SMACKS BAYOU | 1683 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | SMACKS BAYOU | 1683 | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | SHORE ACRES DRAIN | 1687 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | BIG BEND BAYOU | 1693 | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | BIG BEND BAYOU | 1693 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | Booker Creek | 1696 | Dissolved Oxygen | 4d | |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | BOOKER CREEK | 1696 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | BOOKER CREEK | 1696 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | COFFEEPOT BAYOU | 1700 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | COFFEEPOT BAYOU | 1700 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | COFFEEPOT BAYOU | 1700 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | Crescent Lake - Open Water | 1700A | Dissolved Oxygen | 4d | |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | NEWMAN BRANCH | 1708 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | BIG BAYOU -BASIN W | 1709 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|--------------------------------|-----------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | YACHT BASIN - BASIN A | 1709B | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | LITTLE BAYOU - BASIN Q | 1709D | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | LITTLE BAYOU - BASIN Q | 1709D | Fecal Coliform | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | LITTLE BAYOU - BASIN Q | 1709D | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | LITTLE BAYOU - BASIN Q | 1709D | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | PINELLAS POINT - BASIN V | 1709E | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | PINELLAS POINT - BASIN V | 1709E | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | PINELLAS POINT - BASIN V | 1709E | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | FRENCHMANNS CK - BASIN U | 1709F | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | FRENCHMANNS CREEK - BASIN U | 1709F | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | FRENCHMANNS CK - BASIN U | 1709F | Nutrients (chla) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | DIRECT RUNOFF TO BAY | 1726 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | Lake Maggiore | 1731A | Dissolved Oxygen | 4e | |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | Lake Maggiore | 1731A | Nutrients (TSI) | 4e | |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | Lake Maggiore | 1731A | Un-ionized Ammonia | 4e | |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | Salt Creek | 1731B | Dissolved Oxygen | 4e | |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | SALT CREEK | 1731B | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | Salt Creek | 1731B | Nutrients (Chlorophyll-a) | 4e | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------------------|----------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | DIRECT RUNOFF TO BAY | 1733 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | DIRECT RUNOFF TO BAY | 1756 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | COCKROACH BAY | 1778 | Bacteria (in shellfish) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | COCKROACH BAY | 1778 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | COCKROACH BAY | 1778 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | COCKROACH BAY | 1778 | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | Little Lake Wilson | 1463M | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | Little Lake Wilson | 1463M | Nutrients (TSI) | 5 | |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | Upper Brooker Creek | 1473 | Dissolved Oxygen | 4d | |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LAKE JUANITA | 1473W | Nutrients (Historic TSI) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MOUND LAKE | 1473X | Nutrients (Historic TSI) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | CALM LAKE | 1473Y | Nutrients (Historic TSI) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | BROOKER CREEK | 1474 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | CRESCENT | 1474V | Nutrients (TSI) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------------------|----------------|-------|------------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LAKE DEAD LADY | 1474W | Nutrients (TSI) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LAKE TARPON | 1486A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LAKE TARPON | 1486A | Nutrients (Historic TSI) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | BUCK LAKE | 1493E | Nutrients (TSI) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | SUNSET LAKE | 1496A | Nutrients (TSI) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | BRUSHY CREEK | 1498 | Dissolved Oxygen | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | BRUSHY CREEK | 1498 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ROCKY CREEK | 1507 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ROCKY CREEK | 1507 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ROCKY CREEK | 1507 | Nutrients (Historic Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | CHANNEL A | 1507A | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | CHANNEL G | 1507A | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------------------|----------------------|-------|------------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | CHANNEL A | 1507A | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DOUBLE BRANCH | 1513 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DOUBLE BRANCH | 1513 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DOUBLE BRANCH | 1513 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | SWEETWATER CREEK | 1516 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | SWEETWATER CREEK | 1516 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | SWEETWATER CREEK | 1516 | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | COW BRANCH | 1529 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | South Creek | 1529B | Dissolved Oxygen | 4d | |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MOCCASIN CREEK TIDAL | 1530 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MOCCASIN CREEK TIDAL | 1530 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MOCCASIN CREEK TIDAL | 1530 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|------------|---------------------------------|----------------------|-------|-----------------------------------|------------------------------|-------------------------------------|
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MOCCASIN CREEK | 1530A | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MOCCASIN CREEK | 1530A | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MOCCASIN CREEK | 1530A | Nutrients (TSI) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LAKE TARPON CANAL | 1541A | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LAKE TARPON CANAL | 1541A | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LAKE TARPON CANAL | 1541B | Dissolved Oxygen | 5 | |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | BRIAR CREEK | 1541C | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MOBBLY BAYOU | 1546 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1557 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1559 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LOWER ROCKY CREEK | 1563 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LOWER ROCKY CREEK | 1563 | Fecal Coliform | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------------------|----------------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ROCKY CREEK (LOWER SEGMENT) | 1563 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LOWER ROCKY CREEK | 1563 | Nutrients (Chlorophyll-a) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | BOAT BAYOU | 1566 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | BISHOP CREEK TIDAL | 1569 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | BISHOP CREEK TIDAL | 1569 | Fecal Coliform | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | BISHOP CREEK (TIDAL) | 1569 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | BISHOP CREEK | 1569A | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | Sweetwater Creek | 1570 | Dissolved Oxygen | 4d | |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | SWEETWATER CREEK | 1570 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | SWEETWATER CREEK TIDAL | 1570A | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | SWEETWATER CREEK TIDAL | 1570A | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | SWEETWATER CREEK (TIDAL SEGMENT) | 1570A | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------------------|------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | SWEETWATER CREEK TIDAL | 1570A | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1572 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ALLIGATOR CREEK | 1574 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ALLIGATOR CREEK | 1574 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ALLIGATOR LAKE | 1574A | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MULLET CREEK TIDAL | 1575 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MULLET CREEK TIDAL | 1575 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MULLET CREEK TIDAL | 1575 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MULLET CREEK TIDAL | 1575 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | Mullet Creek | 1575A | Dissolved Oxygen | 4d | |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | MULLET CREEK | 1575A | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1581 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------------------|----------------------|-------|------------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1585 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1593 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1600 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1601 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1603 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1603 | Nutrients (Historic Chlorophyll-a) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | Lake Chautauqua | 1603D | Dissolved Oxygen | 4d | |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ALLEN CREEK TIDAL | 1604 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ALLEN CREEK TIDAL | 1604 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ALLEN CREEK (TIDAL) | 1604 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LEMMON STREET DITCH | 1606 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1607 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------------------|---|-------|--|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1612 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1620 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY (ROOSEVELT BASIN MARINE) | 1624 | Dissolved Oxygen | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY (ROOSEVELT BASIN MARINE) | 1624 | Fecal Coliform | 5 | |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY (ROOSEVELT BASIN MARINE) | 1624 | Nutrients (Chlorophyll-a and Historic Chlorophyll-a) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | Direct Runoff To Bay (Roosevelt Basin Freshwater) | 1624A | Dissolved Oxygen | 4d | |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY (ROOSEVELT BASIN FRESHWATER) | 1624A | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | CROSS CANAL (NORTH) | 1625 | Dissolved Oxygen | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | CROSS CANAL (NORTH) | 1625 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | CROSS CANAL (NORTH) | 1625 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | CROSS CANAL (NORTH) | 1625 | Nutrients (Chlorophyll-a) | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LONG BRANCH | 1627 | Dissolved Oxygen | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------------------|---------------------------|--------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LONG BRANCH | 1627 | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LONG BRANCH TIDAL | 1627B | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LONG BRANCH TIDAL | 1627B | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LONG BRANCH (TIDAL) | 1627B | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | SNUG HARBOR | 1654 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY | 1656 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Hillsborough Bay | HILLSBOROUGH BAY (LOWER) | 1558D | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Hillsborough Bay | HILLSBOROUGH BAY LOWER | 1558D | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Hillsborough Bay | HILLSBOROUGH BAY UPPER | 1558E | Dissolved Oxygen | 5 | Medium |
| Group 1 | Tampa Bay | Hillsborough Bay | HILLSBOROUGH BAY (UPPER) | 1558E | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Hillsborough Bay | DAVIS ISLAND BEACH | 1558EB | Bacteria (Beach Advisories) | 5 | High |
| Group 1 | Tampa Bay | Lower Tampa Bay | TAMPA BAY LOWER | 1558A | Bacteria (in shellfish) | 5 | Medium |
| Group 1 | Tampa Bay | Lower Tampa Bay | TAMPA BAY (LOWER SEGMENT) | 1558A | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Lower Tampa Bay | BAYFRONT PARK NORTH | 1558AB | Bacteria (Beach Advisories) | 5 | High |
| Group 1 | Tampa Bay | Lower Tampa Bay | BAYFRONT PARK SOUTH | 1558AC | Bacteria (Beach Advisories) | 5 | High |
| Group 1 | Tampa Bay | Lower Tampa Bay | BOCA CIEGA BAY (SOUTH) | 1558N | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|------------------|--|--------|--------------------------------|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Lower Tampa Bay | GULF OF MEXICO (MANATEE COUNTY; HILLSBOROUGH COUNTY) | 8049 | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Middle Tampa Bay | TAMPA BAY MIDDLE | 1558B | Bacteria (in shellfish) | 5 | Medium |
| Group 1 | Tampa Bay | Middle Tampa Bay | TAMPA BAY (MIDDLE SEGMENT) | 1558B | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Middle Tampa Bay | TAMPA BAY LOWER NORTH | 1558BZ | Bacteria (in shellfish) | 5 | Medium |
| Group 1 | Tampa Bay | Middle Tampa Bay | TAMPA BAY (LOWER NORTH SEGMENT) | 1558BZ | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Middle Tampa Bay | TAMPA BAY UPPER | 1558C | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Middle Tampa Bay | TAMPA BAY (UPPER SEGMENT) | 1558C | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Middle Tampa Bay | BAHIA BEACH | 1558CC | Bacteria (Beach Advisories) | 5 | High |
| Group 1 | Tampa Bay | Old Tampa Bay | OLD TAMPA BAY LOWER | 1558F | Bacteria (in shellfish) | 5 | Medium |
| Group 1 | Tampa Bay | Old Tampa Bay | OLD TAMPA BAY LOWER | 1558F | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Old Tampa Bay | OLD TAMPA BAY (LOWER SEGMENT) | 1558F | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Old Tampa Bay | PICNIC ISLAND SOUTH | 1558FB | Bacteria (Beach Advisories) | 5 | High |
| Group 1 | Tampa Bay | Old Tampa Bay | OLD TAMPA BAY | 1558G | Bacteria (in shellfish) | 5 | Medium |
| Group 1 | Tampa Bay | Old Tampa Bay | OLD TAMPA BAY | 1558G | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Old Tampa Bay | OLD TAMPA BAY | 1558H | Bacteria (in shellfish) | 5 | Medium |
| Group 1 | Tampa Bay | Old Tampa Bay | OLD TAMPA BAY | 1558H | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Old Tampa Bay | OLD TAMPA BAY | 1558H | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Old Tampa Bay | BEN T. DAVIS NORTH | 1558HB | Bacteria (Beach Advisories) | 5 | High |
| Group 1 | Tampa Bay | Old Tampa Bay | BEN T. DAVIS SOUTH | 1558HC | Bacteria (Beach Advisories) | 5 | High |
| Group 1 | Tampa Bay | Old Tampa Bay | CYPRESS PARK POINT SOUTH | 1558HE | Bacteria (Beach Advisories) | 5 | High |
| Group 1 | Tampa Bay | Old Tampa Bay | OLD TAMPA BAY | 1558I | Bacteria (in shellfish) | 5 | Medium |
| Group 1 | Tampa Bay | Old Tampa Bay | OLD TAMPA BAY | 1558I | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Old Tampa Bay | SAFETY HARBOR | 1558IA | Dissolved Oxygen | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------------|------------------|----------------------------|--------|--|------------------------|-------------------------------|
| Group 1 | Tampa Bay | Old Tampa Bay | SAFETY HARBOR | 1558IA | Mercury (fish tissue) | 5 | High |
| Group 1 | Tampa Bay | Old Tampa Bay | SAFETY HARBOR | 1558IA | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 1 | Tampa Bay | Old Tampa Bay | COURTNEY CAMPBELL BEACH | 1558J | Fecal Coliform | 5 | Low |
| Group 1 | Tampa Bay | Old Tampa Bay | COURTNEY CAMPBELL CAUSEWAY | 8047D | Bacteria (Beach Advisories) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | St George Sound | 1266 | Bacteria (in shellfish) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | St George Sound | 1266 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Carrabelle Beach | 1266A | Bacteria (Beach Advisories) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Apalachicola Bay | 1274 | Bacteria (in shellfish) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Apalachicola Bay | 1274 | Fecal Coliform | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Apalachicola Bay | 1274 | Fecal Coliform (3) | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Apalachicola Bay | 1274 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | East Bay | 1274A | Bacteria (in shellfish) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | East Bay | 1274A | Fecal Coliform | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | East Bay | 1274A | Fecal Coliform (3) | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | East Bay | 1274A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Apalachicola Bay | 1274B | Bacteria (in shellfish) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Apalachicola Bay | 1274B | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Apalachicola Bay | 1274B | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Direct Runoff To Bay | 1274C | Bacteria (in shellfish) | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|---------------------------|------------------|---|-------|---|------------------------------|-------------------------------------|
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Direct Runoff To Bay | 1274C | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Money Bayou | 1288 | Bacteria (in shellfish) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Money Bayou | 1288 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Direct Runoff To Bay | 1289 | Bacteria (in shellfish) | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Direct Runoff To Bay | 1289 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Indian Lagoon | 1291 | Bacteria (in shellfish) | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Indian Lagoon | 1291 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Direct Runoff To Bay | 1292 | Bacteria (in shellfish) | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Direct Runoff To Bay | 1292 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Gulf of Mexico (Franklin County; Gulf County) | 8018 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Gulf of Mexico (Franklin County) | 8019 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Gulf of Mexico (Franklin County; St George Island) | 8020 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | St George Island 11th St W | 8020A | Bacteria (Beach Advisories) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Gulf of Mexico (Franklin County; St George Island) | 8021 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | St George Island Franklin Blvd | 8021A | Bacteria (Beach Advisories) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | St George Island 11th St E | 8021B | Bacteria (Beach Advisories) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Gulf of Mexico (Franklin County; Dog Island) | 8022 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | St George Island State Park | 8022A | Bacteria (Beach Advisories) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------------|--------------------|--|-------|--|------------------------|-------------------------------|
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Gulf of Mexico (Franklin County; Dog Island) | 8023 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Little Gully Creek | 1039 | Dissolved Oxygen | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Little Gully Creek | 1039 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Equiloxic Creek | 1109A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Bird Bay | 1228 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | East River | 1275A | Bacteria (in shellfish) | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Huckleberry Creek | 1286 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Huckleberry Creek | 1286 | Nutrients (Macrophytes) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Ocheesee Pond | 344 | Dissolved Oxygen | 4d | |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Ocheesee Pond Outlet | 344A | Dissolved Oxygen | 4d | |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375A | Bacteria (in shellfish) | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375B | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375C | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375D | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375E | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375F | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375G | Mercury (based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------------|-------------------------------|------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375H | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Mosquito Creek Lower Segment | 376A | Fecal Coliform | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola River | South Mosquito Creek | 393 | Dissolved Oxygen | 4d | |
| Group 2 | Apalachicola - Chipola | Apalachicola River | South Mosquito Creek | 393 | Fecal Coliform | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Flat Creek | 487 | Fecal Coliform | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Wilson Creek | 512 | Dissolved Oxygen | 4d | |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Wilson Creek | 512 | Fecal Coliform | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Stafford Creek | 723 | Dissolved Oxygen | 4d | |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Stafford Creek | 723 | Fecal Coliform | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Sweetwater Creek | 728 | Fecal Coliform | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Sweetwater Creek | 728 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Upper Sweetwater Creek | 735 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Sutton Creek | 822 | Fecal Coliform | 5 | Low |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Lake Mystic | 926A1 | Fish - Mercury | 5 | Low |
| Group 2 | Apalachicola - Chipola | Chattahoo River/Lake Seminole | Thompson Pond | 272 | Nutrients (TSI) | 5 | High |
| Group 2 | Apalachicola - Chipola | Chattahoo River/Lake Seminole | Lake Seminole | 60 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Chattahoo River/Lake Seminole | Lake Seminole | 60 | Nutrients (TSI) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|---------------------------|---------------|----------------------|-------|---|------------------------------|-------------------------------------|
| Group 2 | Apalachicola - Chipola | Chipola River | Muddy Branch | 175 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Chipola River | Merritts Mill Pond | 180A | Nutrients (Algae) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Chipola River | Jackson Blue | 180Z | Nutrients (Algae) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Chipola River | Chipola River | 51 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Chipola River | Dead Lake | 51A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Chipola River | Chipola River | 51B | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Chipola River | Chipola River | 51C | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Chipola River | Chipola River | 51D | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Chipola River | Chipola River | 51E | Fecal Coliform | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Chipola River | Chipola River | 51E | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | Chipola River | Blue Hole Spring | 51Z | Biology | 4d | |
| Group 2 | Apalachicola - Chipola | Chipola River | Cowarts Creek | 52 | Fecal Coliform | 5 | Medium |
| Group 2 | Apalachicola - Chipola | Chipola River | Tenmile Creek | 569 | Fecal Coliform | 5 | Low |
| Group 2 | Apalachicola - Chipola | Chipola River | Jordan Bay Drain | 57 | Fecal Coliform | 5 | Low |
| Group 2 | Apalachicola - Chipola | Chipola River | Juniper Creek | 749 | Fecal Coliform | 5 | Low |
| Group 2 | Apalachicola - Chipola | Chipola River | Otter Creek | 819 | Fecal Coliform | 5 | High |
| Group 2 | Apalachicola - Chipola | New River | New River | 1034A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | New River | Whiskey George Creek | 1236 | Bacteria (in shellfish) | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------------|-------------------------|--|-------|--|------------------------|-------------------------------|
| Group 2 | Apalachicola - Chipola | New River | Crooked River | 1251 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | New River | Alligator Harbor | 1256 | Bacteria (in shellfish) | 5 | Medium |
| Group 2 | Apalachicola - Chipola | New River | Alligator Harbor | 1256 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | New River | Doyle Creek | 1268 | Bacteria (in shellfish) | 5 | Low |
| Group 2 | Apalachicola - Chipola | New River | Cash Creek | 1273 | Bacteria (in shellfish) | 5 | Low |
| Group 2 | Apalachicola - Chipola | New River | East Bayou | 1278 | Bacteria (in shellfish) | 5 | Low |
| Group 2 | Apalachicola - Chipola | New River | East Bayou | 1278 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | New River | West Bayou | 1279 | Bacteria (in shellfish) | 5 | Low |
| Group 2 | Apalachicola - Chipola | New River | West Bayou | 1279 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | New River | Blounts Bay | 1283 | Bacteria (in shellfish) | 5 | Low |
| Group 2 | Apalachicola - Chipola | New River | Blounts Bay | 1283 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | New River | Gulf of Mexico (Franklin County; Alligator Harbor) | 8024 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Apalachicola - Chipola | New River | Alligator Point | 8024A | Bacteria (Beach Advisories) | 5 | High |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | N FORK ALLIGATOR CREEK | 2063 | DISSOLVED OXYGEN | 5 | Medium |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | CHARLOTTE HARBOR UPPER | 2065A | IRON | 5 | Medium |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | CHARLOTTE HARBOR UPPER | 2065A | MERCURY (IN FISH TISSUE) | 5 | Low |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | CHARLOTTE HARBOR (UPPER SEGMENT) | 2065A | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | CHARLOTTE HARBOR MID | 2065B | MERCURY (IN FISH TISSUE) | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|-------------------------|---|--------|--|------------------------|-------------------------------|
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | CHARLOTTE HARBOR MID | 2065C | BACTERIA (SHELLFISH) | 5 | Medium |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | CHARLOTTE HARBOR MID | 2065C | MERCURY (IN FISH TISSUE) | 5 | Low |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | CHARLOTTE HARBOR LOWER | 2065D | MERCURY (IN FISH TISSUE) | 5 | Low |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | NO. PRONG ALLIGATOR CR | 2071 | Fecal Coliform | 5 | Low |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | MANGROVE POINT CANAL | 2073 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | Alligator Creek | 2074 | Dissolved Oxygen | 4d | |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | ALLIGATOR CREEK | 2074 | Dissolved Solids | 5 | Medium |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | DIRECT RUNOFF TO BAY | 2087 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | DIRECT RUNOFF TO BAY | 2090 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | GASPARILLA ISLAND | 2092B | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | GULF OF MEXICO (CHARLOTTE COUNTY; CHARLOTTE HARBOR) | 8055 | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | PALM ISLAND (SOUTH SEGMENT) | 8055A | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | BOCA GRANDE | 8055B | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | LEMON BAY | 1983A | BACTERIA (SHELLFISH) | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | LEMON BAY | 1983A | Fecal Coliform | 5 | Low |
| Group 2 | Charlotte Harbor | Lemon Bay | LEMON BAY | 1983A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | NORTH LEMON BAY | 1983A1 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | LEMON BAY | 1983B | BACTERIA (SHELLFISH) | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | LEMON BAY | 1983B | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | DIRECT RUNOFF TO BAY | 2021 | Mercury (Based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|---------------|-----------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Charlotte Harbor | Lemon Bay | ALLIGATOR CREEK | 2030 | DISSOLVED OXYGEN | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | ALLIGATOR CREEK | 2030 | FECAL COLIFORM | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | ALLIGATOR CREEK TIDAL | 2030 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | ALLIGATOR CREEK TIDAL | 2030 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | ALLIGATOR CREEK | 2030A | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | FORKED CREEK | 2039 | Copper | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | FORKED CREEK | 2039 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | FORKED CREEK | 2039 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | DIRECT RUNOFF TO BAY | 2042 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | DIRECT RUNOFF TO BAY | 2042 | Fecal Coliform | 5 | Low |
| Group 2 | Charlotte Harbor | Lemon Bay | DIRECT RUNOFF TO BAY | 2042 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | GOTTFRIED CREEK | 2049 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | GOTTFRIED CREEK | 2049 | Fecal Coliform | 5 | Low |
| Group 2 | Charlotte Harbor | Lemon Bay | GOTTFRIED CREEK | 2049 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | GOTTFRIED CREEK | 2049 | Nutrients (Chlorophyll-a) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | DIRECT RUNOFF TO BAY | 2051 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | ROCK CREEK | 2052 | DISSOLVED OXYGEN | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | ROCK CREEK | 2052 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | OYSTER CREEK | 2067 | DISSOLVED OXYGEN | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | OYSTER CREEK | 2067 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | BUCK CREEK | 2068 | DISSOLVED OXYGEN | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | BUCK CREEK | 2068 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | BUCK CREEK | 2068 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Charlotte Harbor | Lemon Bay | DIRECT RUNOFF TO BAY | 2072 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | MANASOTA KEY | 2075A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | BARRIER ISLAND | 2075B | Mercury (Based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|---------------|--|-------|--|------------------------|-------------------------------|
| Group 2 | Charlotte Harbor | Lemon Bay | BARRIER ISLAND | 2075C | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | BARRIER ISLAND | 2075D | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | DIRECT RUNOFF TO BAY | 2076 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | CORAL CREEK | 2078A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | CORAL CREEK (EAST BRANCH) | 2078B | Dissolved Oxygen | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | CORAL CREEK (EAST BRANCH) | 2078B | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | GULF OF MEXICO (CHARLOTTE COUNTY; SARASOTA COUNTY) | 8054 | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | MANASOTA KEY BEACH | 8054A | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | BLIND PASS BEACH | 8054B | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | ENGLEWOOD BEACH (NORTH SEGMENT) | 8054C | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | ENGLEWOOD BEACH (MIDDLE SEGMENT) | 8054D | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | ENGLEWOOD BEACH (SOUTH SEGMENT) | 8054E | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Lemon Bay | PALM ISLAND (NORTH SEGMENT) | 8054F | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | PINE ISLAND SOUND | 2065E | BACTERIA (SHELLFISH) | 5 | Medium |
| Group 2 | Charlotte Harbor | Pine Island | PINE ISLAND SOUND (UPPER SEGMENT) | 2065E | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | MATALACHA PASS | 2065F | BACTERIA (SHELLFISH) | 5 | Medium |
| Group 2 | Charlotte Harbor | Pine Island | MATLACHA PASS | 2065F | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | PINE ISLAND SOUND LOWR | 2065G | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | SAN CARLOS BAY | 2065H | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | GATOR SLOUGH CANAL | 2082C | Dissolved Oxygen | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|---------------|---|--------|--|------------------------|-------------------------------|
| Group 2 | Charlotte Harbor | Pine Island | GATOR SLOUGH CANAL | 2082C | Nutrients (Hist. Chlorophyll-a) | 5 | Medium |
| Group 2 | Charlotte Harbor | Pine Island | WEST URBAN CAPE CORAL | 2082C1 | Nutrients (Hist. Chlorophyll-a) | 5 | Medium |
| Group 2 | Charlotte Harbor | Pine Island | NORTH CAPTIVA ISLAND | 2092C | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | Captiva Island | 2092D | Dissolved Oxygen | 4d | |
| Group 2 | Charlotte Harbor | Pine Island | CAPTIVA ISLAND | 2092D | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | PINE ISLAND | 2092E | BACTERIA (SHELLFISH) | 5 | Medium |
| Group 2 | Charlotte Harbor | Pine Island | PINE ISLAND | 2092E | Fecal Coliform (3) | 5 | Medium |
| Group 2 | Charlotte Harbor | Pine Island | PINE ISLAND | 2092E | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | SANIBEL RIVER BASIN (formerly Sanibel Island) | 2092F | Dissolved Oxygen | 5 | Medium |
| Group 2 | Charlotte Harbor | Pine Island | SANIBEL RIVER BASIN (formerly Sanibel Island) | 2092F | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Charlotte Harbor | Pine Island | SANIBEL ISLAND | 2092F | NUTRIENTS (TSI) | 5 | Medium |
| Group 2 | Charlotte Harbor | Pine Island | HORSESHOE HERMOSA CANALS | 3240A3 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Charlotte Harbor | Pine Island | PUNTA RASA COVE | 3240O | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | SOUTH URBAN CAPE CORAL | 3240S | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | GULF OF MEXICO (LEE COUNTY; CAPTIVA ISLAND) | 8056 | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | CAPE CORAL YACHT CLUB | 8056A | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | GULF OF MEXICO (LEE COUNTY; CAPTIVA ISLAND) | 8057 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | SOUTH SEAS PLANTATION | 8057A | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | GULF OF MEXICO (LEE COUNTY; SANIBEL ISLAND) | 8058 | Mercury (Based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|---------------|---|-------|--|------------------------|-------------------------------|
| Group 2 | Charlotte Harbor | Pine Island | BLIND PASS/TURNER BEACH | 8058A | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | BOWMANS BEACH | 8058B | Bacteria (Beach Advisories) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | BOWMANS BEACH | 8058B | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | GULF OF MEXICO (LEE COUNTY: SANIBEL ISLAND) | 8059 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | TARPON BAY BEACH | 8059A | Mercury (fish tissue) | 5 | High |
| Group 2 | Charlotte Harbor | Pine Island | LIGHTHOUSE BEACH | 8059B | Mercury (fish tissue) | 5 | High |
| Group 2 | Lower St. Johns | Black Creek | YELLOW WATER CREEK | 2323 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Black Creek | YELLOW WATER CREEK | 2323 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Black Creek | LONG BRANCH | 2342 | Turbidity | 5 | Medium |
| Group 2 | Lower St. Johns | Black Creek | LITTLE BLACK CREEK | 2368 | Fecal Coliform | 5 | High |
| Group 2 | Lower St. Johns | Black Creek | Johnson Slough | 2372 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Black Creek | Black Creek (North Fork) | 2386A | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK (NORTH FORK) | 2386A | Lead | 5 | Medium |
| Group 2 | Lower St. Johns | Black Creek | DOCTORS LAKE | 2389 | NUTRIENTS (TSI) | 5 | LOW |
| Group 2 | Lower St. Johns | Black Creek | Doctors Lake Drain | 2389A | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Black Creek | DOCTORS LAKE DRAIN | 2389A | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Black Creek | GROG BRANCH | 2407 | Fecal Coliform | 5 | High |
| Group 2 | Lower St. Johns | Black Creek | SWIMMING PEN CREEK | 2410 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Black Creek | SWIMMING PEN CREEK | 2410 | NUTRIENTS (CHLA) | 5 | LOW |
| Group 2 | Lower St. Johns | Black Creek | Black Creek Above St. Johns River | 2415A | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK ABOVE ST JOHNS RIVER | 2415A | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK | 2415B | Lead | 5 | High |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK (SOUTH FORK) | 2415C | Lead | 5 | High |
| Group 2 | Lower St. Johns | Black Creek | MILL LOG CREEK | 2423 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Black Creek | MILL LOG CREEK | 2423 | IRON | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Black Creek | MILL LOG CREEK | 2423 | LEAD | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Black Creek | BRADLEY CREEK | 2424 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Black Creek | BRADLEY CREEK | 2424 | LEAD | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Black Creek | PETERS CREEK | 2444 | Fecal Coliform | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|---------------|-------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | Black Creek | PETERS CREEK | 2444 | Lead | 5 | High |
| Group 2 | Lower St. Johns | Black Creek | BULL CREEK | 2446 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Black Creek | Kingsley Lake | 2476B | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Black Creek | KINGSLEY LAKE | 2476B | Nutrients (Historic TSI) | 5 | Medium |
| Group 2 | Lower St. Johns | Black Creek | GREENE CREEK | 2478 | Fecal Coliform | 5 | High |
| Group 2 | Lower St. Johns | Crescent Lake | Salt Creek Ditches | 2545 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Crescent Lake | DUNNS CREEK | 2606A | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Crescent Lake | DUNNS CREEK | 2606A | NUTRIENTS (CHLA) | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Crescent Lake | CRESCENT LK | 2606B | IRON | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Crescent Lake | CRESCENT LAKE | 2606B | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Crescent Lake | CRESCENT LAKE | 2606B | Nutrients (TSI) | 5 | Medium |
| Group 2 | Lower St. Johns | Crescent Lake | CRESCENT LK | 2606B | NUTRIENTS (TSI) | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Crescent Lake | DEAD LAKE | 2615A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Crescent Lake | LAKE BROWARD | 2617A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Crescent Lake | BLACK POINT SWAMP | 2621 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Crescent Lake | HAW CK AB CRESCENT LK | 2622A | DISSOLVED OXYGEN | 5 | HIGH |
| Group 2 | Lower St. Johns | Crescent Lake | HAW CREEK ABOVE CRESCENT LAKE | 2622A | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Crescent Lake | HAW CK AB CRESCENT LK | 2622A | NUTRIENTS (CHLA) | 5 | HIGH |
| Group 2 | Lower St. Johns | Crescent Lake | HAW CREEK ABOVE CRESCENT LAKE | 2622A | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Crescent Lake | SWEETWATER BRANCH | 2628 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Crescent Lake | LITTLE HAW CREEK | 2630A | Lead | 5 | Medium |
| Group 2 | Lower St. Johns | Crescent Lake | LAKE DISSTON | 2630B | IRON | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Crescent Lake | LAKE DISSTON | 2630B | Lead | 5 | Medium |
| Group 2 | Lower St. Johns | Crescent Lake | LAKE DISSTON | 2630B | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Crescent Lake | LAKE DISSTON | 2630B | MERCURY-FISH | 5 | LOW |
| Group 2 | Lower St. Johns | Crescent Lake | LITTLE HAW SPRING | 2630C | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Crescent Lake | LAKE WINONA | 2659A | Nutrients (Historic TSI) | 5 | Medium |
| Group 2 | Lower St. Johns | Crescent Lake | LAKE DIAS | 2667A | Nutrients (TSI) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|----------------------|---------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | Crescent Lake | LAKE DAUGHARTY | 2671A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Crescent Lake | LAKE MOLLY | 2680A | NUTRIENTS (TSI) | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | UNNAMED DRAIN TO ST JOHNS RIVER | 2213R | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | McCullough Creek | 2525 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | MOCCASIN BRANCH | 2540 | DISSOLVED OXYGEN | 5 | HIGH |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | MOCCASIN BRANCH | 2540 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | MOCCASIN BRANCH | 2540 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | MOCCASIN BRANCH | 2540 | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | DEEP CREEK | 2549 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | DEEP CREEK | 2549 | DISSOLVED OXYGEN | 5 | HIGH |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | DEEP CREEK | 2549 | NUTRIENTS (CHLA) | 5 | HIGH |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | DEEP CREEK | 2549 | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | CRACKER BRANCH | 2555 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | CRACKER BRANCH | 2555 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | CRACKER BRANCH | 2555 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | CRACKER BRANCH | 2555 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | UNNAMED DITCHES | 2561 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | UNNAMED DITCHES | 2561 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | UNNAMED DITCH | 2568 | Dissolved Oxygen | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|-----------------------|---------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | UNNAMED DITCH | 2571 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | SIXTEENMILE CREEK | 2589 | DISSOLVED OXYGEN | 5 | LOW |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | SIXTEENMILE CREEK | 2589 | NUTRIENTS (CHLA) | 5 | LOW |
| Group 2 | Lower St. Johns | Etonia Creek | LAKE GENEVA | 2509 | Lead | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | LAKE GENEVA | 2509 | Nutrients (Historic TSI) | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | LILY LAKE | 2509H | Lead | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | Simms Creek | 2511B | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Etonia Creek | SIMMS CREEK | 2511B | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Etonia Creek | SIMMS CREEK | 2511B | Lead | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | Lake Sheelar | 2528B | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Etonia Creek | LAKE SHEELAR | 2528B | Nutrients (Historic TSI) | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | GEORGES LAKE | 2541 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Etonia Creek | GEORGES LAKE | 2541 | Nutrients (Historic TSI) | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | Etonia Creek | 2543B | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Etonia Creek | LAKE ROSS | 2543F | Lead | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | LAKE ROSS | 2543F | NUTRIENTS (TSI) | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Etonia Creek | Rice Creek | 2567A | Dioxin | 4e | |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | Dioxin | 5 | |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Etonia Creek | CUE LAKE | 2575 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Etonia Creek | CUE LAKE | 2575Q | MERCURY- FISH | 5 | LOW |
| Group 2 | Lower St. Johns | Etonia Creek | Lake Grandin Outlet | 2587Z | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Etonia Creek | Davis Lake | 2593A | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Intracoastal Waterway | ICWW | 2205C | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Intracoastal Waterway | SHERMAN CREEK | 2227 | DISSOLVED OXYGEN | 5 | MEDIUM |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|-----------------------|---|------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | Intracoastal Waterway | SHERMAN CREEK | 2227 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Intracoastal Waterway | HOPKINS CREEK | 2266 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Intracoastal Waterway | HOPKINS CREEK | 2266 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Intracoastal Waterway | HOPKINS CREEK | 2266 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Intracoastal Waterway | Hogpen Creek | 2270 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Intracoastal Waterway | HOGPEN CREEK | 2270 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Intracoastal Waterway | Puncheon Gum Swamp | 2271 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Intracoastal Waterway | MILL DAM BRANCH | 2273 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Intracoastal Waterway | PABLO CREEK | 2283 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Intracoastal Waterway | Cedar Swamp Creek | 2290 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Intracoastal Waterway | CEDAR SWAMP CREEK | 2290 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Intracoastal Waterway | Open Creek | 2299 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Intracoastal Waterway | OPEN CREEK | 2299 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Intracoastal Waterway | Ryals Swamp | 2302 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Intracoastal Waterway | RYALS SWAMP | 2302 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Intracoastal Waterway | CABBAGE CREEK | 2328 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Intracoastal Waterway | ATLANTIC OCEAN (ST JOHNS RIVER; DUVAL COUNTY) | 8126 | Mercury (based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|-----------------------|---|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | Intracoastal Waterway | ATLANTIC OCEAN (ST JOHNS RIVER; DUVAL COUNTY) | 8126 | Mercury (fish tissue) | 5 | High |
| Group 2 | Lower St. Johns | Intracoastal Waterway | 30TH AVENUE ACCESS | 8126A | Mercury (fish tissue) | 5 | High |
| Group 2 | Lower St. Johns | Intracoastal Waterway | BEACH BOULEVARD ACCESS | 8126B | Mercury (fish tissue) | 5 | High |
| Group 2 | Lower St. Johns | Intracoastal Waterway | HOPKINS STREET ACCESS | 8126C | Mercury (fish tissue) | 5 | High |
| Group 2 | Lower St. Johns | Intracoastal Waterway | ATLANTIC BOULEVARD ACCESS | 8126D | Mercury (fish tissue) | 5 | High |
| Group 2 | Lower St. Johns | Intracoastal Waterway | 15TH STREET ACCESS | 8126E | Mercury (fish tissue) | 5 | High |
| Group 2 | Lower St. Johns | Intracoastal Waterway | 19TH STREET ACCESS | 8126F | Mercury (fish tissue) | 5 | High |
| Group 2 | Lower St. Johns | Intracoastal Waterway | HANNA PARK | 8126G | Mercury (fish tissue) | 5 | High |
| Group 2 | Lower St. Johns | Julington Creek | JULINGTON CREEK | 2351 | Fecal Coliform | 5 | High |
| Group 2 | Lower St. Johns | Julington Creek | BIG DAVIS CREEK | 2356 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Julington Creek | DURBIN CREEK | 2365 | FECAL COLIFORMS | 5 | HIGH |
| Group 2 | Lower St. Johns | Julington Creek | Oldfield Creek | 2370 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Julington Creek | OLDFIELD CREEK | 2370 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Julington Creek | Cormorant Branch | 2381 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Julington Creek | CORMORANT CREEK | 2381 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Julington Creek | Corklan Branch | 2394 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Julington Creek | Bowen Branch | 2402 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Julington Creek | Sampson Creek | 2419 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Julington Creek | SAMPSON CREEK | 2419 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | North Mainstem Unit | DUNN CREEK | 2181 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | DUNN CREEK | 2181 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | DUNN CREEK | 2181 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | CLAPBOARD CREEK | 2188 | Mercury (based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|---------------------|----------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | North Mainstem Unit | RUSHING BRANCH | 2189 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | RUSHING BRANCH | 2189 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | North Mainstem Unit | BROWARD RIVER | 2191 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | BROWARD RIVER | 2191 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | BROWARD RIVER | 2191 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | BROWARD RIVER | 2191 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | TERRAPIN CREEK | 2204 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | TERRAPIN CREEK | 2204 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | SISTERS CREEK | 2205A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | CEDAR POINT CREEK | 2205B | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | BROWNS CREEK | 2209 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIV AB MOUTH | 2213A | COPPER | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIV AB MOUTH | 2213A | IRON | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE MOUTH | 2213A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIV AB ICWW | 2213B | IRON | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIV AB ICWW | 2213B | LEAD | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE ICWW | 2213B | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIV AB DAMES PT | 2213C | COPPER | 5 | MEDIUM |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|---------------------|------------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIV AB DAMES PT | 2213C | IRON | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE DAMES POINT | 2213C | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIV AB TROUT RIV | 2213D | IRON | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE TROUT RIVER | 2213D | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIV AB WARREN BRG | 2213E | IRON | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE WARREN BRIDGE | 2213E | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE PINEY POINT | 2213F | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | Long Branch | 2233 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | LONG BRANCH | 2233 | FECAL COLIFORMS | 5 | LOW |
| Group 2 | Lower St. Johns | North Mainstem Unit | MOUNT PLEASANT CREEK | 2234 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | North Mainstem Unit | Newcastle Creek | 2235 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | NEW CASTLE CREEK | 2235 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | STRAWBERRY CREEK | 2239 | FECAL COLIFORMS | 5 | LOW |
| Group 2 | Lower St. Johns | North Mainstem Unit | GREENFIELD CREEK | 2240 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | GREENFIELD CREEK | 2240 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | Cowhead Creek | 2244 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | COW HEAD CREEK | 2244 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | JONES CREEK | 2246 | FECAL COLIFORMS | 5 | MEDIUM |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|---------------------|-------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | North Mainstem Unit | Ginhouse Creek | 2248 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | GIN HOUSE CREEK | 2248 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | HOGAN CREEK | 2252 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | HOGAN CREEK | 2252 | FECAL COLIFORMS | 5 | HIGH |
| Group 2 | Lower St. Johns | North Mainstem Unit | RED BAY BRANCH | 2254 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | RED BAY BRANCH | 2254 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | RED BAY BRANCH | 2254 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | DEER CREEK | 2256 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | DEER CREEK | 2256 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | DEER CREEK | 2256 | Lead | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | McCoy Creek | 2257 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | MCCOY CREEK | 2257 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | ARLINGTON RIVER | 2265A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | North Mainstem Unit | ARLINGTON RIVER | 2265A | NUTRIENTS (CHLA) | 5 | LOW |
| Group 2 | Lower St. Johns | North Mainstem Unit | Pottsburg Creek | 2265B | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | POTTSBURG CREEK | 2265B | FECAL COLIFORMS | 5 | LOW |
| Group 2 | Lower St. Johns | North Mainstem Unit | Silversmith Creek | 2278 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | SILVERSMITH CREEK | 2278 | FECAL COLIFORMS | 5 | MEDIUM |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|---------------------|-------------------------------|------|--------------------------------|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | North Mainstem Unit | Little Pottsburg Creek | 2284 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | LITTLE POTTSBURG CREEK | 2284 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | LITTLE POTTSBURG CREEK | 2284 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | MILLER CREEK | 2287 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | MILLER CREEK | 2287 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | CRAIG CREEK | 2297 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | CRAIG CREEK | 2297 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | MIRAMAR CREEK (UNNAMED CREEK) | 2304 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | MIRAMAR CREEK | 2304 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | MIRAMAR CREEK (UNNAMED CREEK) | 2304 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | New Rose Creek | 2306 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | NEW ROSE CREEK | 2306 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | Leeds Pond | 2308 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | LEEDS POND | 2308 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | Christopher Creek | 2321 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | North Mainstem Unit | CHRISTOPHER BRANCH | 2321 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | North Mainstem Unit | CHRISTOPHER CREEK | 2321 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | North Mainstem Unit | GOODBYS CREEK | 2326 | DISSOLVED OXYGEN | 5 | MEDIUM |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|---------------------|-----------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | North Mainstem Unit | GOODBYS CREEK | 2326 | FECAL COLIFORMS | 5 | HIGH |
| Group 2 | Lower St. Johns | Ortega River | ORTEGA RIVER | 2213P | DISSOLVED OXYGEN | 5 | LOW |
| Group 2 | Lower St. Johns | Ortega River | ORTEGA RIVER | 2213P | FECAL COLIFORMS | 5 | LOW |
| Group 2 | Lower St. Johns | Ortega River | ORTEGA RIVER | 2213P | LEAD | 5 | LOW |
| Group 2 | Lower St. Johns | Ortega River | ORTEGA RIVER | 2213P | NUTRIENTS (CHLA) | 5 | LOW |
| Group 2 | Lower St. Johns | Ortega River | Ortega River | 2249A | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Ortega River | ORTEGA RIVER | 2249A | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Ortega River | MCGIRTS CREEK | 2249B | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Ortega River | MCGIRTS CREEK | 2249B | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Ortega River | CEDAR RIVER | 2262 | DISSOLVED OXYGEN | 5 | HIGH |
| Group 2 | Lower St. Johns | Ortega River | CEDAR RIVER | 2262 | FECAL COLIFORMS | 5 | HIGH |
| Group 2 | Lower St. Johns | Ortega River | Big Fishweir Creek | 2280 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Ortega River | BIG FISHWEIR CREEK | 2280 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Ortega River | WILLS BRANCH | 2282 | FECAL COLIFORMS | 5 | HIGH |
| Group 2 | Lower St. Johns | Ortega River | NORMANDY VILLAGE RUN | 2305 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Ortega River | WILLIAMSON CREEK | 2316 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Ortega River | WILLIAMSON CREEK | 2316 | FECAL COLIFORMS | 5 | HIGH |
| Group 2 | Lower St. Johns | Ortega River | WILLIAMSON CREEK | 2316 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Ortega River | BUTCHER PEN CREEK | 2322 | DISSOLVED OXYGEN | 5 | HIGH |
| Group 2 | Lower St. Johns | Ortega River | BUTCHER PEN CREEK | 2322 | FECAL COLIFORMS | 5 | HIGH |
| Group 2 | Lower St. Johns | Ortega River | BUTCHER PEN CREEK | 2322 | NUTRIENTS (CHLA) | 5 | HIGH |
| Group 2 | Lower St. Johns | Ortega River | FISHING CREEK | 2324 | DISSOLVED OXYGEN | 5 | HIGH |
| Group 2 | Lower St. Johns | Ortega River | FISHING CREEK | 2324 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Ortega River | FISHING CREEK | 2324 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Sixmile Creek | Trout Creek | 2431 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Sixmile Creek | MILL CREEK | 2460 | DISSOLVED OXYGEN | 5 | LOW |
| Group 2 | Lower St. Johns | Sixmile Creek | MILL CREEK | 2460 | Fecal Coliform | 5 | High |
| Group 2 | Lower St. Johns | Sixmile Creek | MILL CREEK | 2460 | NUTRIENTS (CHLA) | 5 | LOW |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE DOCTORS LAKE | 2213G | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE DOCTORS LAKE | 2213G | Thallium | 5 | Medium |
| Group 2 | Lower St. Johns | South Mainstem Unit | STJ RIV AB JULINGTON C | 2213H | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE BLACK CREEK | 2213I | Mercury (based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|---------------------|------------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | South Mainstem Unit | STJ RIV AB BLACK CK | 2213I | SILVER | 5 | MEDIUM |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE PALMO CREEK | 2213J | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE TOCOI | 2213K | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE FEDERAL POINT | 2213L | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE FEDERAL POINT | 2213L | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | South Mainstem Unit | St. Johns River Above Rice Creek | 2213M | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE RICE CREEK | 2213M | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE DUNNS CREEK | 2213N | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | South Mainstem Unit | GREEN COVE SPRINGS | 2213Q | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | South Mainstem Unit | Deep Bottom Creek | 2361 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | South Mainstem Unit | DEEP BOTTOM CREEK | 2361 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | South Mainstem Unit | UNNAMED DRAIN | 2382 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | South Mainstem Unit | UNNAMED DRAIN | 2382 | FECAL COLIFORM | 5 | MEDIUM |
| Group 2 | Lower St. Johns | South Mainstem Unit | Mandarin Drain | 2385 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | South Mainstem Unit | MANDARIN DRAIN | 2385 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | South Mainstem Unit | Cunningham Creek | 2404 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | South Mainstem Unit | PETERS BRANCH | 2405 | Iron | 5 | Medium |
| Group 2 | Lower St. Johns | South Mainstem Unit | Kendall Creek | 2448 | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------|---------------------|----------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | South Mainstem Unit | KENDALL CREEK | 2448 | Iron | 5 | Medium |
| Group 2 | Lower St. Johns | South Mainstem Unit | GOVERNOR CREEK | 2464 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | South Mainstem Unit | CEDAR CREEK | 2538 | NUTRIENTS (CHLA) | 5 | MEDIUM |
| Group 2 | Lower St. Johns | South Mainstem Unit | WEST RUN INTERCEPTER D | 2569 | DISSOLVED OXYGEN | 5 | HIGH |
| Group 2 | Lower St. Johns | South Mainstem Unit | WEST RUN INTERCEPTER D | 2569 | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | South Mainstem Unit | DOG BRANCH | 2578 | DISSOLVED OXYGEN | 5 | LOW |
| Group 2 | Lower St. Johns | South Mainstem Unit | DOG BRANCH | 2578 | Nutrients (Historic Chlorophyll-a) | 5 | High |
| Group 2 | Lower St. Johns | South Mainstem Unit | COW BRANCH | 2583 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | South Mainstem Unit | MILL BRANCH | 2592 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | South Mainstem Unit | MILL BRANCH | 2592 | DISSOLVED OXYGEN | 5 | HIGH |
| Group 2 | Lower St. Johns | South Mainstem Unit | MILL BRANCH | 2592 | FECAL COLIFORMS | 5 | HIGH |
| Group 2 | Lower St. Johns | South Mainstem Unit | MILL BRANCH | 2592 | NUTRIENTS (CHLA)5 | 5 | HIGH |
| Group 2 | Lower St. Johns | Trout River | TROUT RIVER | 2203 | DISSOLVED OXYGEN | 5 | LOW |
| Group 2 | Lower St. Johns | Trout River | TROUT RIVER | 2203 | FECAL COLIFORMS | 5 | LOW |
| Group 2 | Lower St. Johns | Trout River | TROUT RIVER (MIDDLE REACH) | 2203 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Trout River | TROUT RIVER | 2203A | FECAL COLIFORMS | 5 | LOW |
| Group 2 | Lower St. Johns | Trout River | TROUT RIVER (LOWER REACH) | 2203A | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Trout River | LITTLE TROUT RIVER | 2206 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Trout River | LITTLE TROUT RIVER | 2206 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Trout River | Blockhouse Creek | 2207 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Trout River | BLOCK HOUSE CREEK | 2207 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Trout River | WEST BRANCH | 2210 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Lower St. Johns | Trout River | WEST BRANCH | 2210 | FECAL COLIFORMS | 5 | MEDIUM |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|-------------------------|----------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Lower St. Johns | Trout River | NINEMILE CREEK | 2220 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Trout River | NINEMILE CREEK | 2220 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Trout River | NINEMILE CREEK | 2220 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Trout River | Trout River (Upper Reach) | 2223 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Trout River | TROUT RIVER (UPPER REACH) | 2223 | Fecal Coliform | 5 | Low |
| Group 2 | Lower St. Johns | Trout River | RIBAULT RIVER | 2224 | DISSOLVED OXYGEN | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Trout River | RIBAULT RIVER | 2224 | FECAL COLIFORMS | 5 | HIGH |
| Group 2 | Lower St. Johns | Trout River | RIBAULT RIVER | 2224 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Lower St. Johns | Trout River | MONCRIEF CREEK | 2228 | COPPER | 5 | HIGH |
| Group 2 | Lower St. Johns | Trout River | MONCRIEF CREEK | 2228 | FECAL COLIFORMS | 5 | HIGH |
| Group 2 | Lower St. Johns | Trout River | MONCRIEF CREEK | 2228 | IRON | 5 | HIGH |
| Group 2 | Lower St. Johns | Trout River | MONCRIEF CREEK | 2228 | LEAD | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Trout River | MONCRIEF CREEK | 2228 | Mercury (based on fish consumption advisory) | 5 | High |
| Group 2 | Lower St. Johns | Trout River | MONCRIEF CREEK | 2228 | NUTRIENTS (CHLA) | 5 | HIGH |
| Group 2 | Lower St. Johns | Trout River | Sixmile Creek Reach | 2232 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Trout River | SIXMILE CREEK REACH | 2232 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Lower St. Johns | Trout River | Little Sixmile Creek | 2238 | Dissolved Oxygen | 4d | |
| Group 2 | Lower St. Johns | Trout River | LITTLE SIXMILE CREEK | 2238 | FECAL COLIFORMS | 5 | MEDIUM |
| Group 2 | Middle St. Johns | Alexander Springs Creek | Boyd Lake | 2917 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Alexander Springs Creek | Alexander Springs Drain | 2918A | Biology | 4d | |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | St. Johns River Above Lake Jesup | 2893F | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | St Johns River Above Lake Jesup | 2893F | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Mullet Lake | 2893H | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Mud Lake | 2893J | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Deep Creek / Lake Ashby Canal | 2925 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Deep Creek / Lake Ashby Canal | 2925 | Nutrients (Historic Chlorophyll-a) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|-----------------------|---|--------|--|------------------------|-------------------------------|
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Ashby | 2925A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Ashby | 2925A | Nutrients (TSI Trend) | 5 | Medium |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Winnemissett | 2931 | Nutrients (Historic TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Cow Creek | 2952 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | St Johns River Above Lake Harney (Underhill Slough) | 2964 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | St Johns River Above Lake Harney (Underhill Slough) | 2964 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Harney | 2964A | Dissolved Oxygen | 5 | Low |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Harney | 2964A | Mercury (in fish tissue) | 5 | Medium |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Harney | 2964A | Nutrients (TSI) | 5 | Low |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Harney Outlet | 2964A1 | Dissolved Oxygen | 4d | |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Harney Outlet | 2964A1 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Econlockhatchee River | Econlockhatchee River | 2991 | Fecal Coliform Bacteria | 5 | Medium |
| Group 2 | Middle St. Johns | Econlockhatchee River | Econlockhatchee River | 2991 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Econlockhatchee River | Econlockhatchee River | 2991A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Econlockhatchee River | Buck Lake | 2991B | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Econlockhatchee River | Horseshoe Lake | 2991D | Dissolved Oxygen | 4d | |
| Group 2 | Middle St. Johns | Econlockhatchee River | Little Econlockhatchee River | 3001 | Fecal Coliform Bacteria | 5 | Low |
| Group 2 | Middle St. Johns | Econlockhatchee River | Lake Irma Outlet | 3017A | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|-----------------------|---------------------------------------|--------|--|------------------------|-------------------------------|
| Group 2 | Middle St. Johns | Econlockhatchee River | Unnamed Branch | 3021 | Dissolved Oxygen | 4d | |
| Group 2 | Middle St. Johns | Econlockhatchee River | Unnamed Branch | 3021 | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Econlockhatchee River | Lake Baldwin Outfall | 3023A | Fecal Coliform Bacteria | 5 | Medium |
| Group 2 | Middle St. Johns | Econlockhatchee River | Lake Baldwin Outfall | 3023A | Nutrients (Chla) | 5 | Medium |
| Group 2 | Middle St. Johns | Econlockhatchee River | Lake Susannah | 3023C | Nutrients (TSI Trend) | 5 | Medium |
| Group 2 | Middle St. Johns | Econlockhatchee River | Lake Gear | 3023D | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Econlockhatchee River | Lake Barton | 3023E | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Econlockhatchee River | Trib. To Little Econ. River | 3024A | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Econlockhatchee River | Trib. To Little Econ. River | 3024A | Fecal Coliform Bacteria | 5 | Medium |
| Group 2 | Middle St. Johns | Econlockhatchee River | Long Branch | 3030 | Fecal Coliform Bacteria | 5 | High |
| Group 2 | Middle St. Johns | Econlockhatchee River | Lake Frederica | 3036 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Econlockhatchee River | Unnamed Drain | 3037 | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Lake George Unit | St Johns River Above Ocklawaha River | 2213O | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake George Unit | St. Johns River Above Ocklawaha River | 2213O | Nutrients (Chla) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake George Unit | St Johns River Above Ocklawaha River | 2213O | Un-ionized Ammonia | 5 | Medium |
| Group 2 | Middle St. Johns | Lake George Unit | Lake Margaret | 2892 | Mercury (in fish tissue) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake George Unit | Lake George | 2893A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake George Unit | Lake George | 2893A | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake George Unit | St Johns River Below Lake George | 2893A1 | Mercury (Based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|------------------|-----------------------------------|--------|--|------------------------|-------------------------------|
| Group 2 | Middle St. Johns | Lake George Unit | St. Johns River Below Lake George | 2893A1 | Nutrients (Chla) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake George Unit | St. Johns River Above Lake George | 2893A2 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Lake George Unit | St Johns River Above Lake George | 2893A2 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake George Unit | St. Johns River Above Lake George | 2893A2 | Nutrients (Chla) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake George Unit | Lake George Leftover | 2893A3 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Lake George Unit | Lake George Leftover | 2893A3 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake George Unit | Grasshopper Lake | 2916B | Mercury (in fish tissue) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Jesup Drain | 2981E | Dissolved Oxygen | 4d | |
| Group 2 | Middle St. Johns | Lake Jesup | Phelps Creek | 2982 | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Lake Jesup | Six Mile Creek (Lake Nan) | 2984 | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Lake Jesup | Chub Creek | 2985 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Chub Creek | 2985 | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Lake Jesup | Chub Creek | 2985 | Nutrients (Chla) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Soldier Creek Reach | 2986 | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Myrtle | 2986B | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Alma | 2986D | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Searcy | 2986E | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Salt Creek | 2990 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Salt Creek | 2990 | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Lake Jesup | Salt Creek | 2990 | Nutrients (Chla) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Sweetwater Creek | 2992 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Gee Creek | 2994A | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Lake Jesup | Fairy Lake | 2994C | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Island Lake | 2994D | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Red Bug Lake | 2994E | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Little Lake Howell | 2994X | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Fruitwood Lake | 2994Y | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Tony | 2994Y1 | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Howell Creek Below Lake Howell | 2997 | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Lake Jesup | Leftover Lake Ivanhoe | 29971 | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Sybella | 29975 | Nutrients (TSI) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|------------------|------------------------------------|--------|--|------------------------|-------------------------------|
| Group 2 | Middle St. Johns | Lake Jesup | Lake in the Woods | 29977 | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Howell Creek | 2997A | Dissolved Oxygen | 4d | |
| Group 2 | Middle St. Johns | Lake Jesup | Howell Creek | 2997A | Fecal Coliform Bacteria | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Howell Lake | 2997B | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Ann | 2997B1 | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Minnehaha | 2997D | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Sue | 2997I | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Rowena | 2997J | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Estelle | 2997K | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Winyah | 2997L | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Formosa | 2997M | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Park Lake | 2997O | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Concord | 2997P | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Dot | 2997Q | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Dot | 2997Q | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Adair | 2997R | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Spring | 2997S | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Park | 2997U | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Killarney | 2997X | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Hayes | 2999A | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Bear Gulley Lake | 3009 | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Burkett | 3009C | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Georgia | 3009E | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Kerr Unit | Lake Delancey | 2894 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake Kerr Unit | Lake Kerr | 2899B | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake Kerr Unit | Lake Kerr | 2899B | Nutrients (TSI Trend) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Kerr Unit | Wildcat Lake | 2905C | Mercury (in fish tissue) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Monroe Unit | St Johns River Above Wekiva River | 2893C | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Monroe Unit | St Johns River Above Wekiva River | 2893C | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake Monroe Unit | St. Johns River Above Wekiva River | 2893C | Nutrients (Chla) | 5 | Low |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Lake Monroe | 2893D | Dissolved Oxygen | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|--------------------|---|--------|--|------------------------|-------------------------------|
| Group 2 | Middle St. Johns | Lake Monroe Unit | Lake Monroe | 2893D | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Lake Monroe | 2893D | Nutrients (TSI) | 5 | Low |
| Group 2 | Middle St. Johns | Lake Monroe Unit | St. Johns River Above Lake Monroe | 2893E | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Monroe Unit | St Johns River Above Lake Monroe | 2893E | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake Monroe Unit | St. Johns River Above Lake Monroe | 2893E | Nutrients (Chla) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Lake Marie | 2951 | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Lake Marie Outlet | 2951A | Dissolved Oxygen | 4d | |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Broken Arrow Lake | 2953A | Nutrients (Historic TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Konomac Lake Reservoir | 2954 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Smith Canal | 2962 | Dissolved Oxygen | 5 | Low |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Smith Canal | 2962 | Fecal Coliform Bacteria | 5 | Low |
| Group 2 | Middle St. Johns | Lake Monroe Unit | DeForest Lake Outlet | 2973 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Deforest Lake Outlet | 2973 | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Deforest Lake Outlet | 2973 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Deforest Lake Outlet | 2973 | Turbidity | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | Blue Spring (Volusia County) | 28933 | Nutrients (Algal mats) | 5 | Low |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | Blue Spring Run (Volusia County) | 28933A | Nutrients (Algal mats) | 5 | Low |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | St. Johns River Above Lake Woodruff | 2893B | Biology | 4d | |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | St Johns River Above Lake Woodruff | 2893B | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | St Johns River Above Lake Woodruff | 2893B | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | Lake Beresford | 2893U | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | St Johns River Below Lake Dexter (St Johns River Above Lake George) | 2893Z | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | Deep Creek | 2908 | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|--------------------|----------------------|--------|--|------------------------|-------------------------------|
| Group 2 | Middle St. Johns | Lake Woodruff Unit | Lake Emporia | 2912A | Nutrients (Historic TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | Lake Woodruff | 2921 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | Lake Dexter | 2921C | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | Lake Woodruff Outlet | 2921D | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Wekiva River | Lake Norris | 2929B | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Wekiva River | Lake Dorr | 2929C | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Wekiva River | Tracy Canal | 2934 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Tracy Canal | 2934 | Turbidity | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Wekiva River | 2956 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Wekiva River | Wekiva River | 2956A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Wekiva River | Linden Lake | 2956A1 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lower Wekiva River | 2956B | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Wekiva River | Wekiwa Spring | 2956C | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Wekiva River | Sand Lake | 2956E | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Sylvan | 2961 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Wekiva River | Little Wekiva River | 2987 | Dissolved Oxygen | 4d | |
| Group 2 | Middle St. Johns | Wekiva River | Cranes Roost Outlet | 2998 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Pearl | 3000 | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Harriet | 3000A | Dissolved Oxygen | 4d | |
| Group 2 | Middle St. Johns | Wekiva River | Lake Harriet | 3000A | Fecal Coliform | 5 | Low |
| Group 2 | Middle St. Johns | Wekiva River | Starke Lake | 3002D | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Primavista | 3002E | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Lotta | 3002G | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Hiawassee | 3002J | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Prairie Lake | 3002N | Nutrients (TSI) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|---------------|---|-------|--|------------------------|-------------------------------|
| Group 2 | Middle St. Johns | Wekiva River | Bear Lake | 3004A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | Middle St. Johns | Wekiva River | Bear Lake | 3004A | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Fairview | 3004B | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Daniel | 3004E | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Sarah | 3004F | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Gandy | 3004J | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Wekiva (Orlando) | 3004K | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Fairview Lake | 3004N | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Asher Lake | 3004O | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Cub Lake | 3004P | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Weston | 3011A | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Shadow | 3011B | Nutrients (TSI) | 5 | Medium |
| Group 2 | Middle St. Johns | Wekiva River | Lake Lucien | 3011C | Mercury (in fish tissue) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | C-24 | C-24 | 3197 | Fecal Coliform | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | C-25 | C-25 Canal West (St. Johns Marsh) | 3160 | Dissolved Oxygen | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | C-25 | Fort Pierce Farm Canal (Belcher Canal/Taylor Creek) | 3163 | Biology | 4d | |
| Group 2 | St. Lucie - Loxahatchee | C-25 | FT.PIERCE FARM CANAL (BELCHER CAN/TAYLOR CK) | 3163 | Dissolved Oxygen | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | C-25 | Fort Pierce Farm Canal (Belcher Canal/Taylor Creek) | 3163 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | C-25 | C-25 East Segment | 3163B | Biology | 4d | |
| Group 2 | St. Lucie - Loxahatchee | C-25 | C-25 EAST SEGMENT | 3163B | Dissolved Oxygen | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | C-25 | C-25 EAST SEGMENT | 3163B | Nutrients (CHLA) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | Moore'S Creek | 3166 | Dissolved Oxygen | 4d | |
| Group 2 | St. Lucie - Loxahatchee | Coastal | Moore's Creek | 3166 | Mercury (Based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|---------------|----------------------|-------|--|------------------------|-------------------------------|
| Group 2 | St. Lucie - Loxahatchee | Coastal | Moore's Creek | 3166 | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | NORTH COASTAL | 3190 | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | North Coastal | 3190 | Dissolved Oxygen | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | NORTH COASTAL | 3190 | Nutrients (CHLA) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | Roosevelt Bridge | 3193A | Bacteria (Beach Advisories) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Coastal | ROOSEVELT BRIDGE | 3193A | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | MANATEE POCKET | 3208 | Copper | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | Manatee Pocket | 3208 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Coastal | MANATEE POCKET | 3208 | Nutrients (CHLA) | 5 | Low |
| Group 2 | St. Lucie - Loxahatchee | Coastal | MARTIN CO. ICCW | 3208A | Copper | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | Icww (Martin County) | 3208A | Dissolved Oxygen | 4d | |
| Group 2 | St. Lucie - Loxahatchee | Coastal | ICWW (Martin County) | 3208A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Coastal | Jupiter Inlet | 3226 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Coastal | Jupiter Inlet | 3226 | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | Icww (Martin County) | 3226B | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Coastal | SOUTH INDIAN RIVER | 5003A | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | SOUTH INDIAN RIVER | 5003A | Copper | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | South Indian River | 5003A | Fecal Coliform | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|---------------|--|-------|--|------------------------|-------------------------------|
| Group 2 | St. Lucie - Loxahatchee | Coastal | South Indian River | 5003A | Fecal Coliform (3) | 5 | Low |
| Group 2 | St. Lucie - Loxahatchee | Coastal | DUBOIS PARK | 8101B | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | DUBOIS PARK | 8101B | Mercury (fish tissue) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Coastal | CORAL COVE PARK | 8101C | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | CORAL COVE PARK | 8101C | Mercury (fish tissue) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Coastal | COASTAL OCEAN 2 | 8102 | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | COASTAL OCEAN 3 | 8103 | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | COASTAL OCEAN 4 | 8104 | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Coastal | Atlantic Ocean (St. Lucie County; Fort Pierce Inlet) | 8104 | Fecal Coliform (2) | 5 | Low |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | JONATHAN DICKINSON | 3224 | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Jonathan Dickinson | 3224 | Dissolved Oxygen | 4d | |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | JONATHAN DICKINSON | 3224 | Fecal Coliform | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Jonathan Dickinson | 3224 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River (North Fork) | 3224A | Biology | 4d | |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | NORTH FORK LOXAHATCHEE | 3224A | Dissolved Oxygen | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River (North Fork) | 3224A | Fecal Coliform | 5 | Low |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Kitchings Creek | 3224B | Nutrients (Chlorophyll-a) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Cypress Creek | 3224C | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|---------------|------------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Cypress Creek | 3224C | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | NW FORK LOXAHATCHEE | 3226A | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River (Northwest Fork) | 3226A | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River (Northwest Fork) | 3226A | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | SW FORK LOXAHATCHEE | 3226C | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | SW FORK LOXAHATCHEE | 3226C | Fecal Coliform | 5 | Low |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River (Southwest Fork) | 3226C | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River (Southwest Fork) | 3226C | Nutrients (Chlorophyll-a) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | LOXAHATCHEE RIVER | 3226D | Bacteria (in Shellfish) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River | 3226D | Dissolved Oxygen | 4d | |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River | 3226D | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River | 3226D | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Pal Mar | 3228 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Jupiter Farms | 3230 | Dissolved Oxygen | 4d | |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Jupiter Farms | 3230 | Nutrients (Historic Chlorophyll-a) | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River (Northwest Fork) | 3230A | Dissolved Oxygen | 4d | |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | C-18 | 3234 | Biology | 4d | |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | C-18 | 3234 | Mercury (Based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|---------------------|------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | C-18 | 3234 | Nutrients (Historic Chlorophyll-a) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | NORTH ST.LUCIE | 3194 | Copper | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | St. Lucie River (North Fork) | 3194 | Fecal Coliform | 5 | Low |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | St. Lucie River (North Fork) | 3194 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | Ten Mile Creek | 3194A | Dissolved Oxygen | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | Ten Mile Creek | 3194A | Dissolved Oxygen | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | Ten Mile Creek | 3194A | Fecal Coliform | 5 | Low |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | Ten Mile Creek | 3194A | Nutrients (Chlorophyll-a) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | ST. LUCIE | 3194B | Copper | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | St. Lucie River (North Fork) | 3194B | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | Savannas | 3194C | Copper | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | Savannas | 3194C | Dissolved Oxygen | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | FIVEMILE CREEK | 3194D | Dissolved Oxygen | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | TIDAL ST.LUCIE | 3210 | Copper | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | St. Lucie River (South Fork) | 3210 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | St. Lucie River (South Fork) | 3210 | Turbidity | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | ST. LUCIE CANAL | 3210A | Copper | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | St. Lucie Canal | 3210A | Mercury (Based on fish consumption advisory) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-------------------------|---------------------|-------------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | St. Lucie River (South Fork) | 3210B | Biology | 4d | |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | St. Lucie River (South Fork) | 3210B | Dissolved Oxygen | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | SOUTH FORK ST. LUCIE | 3210B | Dissolved Oxygen | 5 | Low |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | St. Lucie River (South Fork) | 3210B | Nutrients (Chlorophyll-a) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | BESSEY CREEK | 3211 | Copper | 5 | Medium |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | Bessey Creek | 3211 | Mercury (Based on fish consumption advisory) | 5 | High |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | Danforth Creek | 3215 | Dissolved Oxygen | 4d | |
| Group 2 | Tampa Bay Tributaries | Alafia River | ENGLISH CREEK | 1552 | Coliforms (Fecal Coliform) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Alafia River | TURKEY CK ABOVE LITTLE ALAFIA | 1578B | Coliforms (Fecal Coliform) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Alafia River | TURKEY CK ABOVE LITTLE ALAFIA | 1578B | Nutrients (Historic Chlorophyll) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Alafia River | POLEY CREEK | 1583 | Fecal Coliform | 5 | High |
| Group 2 | Tampa Bay Tributaries | Alafia River | MUSTANG RANCH CREEK | 1592C | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Alafia River | MUSTANG RANCH CREEK | 1592C | Fecal Coliform | 5 | High |
| Group 2 | Tampa Bay Tributaries | Alafia River | MUSTANG RANCH CREEK | 1592C | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Alafia River | MINED AREA | 1610 | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER ABOVE HILLS. BAY | 1621A | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER ABOVE HILLSBOROUGH BAY | 1621A | Fecal Coliform | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER ABOVE HILLS. BAY | 1621A | Nutrients (Chlorophyll & Historic Chlorophyll) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|--------------------------|--------------------|--|-------|---|------------------------------|-------------------------------------|
| Group 2 | Tampa Bay Tributaries | Alafia River | NORTH PRONG ALAFIA RIVER | 1621E | Dissolved Oxygen | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER (NORTH PRONG) | 1621E | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER (NORTH PRONG) | 1621E | Un-ionized Ammonia | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Alafia River | LITHIA SPRINGS | 1621F | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER ABOVE HILLS.BAY | 1621G | Dissolved Oxygen | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER ABOVE HILLSBOROUGH BAY | 1621G | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER ABOVE HILLS.BAY | 1621G | Nutrients (Chlorophyll) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Alafia River | BUCKHORN SPRING | 1635 | Fecal Coliform | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Alafia River | BIRD BRANCH | 1645 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Alafia River | SOUTH PRONG ALAFIA RIVER | 1653 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Alafia River | HOOKERS PRAIRIE | 1673 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Alafia River | HOOKERS PRAIRIE | 1673 | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Alafia River | Owens Branch | 1675 | Dissolved Oxygen | 4e | |
| Group 2 | Tampa Bay Tributaries | Alafia River | LAKE BRANCH | 1697 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CYPRESS CREEK | 1402 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CYPRESS CREEK | 1402 | Fecal Coliform | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CYPRESS CREEK | 1402 | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | TWIN LAKE - OPEN WATER | 1440D | Nutrients (TSI) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|--------------------------|--------------------|---------------------------|--------|-----------------------------------|------------------------------|-------------------------------------|
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CYPRESS CREEK NORTH | 1440E | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CYPRESS CREEK NORTH | 1440E | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | NEW RIVER | 1442 | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | NEW RIVER | 1442 | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443A | Dissolved Oxygen | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443A | Mercury-Fish | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443A | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443B | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443B | Mercury-Fish | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443C | Mercury-Fish | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443D | Mercury-Fish | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443E | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443E | Mercury-Fish | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443E | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RESERVOIR | 1443E1 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RESERVOIR | 1443E1 | Mercury-Fish | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RESERVOIR | 1443E1 | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443E2 | Mercury-Fish | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|--------------------------|--------------------|-----------------------------------|-------|-----------------------------------|------------------------------|-------------------------------------|
| Group 2 | Tampa Bay Tributaries | Hillsborough River | Lower Hillsborough River Fresh | 1443F | Dissolved Oxygen | 4d | |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | KEENE LAKE | 1451B | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | KING LAKE - OPEN WATER | 1451G | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE HANNA | 1451T | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | SAXON LAKE | 1451W | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | TROUT CREEK | 1455 | Coliforms (Fecal Coliform) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | TROUT CREEK | 1455 | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | TROUT CREEK | 1455 | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CRYSTAL SPRINGS | 1462A | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BIG DITCH | 1469 | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BIG DITCH | 1469 | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CHANNELIZED STREAM | 1483 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CHANNELIZED STREAM | 1483 | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | TWO HOLE BRANCH | 1489 | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | ITCHEPACKASASSA CREEK | 1495A | Fecal Coliform | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | ITCHEPACKESASSA CREEK | 1495B | Coliforms (Fecal Coliform) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | ITCHEPACKASASSA CREEK | 1495B | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | ITCHEPACKASASSA CREEK | 1495B | Nutrients (Chlorophyll) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|--------------------------|--------------------|-------------------------------|-------|---|------------------------------|-------------------------------------|
| Group 2 | Tampa Bay Tributaries | Hillsborough River | EAST CANAL | 1518 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | EAST CANAL | 1518 | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | Flint Creek | 1522A | Biology | 4d | |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | FLINT CREEK | 1522A | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | FLINT CREEK | 1522A | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | FLINT CREEK | 1522A | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE THONOTOSASSA | 1522B | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE THONOTOSASSA | 1522B | Nutrients (Historic TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE THONOTOSASSA | 1522B | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE THONOTOSASSA | 1522B | Unionized Ammonia | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BAKER CREEK | 1522C | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BAKER CREEK | 1522C | Nutrients (Chlorophyll & Historic Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CEDAR LAKE (EAST) - OPEN W | 1523C | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE ECKLES - OPEN WATER | 1523D | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | COW HOUSE CREEK | 1534 | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE WIRE | 1537 | Lead | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE WIRE | 1537 | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | MILL CREEK | 1542A | Coliforms (Fecal Coliform) | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|-----------------------|----------------------|-----------------------------------|-------|--|------------------------|-------------------------------|
| Group 2 | Tampa Bay Tributaries | Hillsborough River | MILL CREEK | 1542A | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | MILL CREEK | 1542A | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE HUNTER OUTLET | 1543A | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | SEFFNER CANAL | 1547 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE VALRICO | 1547A | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE WEEKS - OPEN WATER | 1547C | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE SILVER | 1553A | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | Sulphur Springs | 1555Z | Dissolved Oxygen | 4d | |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | SPARKMAN BRANCH | 1561 | Dissolved Oxygen | 5 | High |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | SPARTMAN BRANCH | 1561 | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | Cypress Creek | 1739 | Dissolved Oxygen | 4d | |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | Little Manatee River | 1742A | Biology | 4d | |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | LITTLE MANATEE RIVER | 1742A | Coliforms (Fecal Coliform) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | LITTLE MANATEE RIVER | 1742A | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | N. FORK LITTLE MANATEE RIVER | 1742B | Coliforms (Fecal Coliform) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | LITTLE MANATEE RIVER (NORTH FORK) | 1742B | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | LITTLE MANATEE RIVER TIDAL | 1742C | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | LITTLE MANATEE RIVER TIDAL | 1742C | Mercury (based on fish consumption advisory) | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|--------------------------|-------------------------|--------------------------------------|-------|---|------------------------------|-------------------------------------|
| Group 2 | Tampa Bay Tributaries | Little Manatee River | LITTLE MANATEE RIVER TIDAL | 1742C | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | Ruskin Inlet Marsh Branch | 1747 | Dissolved Oxygen | 4d | |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | MILL BAYOU | 1760 | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | ALDERMANN CREEK | 1768 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | ALDERMANN CREEK | 1768 | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | HAYNES BAYOU | 1779 | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | HAYNES BAYOU | 1779 | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | BOLSTER BAYOU | 1784 | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | SO FORK LITTLE MANATEE RIVER | 1790 | Coliforms (Fecal Coliform) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | LITTLE MANATEE RIVER (SOUTH FORK) | 1790 | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | UNNAMED DRAINAGE DITCH | 1792 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | UNNAMED DRAINAGE DITCH | 1792 | Fecal Coliform | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | UNNAMED DRAINAGE DITCH | 1792 | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | Long Branch | 1800 | Dissolved Oxygen | 4d | |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | LONG BRANCH | 1800 | Fecal Coliform | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | MANATEE RIVER | 1807A | Coliforms (Fecal Coliform) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | LAKE MANATEE RESERVOIR | 1807B | Coliforms (Fecal Coliform) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | LAKE MANATEE RESERVOIR | 1807B | Dissolved Oxygen | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|--------------------------|---------------|-----------------------------------|-------|---|------------------------------|-------------------------------------|
| Group 2 | Tampa Bay Tributaries | Manatee River | LAKE MANATEE RESERVOIR | 1807B | Nutrients (TSI) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | EAST FORK MANATEE RIVER | 1811 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | GAMBLE CREEK | 1819 | Coliforms (Fecal Coliform) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Manatee River | GILLY CREEK | 1840 | Fecal Coliform | 5 | High |
| Group 2 | Tampa Bay Tributaries | Manatee River | MANATEE RIVER BELOW DAM | 1848A | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | MANATEE RIVER BELOW DAM | 1848B | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | WARES CREEK | 1848C | Coliforms (Fecal Coliform) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Manatee River | Wares Creek | 1848C | Dissolved Oxygen | 4d | |
| Group 2 | Tampa Bay Tributaries | Manatee River | Wares Creek | 1848C | Dissolved Oxygen | 4d | |
| Group 2 | Tampa Bay Tributaries | Manatee River | MILL CREEK | 1872 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | MILL CREEK | 1872 | Fecal Coliform | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | MILL CREEK | 1872 | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | BRADEN RIVER BEOW WARD LAKE | 1876 | Coliforms (Fecal Coliform) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | BRADEN RIVER BELOW WARD LAKE | 1876 | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | BRADEN R NR GS CAMP | 1876A | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | BRADEN RIVER NEAR ELLWOOD PARK | 1876B | Mercury (based on fish consumption advisory) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | WEBB BRANCH | 1890 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | WILLIAMS CREEK | 1901 | Coliforms (Fecal Coliform) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|--------------------------|---------------------------------|---------------------------------|-------|-------------------------------------|------------------------------|-------------------------------------|
| Group 2 | Tampa Bay Tributaries | Manatee River | WILLIAMS CREEK | 1901 | Dissolved Oxygen | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | WILLIAMS CREEK | 1901 | Nutrients (Chlorophyll) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | UNNAMED DRAIN | 1912 | Coliforms (Fecal Coliform) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | UNNAMED STREAM | 1913 | Coliforms (Fecal Coliform) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | UNNAMED STREAM | 1913 | Dissolved Oxygen | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | BRADEN RIVER ABOVE WARD LAKE | 1914 | Coliforms (Fecal Coliform) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | RATTLESNAKE SLOUGH | 1923 | Coliforms (Fecal Coliform) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | RATTLESNAKE SLOUGH | 1923 | Dissolved Oxygen | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | RATTLESNAKE SLOUGH | 1923 | Nutrients (Historic Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Manatee River | CEDAR CREEK | 1926 | Coliforms (Fecal Coliform) | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | CEDAR CREEK | 1926 | Dissolved Oxygen | 5 | Low |
| Group 2 | Tampa Bay Tributaries | Manatee River | CEDAR CREEK | 1926 | Nutrients (Chlorophyll) | 5 | High |
| Group 2 | Tampa Bay Tributaries | Manatee River | COOPER CREEK | 1930A | Coliforms (Fecal Coliform) | 5 | Medium |
| Group 2 | Tampa Bay Tributaries | Manatee River | COOPER CREEK | 1930A | Dissolved Oxygen | 5 | Medium |
| Group 5 | Everglades | Everglades Agricultural Area | WEST PALM BEACH CANAL | 3238 | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | WEST PALM BEACH CANAL | 3238 | Iron | 5 | Medium |
| Group 5 | Everglades | Everglades Agricultural Area | WEST PALM BEACH CANAL | 3238 | Nutrients (Chla) | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | WEST PALM BEACH CANAL | 3238 | Specific Conductance | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|------------------------------|-----------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Everglades | Everglades Agricultural Area | WEST PALM BEACH CANAL | 3238 | Turbidity | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | M CANAL | 3238E | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | M CANAL | 3238E | Specific Conductance | 5 | Medium |
| Group 5 | Everglades | Everglades Agricultural Area | EAST BEACH | 3244 | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | EAST BEACH | 3244 | Iron | 5 | Medium |
| Group 5 | Everglades | Everglades Agricultural Area | EAST BEACH | 3244 | Nutrients (Chla) | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | EAST BEACH | 3244 | Specific Conductance | 5 | Medium |
| Group 5 | Everglades | Everglades Agricultural Area | EAST BEACH | 3244 | Turbidity | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | EAST BEACH | 3244 | Turbidity | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | 715 FARMS | 3247 | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | 715 FARMS | 3247 | Specific Conductance | 5 | Medium |
| Group 5 | Everglades | Everglades Agricultural Area | 715 FARMS | 3247 | Un-ionized Ammonia | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | N. NEW RIVER CANAL | 3248 | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | N. NEW RIVER CANAL | 3248 | Nutrients (Chla) | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | N. NEW RIVER CANAL | 3248 | Specific Conductance | 5 | Medium |
| Group 5 | Everglades | Everglades Agricultural Area | HILLSBORO CANAL | 3248A | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | S-236 | 3250 | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | S-236 | 3250 | Specific Conductance | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|------------------------------|---|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Everglades | Everglades Agricultural Area | S-3 | 3251 | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | LOXAHATCHEE WEST SECTOR | 3252H | Mercury (in fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | LOXAHATCHEE WEST SECTOR | 3252H | Mercury (in fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | SOUTH BAY | 3253 | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | HILLSBORO CANAL | 3254 | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | HILLSBORO CANAL | 3254 | Specific Conductance | 5 | Medium |
| Group 5 | Everglades | Everglades Agricultural Area | Holey Land | 3260B | Dissolved Oxygen | 4d | |
| Group 5 | Everglades | Everglades Agricultural Area | HOLEY LAND | 3260B | Mercury (in fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | HOLEY LAND | 3260B | Mercury (in fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | S-7 | 3263 | Dissolved Oxygen | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | S-7 | 3263 | Mercury (in fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | HOLEY LAND | 3263A | Mercury (in fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades Agricultural Area | HOLEY LAND | 3263A | Mercury (in fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | ENP SHARK SLOUGH | 3289 | Fecal Coliform | 5 | Low |
| Group 5 | Everglades | Everglades National Park | SHARK SLOUGH (EVERGLADES NATIONAL PARK) | 3289 | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | OYSTER BAY | 3289A | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | HUSTON RIVER | 3289B | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | LAST HUSTON BAY | 3289C | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|--------------------------|---|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Everglades | Everglades National Park | CHEVELIER BAY | 3289D | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | CHEVELIER BAY | 3289E | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | CHARLEY CREEK | 3289F | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | CANNON BAY | 3289G | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | LOSTMANS BAY (EVERGLADES NATIONAL PARK) | 3289H | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | BAYS NEAR FLAMINGO (EVERGLADES NATIONAL PARK) | 3289I | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | L-67 CULVERT US-41 (EVERGLADES NATIONAL PARK) | 3289J | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | TAYLOR SLOUGH (EVERGLADES NATIONAL PARK) | 3289K | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | ALLIGATOR BAY | 3289L | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | DADS BAY | 3289M | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | LITTLE MADERIA BAY | 3289N | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | JOE BAY (WEST SEGMENT) | 3289O | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | ALLIGATOR BAY | 3289P | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | | 3289Q | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | SHARK SLOUGH A (EVERGLADES NATIONAL PARK) | 3289R | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | EVERGLADES LAKES | 3289X | Mercury (in fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------------|---|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Everglades | Everglades National Park | JOE BAY (EAST SEGMENT) | 3303G | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | JOE BAY EAST | 3303G | Mercury (in fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | DAVIS COVE | 3303H | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | DAVIS COVE | 3303H | Mercury (in fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | GULF OF MEXICO (EVERGLADES NATIONAL PARK) | 8066 | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | GULF OF MEXICO (EVERGLADES NATIONAL PARK) | 8067 | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | GULF OF MEXICO (EVERGLADES NATIONAL PARK) | 8068 | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | GULF OF MEXICO (EVERGLADES NATIONAL PARK; CAPE SABLE) | 8069 | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Everglades National Park | GULF OF MEXICO (EVERGLADES NATIONAL PARK; CAPE SABLE) | 8070 | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Water Conservation Area 1 | WCA1 CENTER SECTOR | 3252 | Fecal Coliform | 5 | Low |
| Group 5 | Everglades | Water Conservation Area 1 | WCA 1 (CENTRALSECTOR) | 3252 | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Water Conservation Area 1 | WCA1 NORTH SECTOR | 3252B | Fecal Coliform | 5 | Low |
| Group 5 | Everglades | Water Conservation Area 1 | WCA 1 (NORTH SECTOR) | 3252B | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------|---------------------------|----------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Everglades | Water Conservation Area 1 | ACME (NORTH SECTOR) | 3252C | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Water Conservation Area 1 | WCA 1 (WEST SECTOR) | 3252D | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Water Conservation Area 1 | WCA1 West Sector | 3252D | Nutrients (TP) | 4e | |
| Group 5 | Everglades | Water Conservation Area 1 | WCA 1 (SOUTH SECTOR) | 3252E | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Water Conservation Area 1 | WCA1 East Sector | 3252G | Dissolved Oxygen | 4d | |
| Group 5 | Everglades | Water Conservation Area 1 | WCA 1 (EAST SECTOR) | 3252G | Mercury (fish tissue) | 5 | High |
| Group 5 | Everglades | Water Conservation Area 1 | WCA1 East Sector | 3252G | Nutrients (TP) | 4e | |
| Group 5 | Everglades | Water Conservation Area 2 | WCA2A Center Sector | 3265F | Nutrients (TP) | 4e | |
| Group 5 | Everglades | Water Conservation Area 2 | WCA2A Center Sector | 3265G | Dissolved Oxygen | 4d | |
| Group 5 | Everglades | Water Conservation Area 2 | WCA2A Center Sector | 3265G | Nutrients (TP) | 4e | |
| Group 5 | Everglades | Water Conservation Area 2 | WCA2A CENTER SECTOR | 3265H | Dissolved Oxygen | 5 | Medium |
| Group 5 | Everglades | Water Conservation Area 2 | CONSERVATION AREA 2B | 3272 | Mercury (in fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|--------------|---------------------------|------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Everglades | Water Conservation Area 3 | WCA3A South Sector | 3268F | Dissolved Oxygen | 4d | |
| Group 5 | Everglades | Water Conservation Area 3 | WCA3A South Sector | 3268G | Dissolved Oxygen | 4d | |
| Group 5 | Everglades | Water Conservation Area 3 | WCA3A South Sector | 3268H | Dissolved Oxygen | 4d | |
| Group 5 | Everglades | Water Conservation Area 3 | WCA3A South Sector | 3268I | Dissolved Oxygen | 4d | |
| Group 5 | Everglades | Water Conservation Area 3 | WCA3A South Sector | 3268I | Nutrients (TP) | 4e | |
| Group 5 | Everglades | Water Conservation Area 3 | WCA3A South Sector | 3268J | Dissolved Oxygen | 4d | |
| Group 5 | Florida Keys | Lower Keys | BIG PINE KEY | 6012A | Copper | 5 | Medium |
| Group 5 | Florida Keys | Lower Keys | Big Pine Key | 6012A | Dissolved Oxygen | 4e | |
| Group 5 | Florida Keys | Lower Keys | BIG PINE KEY | 6012A | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | No Name Key | 6012C | Dissolved Oxygen | 4e | |
| Group 5 | Florida Keys | Lower Keys | NO NAME KEY | 6012C | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | LONG BEACH | 6012D | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | BIG TORCH KEY | 6012E | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | Saddlebunch Keys | 6013A | Dissolved Oxygen | 4e | |
| Group 5 | Florida Keys | Lower Keys | SADDLEBUNCH KEYS | 6013A | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | SUGARLOAF | 6013B | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | CUDJOE KEY | 6013C | Copper | 5 | Medium |
| Group 5 | Florida Keys | Lower Keys | Cudjoe Key | 6013C | Dissolved Oxygen | 4e | |
| Group 5 | Florida Keys | Lower Keys | CUDJOE KEY | 6013C | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | LITTLE KNOCKEMDOWN KEY | 6013D | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | KEY WEST | 6014A | Copper | 5 | Medium |
| Group 5 | Florida Keys | Lower Keys | KEY WEST | 6014A | Fecal Coliform | 5 | Low |
| Group 5 | Florida Keys | Lower Keys | KEY WEST | 6014A | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | STOCK ISLAND | 6014B | Copper | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|--------------|---------------|--|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Florida Keys | Lower Keys | STOCK ISLAND | 6014B | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | US Naval Air Station Key West | 6014C | Dissolved Oxygen | 4e | |
| Group 5 | Florida Keys | Lower Keys | US NAVAL AIR STATION KEY WEST | 6014C | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | BAHIA HONDA STATE PARK | 6018 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | DRY TORTUGAS | 8072 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | KEY WEST GULF | 8073 | Fecal Coliform | 5 | Low |
| Group 5 | Florida Keys | Lower Keys | KEY WEST AND OUTLYING ISLANDS | 8073 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | SIMONTON STREET BEACH (KW) | 8073C | Bacteria | 5 | High |
| Group 5 | Florida Keys | Lower Keys | SOUTH BEACH (KW) | 8073E | Bacteria | 5 | High |
| Group 5 | Florida Keys | Lower Keys | HIGGS BEACH | 8073F | Bacteria | 5 | High |
| Group 5 | Florida Keys | Lower Keys | REST BEACH (KW) | 8073G | Bacteria | 5 | High |
| Group 5 | Florida Keys | Lower Keys | SMATHERS BEACH | 8073H | Bacteria | 5 | High |
| Group 5 | Florida Keys | Lower Keys | GULF OF MEXICO (MONROE COUNTY; KEY WEST-CUDJOE KEY) | 8074 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | GULF OF MEXICO (MONROE COUNTY; BAHIA HONDA-CUDJOE KEY) | 8075 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | ATLANTIC OCEAN (MONROE COUNTY; CUDJOE KEY-KEY WEST) | 8079 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | ATLANTIC OCEAN (MONROE COUNTY; BAHIA HONDA-CUDJOE KEY) | 8080 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Lower Keys | BAHIA HONDA SANDSPUR | 8080A | Bacteria | 5 | High |
| Group 5 | Florida Keys | Lower Keys | BAHIA HONDA OCEANSIDE | 8080B | Bacteria | 5 | High |
| Group 5 | Florida Keys | Middle Keys | Long Key | 6010 | Dissolved Oxygen | 4d | |
| Group 5 | Florida Keys | Middle Keys | LONG KEY | 6010 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|--------------|---------------|--|--------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Florida Keys | Middle Keys | VACA KEY | 6011A | Copper | 5 | Medium |
| Group 5 | Florida Keys | Middle Keys | Vaca Key | 6011A | Dissolved Oxygen | 4e | |
| Group 5 | Florida Keys | Middle Keys | VACA KEY | 6011A | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Middle Keys | GRASSEY KEY | 6011C | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Middle Keys | Duck Key | 6016 | Dissolved Oxygen | 4e | |
| Group 5 | Florida Keys | Middle Keys | DUCK KEY | 6016 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Middle Keys | FLORIDA BAY (EVERGLADES NATIONAL PARK; FLAMINGO) | 8071 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Middle Keys | GULF OF MEXICO (MONROE COUNTY; MARATHON) | 8076 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Middle Keys | VETERAN'S BEACH | 8076A | Bacteria | 5 | High |
| Group 5 | Florida Keys | Middle Keys | FLORIDA BAY (MIDDLE KEYS) | 8077 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Middle Keys | ATLANTIC OCEAN (MONROE COUNTY; MARATHON) | 8081 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Middle Keys | COCO PLUM BEACH | 8081A | Bacteria | 5 | High |
| Group 5 | Florida Keys | Middle Keys | ATLANTIC OCEAN (MONROE COUNTY; MARATHON) | 8082 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Middle Keys | ATLANTIC OCEAN (MONROE COUNTY; LONG KEY) | 8083 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | JOHN PENNEKAMP STATE PARK | 6005EB | Bacteria | 5 | High |
| Group 5 | Florida Keys | Upper Keys | SOUTH KEY LARGO | 6006A | Copper | 5 | Medium |
| Group 5 | Florida Keys | Upper Keys | South Key Largo | 6006A | Dissolved Oxygen | 4e | |
| Group 5 | Florida Keys | Upper Keys | SOUTH KEY LARGO | 6006A | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | MIDDLE KEY LARGO | 6006B | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | NORTH KEY LARGO | 6006C | Copper | 5 | Medium |
| Group 5 | Florida Keys | Upper Keys | NORTH KEY LARGO | 6006C | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | PLANTATION KEY | 6009 | Copper | 5 | Medium |
| Group 5 | Florida Keys | Upper Keys | Plantation Key | 6009 | Dissolved Oxygen | 4e | |
| Group 5 | Florida Keys | Upper Keys | PLANTATION KEY | 6009 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | Upper Matecumbe Key | 6017 | Dissolved Oxygen | 4e | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------------|-------------------|---|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Florida Keys | Upper Keys | UPPER MATECUMBE KEY | 6017 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | LOWER MATECUMBE KEY | 6019 | Copper | 5 | Medium |
| Group 5 | Florida Keys | Upper Keys | Lower Matecumbe Key | 6019 | Dissolved Oxygen | 4e | |
| Group 5 | Florida Keys | Upper Keys | LOWER MATECUMBE KEY | 6019 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | FLORIDA BAY (UPPER KEYS) | 8078 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | HARRY HARRIS COUNTY PARK | 8078A | Bacteria | 5 | High |
| Group 5 | Florida Keys | Upper Keys | ISLAMORADA LIBRARY BEACH | 8078B | Bacteria | 5 | High |
| Group 5 | Florida Keys | Upper Keys | FOUNDER | 8078C | Bacteria | 5 | High |
| Group 5 | Florida Keys | Upper Keys | ATLANTIC OCEAN (MONROE COUNTY; ISLAMORADA) | 8084 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | ATLANTIC OCEAN (MONROE COUNTY; ISLAMORADA) | 8085 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | ATLANTIC OCEAN (MONROE COUNTY; KEY LARGO-TAVERNIER) | 8086 | Mercury (fish tissue) | 5 | High |
| Group 5 | Florida Keys | Upper Keys | ATLANTIC OCEAN (MONROE COUNTY; KEY LARGO) | 8087 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | NEWFOUND HARBOR | 3044A | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | NEWFOUND HARBOR | 3044A | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | NEWFOUND HARBOR | 3044A | Nutrients (Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | SYKES CREEK/BARGE CANAL | 3044B | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | BANANA RIVER BELOW 520 CSWY | 3057A | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | BANANA RIVER BELOW 520 CSWY | 3057A | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | BANANA RIVER BELOW 520 CSWY | 3057A | Nutrients (Other Information) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------------|----------------------|---|-------|---------------------------------|------------------------|-------------------------------|
| Group 5 | Indian River Lagoon | Banana River Unit | BANANA RIVER ABOVE 520 CSWY | 3057B | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | BANANA RIVER ABOVE 520 CSWY | 3057B | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | BANANA RIVER ABOVE 520 CSWY | 3057B | Nutrients (Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | BANANA RIVER ABOVE BARGE CANAL | 3057C | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | BANANA RIVER ABOVE BARGE CANAL | 3057C | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | BANANA RIVER ABOVE BARGE CANAL | 3057C | Nutrients (Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | ATLANTIC OCEAN (BREVARD COUNTY) | 8109 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | PELICAN BEACH PARK | 8109A | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | Banana River Ocean 2 | 8110 | Dissolved Oxygen | 4d | |
| Group 5 | Indian River Lagoon | Banana River Unit | ATLANTIC OCEAN (BREVARD COUNTY) | 8110 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | PATRICK AIR FORCE BASE (NORTH) | 8110A | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | COCOA BEACH - MINUTEMAN CAUSEWAY | 8110B | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | COCOA BEACH PIER | 8110C | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | JETTY PARK | 8110D | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | ATLANTIC OCEAN (BREVARD COUNTY; CAPE CANAVERAL) | 8111 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Banana River Unit | ATLANTIC OCEAN (BREVARD COUNTY) | 8112 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | MOSQUITO LAGOON | 2924 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | MOSQUITO LAGOON | 2924 | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | MOSQUITO LAGOON | 2924B | Coliform (Shellfish harvesting) | 5 | Low |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | Mosquito Lagoon | 2924B | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------------|-----------------------------------|--|-------|---------------------------------|------------------------|-------------------------------|
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | MOSQUITO LAGOON | 2924B | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | ATLANTIC OCEAN (BREVARD COUNTY) | 8113 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | CANAVERAL NATIONAL SEASHORE #4 | 8113A | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | ATLANTIC OCEAN (VOLUSIA COUNTY) | 8114 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | Mosquito Lagoon Ocean 3 | 8115 | Dissolved Oxygen | 4d | |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | ATLANTIC OCEAN (VOLUSIA COUNTY) | 8115 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | ATLANTIC OCEAN (VOLUSIA COUNTY; PONCE INLET) | 8116 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | 27TH STREET | 8116A | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | FLAGLER AVENUE | 8116B | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | INLET CONDO | 8116C | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | SOUTH JETTY | 8116D | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | NORTH JETTY | 8116E | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | OCEANVIEW WAY | 8116F | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIAN RIVER ABOVR SEBASTIAN INLET | 2963A | Coliform (Shellfish harvesting) | 5 | Low |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIAN RIVER ABOVR SEBASTIAN INLET | 2963A | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIAN RIVER ABOVR SEBASTIAN INLET | 2963A | Nutrients (Other Information) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------------|-----------------------------------|-----------------------------------|-------|--|------------------------|-------------------------------|
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIAN RIVER ABOVE MELBOURNE CSWY | 2963B | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIAN RIVER ABOVE MELBOURNE CSWY | 2963B | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIAN RIVER ABOVE MELBOURNE CSWY | 2963B | Nutrients (Chla and Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | EAU GALLIE RIVER | 3082 | Copper | 5 | Medium |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | EAU GALLIE RIVER | 3082 | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | EAU GALLIE RIVER | 3082 | Fecal Coliform | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | EAU GALLIE RIVER | 3082 | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | EAU GALLIE RIVER | 3082 | Nutrients (Chla) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | CRANE CREEK | 3085 | Fecal Coliform | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | CRANE CREEK | 3085A | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | CRANE CREEK | 3085A | Fecal Coliform | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | CRANE CREEK | 3085A | Mercury (in Fish Tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|---------------------|---|--|-------|-----------------------------------|------------------------------|-------------------------------------|
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | Elbow Creek | 3087 | Dissolved Oxygen | 4d | |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | TURKEY CREEK | 3098 | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | TURKEY CREEK | 3098 | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | GOAT CREEK | 3107 | Fecal Coliform | 5 | Low |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | GOAT CREEK | 3107 | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | Kid Creek | 3115 | Dissolved Oxygen | 4d | |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | Trout Creek | 3119 | Dissolved Oxygen | 4d | |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | Coastal Drain | 3123 | Dissolved Oxygen | 4d | |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | ATLANTIC OCEAN (BREVARD COUNTY; SEBASTIAN INLET) | 8107 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | Indian River Ocean 2 | 8108 | Dissolved Oxygen | 4d | |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | ATLANTIC OCEAN (BREVARD COUNTY) | 8108 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | SPESSARD HOLLAND NORTH | 8108A | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|---------------------|---|--------------------------------------|-------|------------------------------------|------------------------------|-------------------------------------|
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIALANTIC BOARDWALK | 8108B | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | PARADISE BEACH PARK | 8108C | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | Turnbull Creek | 2942 | Dissolved Oxygen | 4d | |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE MELBOURNE CSWY | 2963C | Coliform (Shellfish harvesting) | 5 | Low |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE MELBOURNE CSWY | 2963C | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE MELBOURNE CSWY | 2963C | Nutrients (Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE 520 CSWY | 2963D | Coliform (Shellfish harvesting) | 5 | Low |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE 520 CSWY | 2963D | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE 520 CSWY | 2963D | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE 520 CSWY | 2963D | Nutrients (Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE NASA CSWY | 2963E | Coliform (Shellfish harvesting) | 5 | Low |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE NASA CSWY | 2963E | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE NASA CSWY | 2963E | Nutrients (Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE M. BREWER | 2963F | Copper | 5 | Medium |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE M. BREWER | 2963F | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE M. BREWER | 2963F | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE M. BREWER | 2963F | Nickel | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------------|--------------------------------|------------------------------------|-------|--|------------------------|-------------------------------|
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE M. BREWER | 2963F | Nutrients (Chla and Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | ADDISON CREEK | 3028 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | Pineda Golf Course Drain | 3077 | Dissolved Oxygen | 4d | |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | Micco Ditches | 3121 | Dissolved Oxygen | 4d | |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | N. PRONG SEBASTIAN RIVER | 3128 | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | N. PRONG SEBASTIAN RIVER | 3128 | Iron | 5 | Medium |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SEBASTIAN RIVER ABOVE INDIAN RIVER | 3129A | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SEBASTIAN RIVER ABOVE INDIAN RIVER | 3129A | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SEBASTIAN RIVER | 3129B | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | C-54 CANAL | 3135 | Dissolved Oxygen | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | C-54 CANAL | 3135 | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | C-54 CANAL | 3135 | Nickel | 5 | Medium |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | NORTH CANAL | 3147 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | NORTH CANAL | 3147 | Fecal Coliform | 5 | Low |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | MAIN CANAL | 3153 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | MAIN CANAL | 3153 | Fecal Coliform | 5 | Low |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | MAIN CANAL | 3158 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH CANAL | 3158 | Fecal Coliform | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------------|--------------------------------|--------------------------------------|--------|-------------------------------------|------------------------|-------------------------------|
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH INDIAN RIVER | 5003B | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH INDIAN RIVER | 5003B | Nutrients (Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH INDIAN RIVER | 5003C | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH INDIAN RIVER | 5003C | Nutrients (Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH INDIAN RIVER | 5003D | Coliform (Shellfish harvesting) | 5 | Low |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH INDIAN RIVER | 5003D | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH INDIAN RIVER | 5003D | Nutrients (Other Information) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | COCONUT POINT | 5003DA | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | ATLANTIC OCEAN (INDIAN RIVER COUNTY) | 8105 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | ROUND ISLAND BEACH PARK | 8105A | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH BEACH PARK | 8105B | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | HUMISTON BEACH | 8105C | Beach Closure advisory for bacteria | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | HUMISTON BEACH OUTFLOW | 8105C | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SEXTON PLAZA | 8105D | Beach Closure advisory for bacteria | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SEXTON PLAZA OUTFLOW | 8105D | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | JAYCEE BEACH PARK | 8105E | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | TRACKING STATION BEACH PARK | 8105F | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | South Indian Ocean 2 | 8106 | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------------|--------------------------------|---|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Indian River Lagoon | South Central Indian River Lag | ATLANTIC OCEAN (INDIAN RIVER COUNTY; SEBASTIAN INLET) | 8106 | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | WABASSO BEACH PARK | 8106A | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | GOLDEN SANDS PARK | 8106B | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | TREASURE SHORES PARK | 8106C | Mercury (fish tissue) | 5 | High |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SEBASTIAN INLET NORTH | 8106D | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | BIG LAGOON | 1004 | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | DIRECT RUNOFF TO BAY | 1014 | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | DIRECT RUNOFF TO BAY | 1018 | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | ELEVENMILE CREEK | 489 | Dissolved Oxygen | 5 | High |
| Group 5 | Perdido | Perdido Bay | ELEVENMILE CREEK | 489 | Dissolved Oxygen | 5 | High |
| Group 5 | Perdido | Perdido Bay | ELEVENMILE CREEK | 489 | Fecal Coliform | 5 | High |
| Group 5 | Perdido | Perdido Bay | ELEVENMILE CREEK | 489 | Un-ionized Ammonia | 5 | Low |
| Group 5 | Perdido | Perdido Bay | TENMILE CREEK | 489A | Fecal Coliform | 5 | High |
| Group 5 | Perdido | Perdido Bay | Eightmile Creek | 624 | Dissolved Oxygen | 4d | |
| Group 5 | Perdido | Perdido Bay | Marcus Creek | 697 | Dissolved Oxygen | 4d | |
| Group 5 | Perdido | Perdido Bay | MARCUS CREEK | 697 | Fecal Coliform | 5 | Low |
| Group 5 | Perdido | Perdido Bay | PERDIDO BAY (UPPER SEGMENT) | 797 | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | UPPER PERDIDO BAY | 797 | Nutrients | 5 | High |
| Group 5 | Perdido | Perdido Bay | PERDIDO BAY (LOWER SEGMENT) | 797A | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | GULF OF MEXICO (ESCAMBIA COUNTY; PERDIDO BAY) | 8001 | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | PERDIDO KEY STATE PARK | 8001A | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | JOHNSON BEACH | 8001B | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | BIG LAGOON STATE PARK | 8001C | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | BRIDGE CREEK | 872 | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | TARKILN BAYOU | 945 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------|---|--|--------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Perdido | Perdido Bay | PERDIDO BAY | 974 | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | BAYOU GARCON | 987 | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido Bay | DIRECT RUNOFF TO BAY | 991 | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido River | PERDIDO RIVER | 2F | Mercury (in Fish Tissue) | 5 | High |
| Group 5 | Perdido | Perdido River | BRUSHY CREEK | 4 | Fecal Coliform | 5 | High |
| Group 5 | Perdido | Perdido River | PERDIDO RIVER | 462A | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido River | PERDIDO RIVER | 462B | Fecal Coliform | 5 | High |
| Group 5 | Perdido | Perdido River | PERDIDO RIVER | 462B | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido River | PERDIDO RIVER | 462C | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido River | REST AREA RUN | 542 | Fecal Coliform | 5 | Low |
| Group 5 | Perdido | Perdido River | REST AREA RUN | 542 | Turbidity | 5 | Low |
| Group 5 | Perdido | Perdido River | DIRECT RUNOFF TO STREAM | 72 | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido River | DIRECT RUNOFF TO STREAM | 72D | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido River | DIRECT RUNOFF TO STREAM | 72E | Mercury (fish tissue) | 5 | High |
| Group 5 | Perdido | Perdido River | DIRECT RUNOFF TO STREAM | 72F | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ANCLOTE RIVER TIDAL | 1440 | Mercury (in fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ANCLOTE RIVER BAYOU COMPLEX (SPRING BAYOU) | 1440A | Dissolved Oxygen | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ANCLOTE RIVER BAYOU COMPLEX (SPRING BAYOU) | 1440A | Nutrients (chla) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ANCLOTE RIVER PARK BEACH | 1440AB | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | Anclote River Freshwater Segment | 1440F | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | LAKE NASH | 1450B | Mercury (in Fish Tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------|---|--|-------|------------------------------------|------------------------|-------------------------------|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | DIRECT RUNOFF TO GULF | 1479 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | KLOSTERMAN BAYOU RUN TIDAL | 1508 | Coliform (Fecal Coliform) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | KLOSTERMAN BAYOU RUN TIDAL | 1508 | Dissolved Oxygen | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | KLOSTERMAN BAYOU | 1508 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | KLOSTERMAN BAYOU RUN TIDAL | 1508 | Nutrients (chla and Historic chla) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | Health Spring Drain | 1512 | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | WALL SPRING (Health Springs) | 1512Z | Dissolved Oxygen | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | SUTHERLAND BAYOU (SMITH CREEK) | 1527 | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CLEARWATER HARBOR SOUTH | 1528 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | THE NARROWS | 1528A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | DIRECT RUNOFF TO INTERCOASTAL WATERWAY | 1528B | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CLEARWATER HARBOR (NORTH) | 1528C | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|---------------|---|---|-------|-----------------------------------|------------------------------|-------------------------------------|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | DIRECT RUNOFF TO GULF (MINNOW CREEK) | 1535 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CURLEW CREEK TIDAL | 1538 | Dissolved Oxygen | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CURLEW CREEK TIDAL | 1538 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CURLEW CREEK TIDAL | 1538 | Nutrients (chla) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CURLEW CREEK FRESHWATER SEGMENT | 1538A | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | DIRECT RUNOFF TO GULF | 1554 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CEDAR CREEK TIDAL | 1556 | Dissolved Oxygen | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CEDAR CREEK TIDAL | 1556 | Nutrients (chla) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CEDAR CREEK FRESHWATER | 1556A | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | DIRECT RUNOFF TO GULF | 1562 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | STEVENSON CREEK TIDAL | 1567 | Dissolved Oxygen | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | STEVENSON CREEK (TIDAL SEGMENT) | 1567 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------|---|------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | STEVENSON CREEK TIDAL | 1567 | Nutrients (chla) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | SPRING BRANCH | 1567B | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | SPRING BRANCH | 1567B | Dissolved Oxygen | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | STEVENSON CREEK | 1567C | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | Stevenson Creek | 1567C | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | BELLEAIR GOLF CLUB RUN | 1614 | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | BELLEAIR GOLF CLUB RUN | 1614 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | LONG BAYOU RUNOFF | 1618B | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | LONG BAYOU/CROSS BAYOU | 1618C | Dissolved Oxygen | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | LONG BAYOU/CROSS BAYOU | 1618C | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | LONG BAYOU/CROSS BAYOU | 1618C | Nutrients (chla) | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | STARKEY BASIN | 1618D | Dissolved Oxygen | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------|---|---------------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | STARKEY BASIN | 1618D | Nutrients (chla) | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | MCKAY CREEK TIDAL | 1633 | Coliform (Fecal Coliform) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | MCKAY CREEK TIDAL | 1633 | Dissolved Oxygen | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | MCKAY CREEK TIDAL | 1633 | Nutrients (chla) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | MCKAY CREEK FRESHWATER SEGMENT | 1633B | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | MCKAY CREEK FRESHWATER SEGMENT | 1633B | Dissolved Oxygen | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CROSS CANAL (SOUTH) | 1641 | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CROSS CANAL (SOUTH) | 1641 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CROSS CANAL (SOUTH) | 1641 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CROSS CANAL (SOUTH) | 1641 | Nutrients (chla) | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CHURCH CREEK | 1643 | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | PINELLAS PARK DITCH NO. 1 TIDAL | 1662 | Coliform (Fecal Coliform) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|---------------|---|---|-------|---------------------------------------|------------------------------|-------------------------------------|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | PINELLAS PARK DITCH NO. 1 TIDAL | 1662 | Dissolved Oxygen | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | PINELLAS PARK DITCH NO 1 (TIDAL SEGMENT) | 1662 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ST JOE CREEK | 1668A | Coliform (Fecal Coliform) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ST JOE CREEK | 1668A | Dissolved Oxygen | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ST JOE CREEK | 1668A | Nutrients (Historic chla) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | PINELLAS PARK DITCH NO. 5 | 1668B | Coliform (Fecal Coliform) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | PINELLAS PARK DITCH NO. 5 | 1668B | Dissolved Oxygen | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | PINELLAS PARK DITCH NO. 5 | 1668B | Nutrients (chla and Historic chla) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | BONN CREEK | 1668D | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | Bonn Creek | 1668D | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ST JOE CREEK TIDAL | 1668E | Dissolved Oxygen | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ST JOE CREEK (TIDAL SEGMENT) | 1668E | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------|---|--------------------------|-------|------------------------------------|------------------------|-------------------------------|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ST JOE CREEK TIDAL | 1668E | Nutrients (chla and Historic chla) | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | BOCA CIEGA BAY (CENTRAL) | 1694A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | BOCA CIEGA BAY (NORTH) | 1694B | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | BOCA CIEGA BAY | 1694C | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CROSS BAYOU DRAIN | 1694D | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | GULFPORT | 1694F | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | BEAR CREEK | 1701 | Coliform (Fecal Coliform) | 5 | Low |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | BEAR CREEK | 1701 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CLAM BAYOU DRAIN TIDAL | 1716 | Dissolved Oxygen | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CLAM BAYOU DRAIN (TIDAL) | 1716 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | 34TH STREET BASIN | 1716A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | Clam Bayou Drain | 1716B | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|---------------|---|--|-------|-----------------------------------|------------------------------|-------------------------------------|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CRYSTAL RIVER GULF 1 | 8044C | Bacteria | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ROBERT K REES PARK BEACH | 8044C | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | GULF HARBORS BEACH | 8045A | Bacteria | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | GULF HARBORS BEACH | 8045A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | FRED HOWARD BEACH | 8045B | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | GULF OF MEXICO (PINELLAS COUNTY; PASCO COUNTY) | 8045C | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ST. JOSEPH SOUND | 8045D | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | GULF OF MEXICO (PINELLAS COUNTY) | 8046 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | HONEYMOON ISLAND BEACH | 8046A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | GULF OF MEXICO (PINELLAS COUNTY) | 8047 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | SAND KEY | 8047A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | BELLEAIR SHORES INTERCOASTAL | 8047B | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------|---|---|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | INDIAN ROCKS BEACH | 8047C | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | GULF OF MEXICO (PINELLAS COUNTY) | 8048 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | INDIAN SHORES BEACH | 8048A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | MADEIRA BEACH | 8048B | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | TREASURE ISLAND BEACH | 8048C | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Chassahowitzka Planning Unit | Chassahowitzka Main | 1348Z | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Chassahowitzka Planning Unit | GULF OF MEXICO (HERNANDO COUNTY; CITRUS COUNTY) | 8041 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Crystal River / Kings Bay Planning Unit | DIRECT RUNOFF TO GULF | 1339 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Crystal River / Kings Bay Planning Unit | Hunter Spring | 1341C | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Crystal River / Kings Bay Planning Unit | Tarpon Spring | 1341G | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Crystal River / Kings Bay Planning Unit | CRYSTAL RIVER | 1341I | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Crystal River / Kings Bay Planning Unit | GULF OF MEXICO (CITRUS COUNTY; CRYSTAL RIVER) | 8039 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|---------------|---|--|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Springs Coast | Crystal River / Kings Bay Planning Unit | FORT ISLAND GULF BEACH | 8039A | Bacteria | 5 | High |
| Group 5 | Springs Coast | Crystal River / Kings Bay Planning Unit | FORT ISLAND GULF BEACH | 8039A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Homosassa River Planning Unit | CRYSTAL RIVER BAY | 1345A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Homosassa River Planning Unit | Homosassa Spring | 1345D | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Homosassa River Planning Unit | GULF OF MEXICO (CITRUS COUNTY) | 8040 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | DIRECT RUNOFF TO GULF | 1373 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | WEEKI WATCHEE RIVER | 1382 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | Weeki Watchee River | 1382A | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Middle Coastal | Weeki Watchee Spring | 1382B | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Middle Coastal | Weekwatchee Springs | 1382B | Nutrients (algal mats) | 5 | Medium |
| Group 5 | Springs Coast | Middle Coastal | Weekwatchee Springs Run | 1382F | Nutrients (algal mats) | 5 | Medium |
| Group 5 | Springs Coast | Middle Coastal | Lake Hancock - Open Water | 1392B | Dissolved Oxygen | 4d | |
| Group 5 | Springs Coast | Middle Coastal | OELSNER PARK BEACH | 1409B | Bacteria | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | GULF OF MEXICO (HERNANDO COUNTY) | 8042 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | PINE ISLAND BEACH | 8042A | Bacteria | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | PINE ISLAND BEACH | 8042A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | GULF OF MEXICO (PASCO COUNTY; HERNANDO COUNTY) | 8043 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | GULF OF MEXICO (PASCO COUNTY; PORT RICHEY) | 8044 | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | ROBERT J STRICKLAND BEACH | 8044A | Bacteria | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | ROBERT J STRICKLAND BEACH | 8044A | Mercury (fish tissue) | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | BRASHER PARK BEACH | 8044B | Bacteria | 5 | High |
| Group 5 | Springs Coast | Middle Coastal | ENERGY AND MARINE CENTER | 8044D | Bacteria | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|--------------------|--------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Springs Coast | Middle Coastal | ENERGY AND MARINE CENTER | 8044D | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Halifax River | 2363A | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Halifax River | 2363B | Copper | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Halifax River | 2363B | Iron | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Halifax River | 2363B | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Tomoka Basin | 2363C | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Palm Coast | 2363J | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Bulow Creek | 2620 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Upper East Coast | Halifax River Unit | Bulow Creek | 2620 | Iron | 5 | Medium |
| Group 5 | Upper East Coast | Halifax River Unit | Tomoka River | 2634A | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Halifax River Unit | Tomoka River | 2634A | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Grover Branch | 2635 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Halifax River Unit | Unnamed Branch | 2641 | Fecal Coliform | 5 | Low |
| Group 5 | Upper East Coast | Halifax River Unit | Unnamed Branch | 2642 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Mizners Branch | 2645 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Halifax River Unit | Little Tomoka River | 2646 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Halifax River Unit | Holly Hill Ditch | 2647 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Upper East Coast | Halifax River Unit | Reed Canal | 2664 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Halifax River Unit | Sweetwater Creek | 2666A | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Halifax River Unit | Halifax Canal | 2670 | Fecal Coliform | 5 | Low |
| Group 5 | Upper East Coast | Halifax River Unit | Halifax Canal | 2670 | Nutrients (Chla) | 5 | Medium |
| Group 5 | Upper East Coast | Halifax River Unit | Rose Bay | 2672 | Dissolved Oxygen | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Rose Bay | 2672 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Unnamed Drain | 2673 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Halifax River Unit | Spruce Creek | 2674 | Fecal Coliform | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Spruce Creek | 2674A | Copper | 5 | Medium |
| Group 5 | Upper East Coast | Halifax River Unit | Spruce Creek | 2674A | Dissolved Oxygen | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Spruce Creek | 2674A | Fecal Coliform | 5 | Low |
| Group 5 | Upper East Coast | Halifax River Unit | Spruce Creek | 2674A | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Spruce Creek | 2674A | Nutrients (Chla) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Strickland Bay | 2674B | Fecal Coliform | 5 | Low |
| Group 5 | Upper East Coast | Halifax River Unit | Strickland Bay | 2674B | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Sand Creek | 2675 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Upper East Coast | Halifax River Unit | Turnbull Bay | 2678 | Dissolved Oxygen | 5 | Medium |
| Group 5 | Upper East Coast | Halifax River Unit | Turnbull Bay | 2678 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Turnbull Bay | 2678 | Nutrients (Chla) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|---------------------|---------------------------------|-------|--------------------------------|------------------------|-------------------------------|
| Group 5 | Upper East Coast | Halifax River Unit | Unnamed Drain | 2679 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Halifax River Unit | Glencoe Ditches | 2681 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Halifax River Unit | ATLANTIC OCEAN (VOLUSIA COUNTY) | 8117 | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | TORONITA | 8117A | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Dunlawton | 8117B | Coliforms (Beach Advisory) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | DUNLAWTON | 8117B | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Hilton | 8117C | Coliforms (Beach Advisory) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | HILTON | 8117C | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | Silver Beach | 8117D | Coliforms (Beach Advisory) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | SILVER BEACH | 8117D | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | MAIN STREET | 8117E | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | SEABREEZE BLVD | 8117F | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | ATLANTIC OCEAN (VOLUSIA COUNTY) | 8118 | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | GRANDA BLVD | 8118A | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | BICENTENNIAL PARK | 8118B | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | ATLANTIC OCEAN (FLAGLER COUNTY) | 8119 | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | GAMBLE ROGERS STATE PARK | 8119A | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Halifax River Unit | FLAGLER PIER AT FLAGLER BEACH | 8119B | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | Matanzas River | 2363G | Iron | 5 | Medium |
| Group 5 | Upper East Coast | Matanzas River Unit | Matanzas River | 2363G | Lead | 5 | Medium |
| Group 5 | Upper East Coast | Matanzas River Unit | Matanzas River | 2363G | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | St. Augustine Inlet | 2363H | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | Red House Branch | 2472 | Dissolved Oxygen | 4d | |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|------------------|------------------------|-------------------------------------|-------|--|------------------------------|-------------------------------------|
| Group 5 | Upper East Coast | Matanzas River Unit | Red House Branch | 2472 | Fecal Coliform | 5 | Low |
| Group 5 | Upper East Coast | Matanzas River Unit | San Sebastian River | 2491 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Matanzas River Unit | Moultrie Creek | 2493 | Fecal Coliform (3) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | Salt Run | 2502 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | Salt Run | 2502A | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Matanzas River Unit | Quarry Creek | 2510 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | Unnamed Bayou | 2513 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | East Creek | 2519 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | San Julian Creek | 2529 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | Moses Creek | 2535 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Matanzas River Unit | ATLANTIC OCEAN (ST JOHNS COUNTY) | 8122 | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | CRESCENT BEACH | 8122A | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | ST AUGUSTINE BEACH (OCEAN TRACE) | 8122B | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | ST AUGUSTINE BEACH (A STREET) | 8122C | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Matanzas River Unit | ANASTASIA STATE PARK | 8122D | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Palm Coast | 2363D | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Pellicer Creek Unit | ICWW | 2363E | Arsenic | 5 | Medium |
| Group 5 | Upper East Coast | Pellicer Creek Unit | ICWW | 2363E | Coliform (Shellfish harvesting downgrade) | 5 | Low |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|---------------------|--|-------|---|------------------------|-------------------------------|
| Group 5 | Upper East Coast | Pellicer Creek Unit | ICWW | 2363E | Iron | 5 | Medium |
| Group 5 | Upper East Coast | Pellicer Creek Unit | ICWW | 2363E | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Pellicer Creek Unit | ICWW | 2363F | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Pellicer Creek Unit | ICWW | 2363F | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Pellicer Creek Unit | ICWW | 2363F | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Pellicer Creek | 2580B | Fecal Coliform | 5 | Low |
| Group 5 | Upper East Coast | Pellicer Creek Unit | ATLANTIC OCEAN (FLAGLER COUNTY) | 8120 | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Pellicer Creek Unit | BEVERLY BEACH (PICNICKERS CAMP) | 8120A | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Pellicer Creek Unit | VARN PARK | 8120B | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Pellicer Creek Unit | ATLANTIC OCEAN (ST JOHNS COUNTY; MATANZAS INLET) | 8121 | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Pellicer Creek Unit | WASHINGTON OAKS BEACH | 8121A | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Pellicer Creek Unit | MARINELAND BEACH | 8121B | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Pellicer Creek Unit | MATANZAS INLET | 8121C | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Guana River | 2320 | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Guana River | 2320 | Dissolved Oxygen | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Guana River | 2320 | Fecal Coliform | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Guana River | 2320 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Guana River | 2320 | Nutrients (Chla) | 5 | Medium |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|---------------------|-----------------------|-------|---|------------------------|-------------------------------|
| Group 5 | Upper East Coast | Tolomato River Unit | Lake Vedra | 2320A | Dissolved Oxygen | 5 | Medium |
| Group 5 | Upper East Coast | Tolomato River Unit | Lake Vedra | 2320A | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Lake Vedra | 2320A | Nutrients (Chla) | 5 | Medium |
| Group 5 | Upper East Coast | Tolomato River Unit | Guana River above dam | 2320F | Nutrients (Chla) | 5 | Medium |
| Group 5 | Upper East Coast | Tolomato River Unit | Tolomato River | 2363I | Arsenic | 5 | Medium |
| Group 5 | Upper East Coast | Tolomato River Unit | Tolomato River | 2363I | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Tolomato River | 2363I | Copper | 5 | Medium |
| Group 5 | Upper East Coast | Tolomato River Unit | Tolomato River | 2363I | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Tolomato River Unit | Tolomato River | 2363I | Iron | 5 | Medium |
| Group 5 | Upper East Coast | Tolomato River Unit | Tolomato River | 2363I | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Tolomato River | 2363I | Nickel | 5 | Medium |
| Group 5 | Upper East Coast | Tolomato River Unit | Smith Creek | 2400 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Tolomato River Unit | Deep Creek Upper | 2406 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Tolomato River Unit | Deep Creek Lower | 2406A | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Deep Creek Lower | 2406A | Fecal Coliform | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Deep Creek Lower | 2406A | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Capo Creek | 2435 | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Capo Creek | 2435 | Mercury (In Fish Tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|--------------------|------------------|---------------------|--|-------|---|------------------------|-------------------------------|
| Group 5 | Upper East Coast | Tolomato River Unit | Marshall Creek | 2442 | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Marshall Creek | 2442 | Fecal Coliform | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Stokes Creek | 2451 | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Stokes Creek | 2451 | Dissolved Oxygen | 4d | |
| Group 5 | Upper East Coast | Tolomato River Unit | Stokes Creek | 2451 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | St. Marks Pond Estuary | 2457A | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | St. Marks Pond Estuary | 2457A | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Casa Cola Creek | 2468 | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Casa Cola Creek | 2468 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Sombrero Creek | 2470 | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Sombrero Creek | 2470 | Fecal Coliform | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Sombrero Creek | 2470 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Ximanies Creek | 2477 | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Ximanies Creek | 2477 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Pancho Creek | 2483 | Coliform (Shellfish harvesting downgrade) | 5 | Low |
| Group 5 | Upper East Coast | Tolomato River Unit | Pancho Creek | 2483 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | Robinson Creek | 2487 | Mercury (In Fish Tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | ATLANTIC OCEAN (ST JOHNS COUNTY; ST AUGUSTINE INLET) | 8123 | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CATEGORY | PRIORITY FOR TMDL DEVELOPMENT |
|-----------------------|------------------|------------------------|-------------------------------------|-------|-----------------------------------|------------------------------|-------------------------------------|
| Group 5 | Upper East Coast | Tolomato River Unit | VILANO BEACH | 8123A | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | ATLANTIC OCEAN (ST JOHNS COUNTY) | 8124 | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | ATLANTIC OCEAN (ST JOHNS COUNTY) | 8125 | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | MICKLER'S LANDING | 8125A | Mercury (fish tissue) | 5 | High |
| Group 5 | Upper East Coast | Tolomato River Unit | SOLANA ROAD | 8125B | Mercury (fish tissue) | 5 | High |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | ASSESSMENT CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|-------------------------|-----------------|----------------------|-------|----------------------------------|--------------------------------|------------------|------------------------|---|
| Group 1 | Lake Okeechobee | Lake Okeechobee | Lake Okeechobee | 3212A | | Turbidity | 2 | 4a | Decision Not to List Not Accepted. The TP TMDL, which was approved on 10-16-01, does not address turbidity. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | Lake Okeechobee | 3212B | | Turbidity | 2 | 4a | Decision Not to List Not Accepted. The TP TMDL, which was approved on 10-16-01, does not address turbidity. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | Lake Okeechobee | 3212D | | Turbidity | 2 | 4a | Decision Not to List Not Accepted. The TP TMDL, which was approved on 10-16-01, does not address turbidity. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | Lake Okeechobee | 3212E | | Turbidity | 2 | 4a | Decision Not to List Not Accepted. The TP TMDL, which was approved on 10-16-01, does not address turbidity. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | Lake Okeechobee | 3212F | | Turbidity | 2 | 4a | Decision Not to List Not Accepted. The TP TMDL, which was approved on 10-16-01, does not address turbidity. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | Lake Okeechobee | 3212G | | Turbidity | 2 | 4a | Decision Not to List Not Accepted. The TP TMDL, which was approved on 10-16-01, does not address turbidity. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | Lake Okeechobee | 3212H | | Turbidity | 2 | 4a | Decision Not to List Not Accepted. The TP TMDL, which was approved on 10-16-01, does not address turbidity. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | Lake Okeechobee | 3212I | | Turbidity | 2 | 4a | Decision Not to List Not Accepted. The TP TMDL, which was approved on 10-16-01, does not address turbidity. |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | MEGGINNIS ARM RUN | 809 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | LAKE LAFAYETTE DRAIN | 756 | Coliforms | Fecal Coliform | 2 | 2 | Delisting Not Accepted: WBID was listed in IWR cycle 1, and does not meet 62-303.720(2)(a)1. EPA understands that DEP intends to adopt this change to the delist list in December 2009. This water remains on the 303(d) List in IR category 3c. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | ASSESSMENT CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|-------------------------|-----------------|----------------------|------|----------------------------------|--------------------------------|------------------|------------------------|---|
| Group 1 | Ochlockonee - St. Marks | St. Marks River | BLACK CREEK | 628 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 1 | Ocklawaha | Orange Creek | LITTLE HATCHET CREEK | 2695 | | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, EPA will add this water to the 303(d) List. |
| Group 1 | Suwannee | Santa Fe River | FIVEMILE CREEK | 3578 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 1 | Suwannee | Santa Fe River | ROCKY CREEK | 3641 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | ASSESSMENT CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|------------------------|------------------------------------|------------------------------|-------|----------------------------------|--------------------------------|------------------|------------------------|---|
| Group 1 | Suwannee | Waccasassa River | LITTLE WACCASASSA RIVER | 3747 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | SIXMILE CREEK | 1536B | Turbidity | Turbidity | 2 | 2 | Delisting Not Accepted. Insufficient data to assess in the verified or planning periods. This water will remain on the 303(d) List in IR category 3c. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Sutton Creek | 822 | | Dissolved Oxygen | 2 | 4c | Decision Not to List Not Accepted. Based on independent review, water is impaired for DO with insufficient evidence of natural condition. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Mosquito Creek Upper Segment | 376 | | Fecal Coliform | 2 | 3b | Delisting not Accepted. The data which supported cycle 1 verification of 376 was collected from the Class 3F waters which comprised most of this water, as defined in 2002. Post-2002 division of this water into a small, central Class I area (376), and a surrounding Class 3F drainage area (376A), resulted in reassignment of all available data to 376A. Florida is verifying 376A for fecal coliform, based on assessment of that data. No data is now available to assess 376, but the impaired status of the surrounding drainage area provides evidence that 376 could be impaired. EPA cannot support delisting of 376 until data is available to confirm that this Class I area has not been adversely impacted by the surrounding impaired drainage area. EPA will add this water to the 303(d) List. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | ASSESSMENT CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|------------------|-------------------------|---------------------------|-------|----------------------------------|--------------------------------|------------------|------------------------|--|
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | NO. PRONG ALLIGATOR CR | 2071 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 2 | Charlotte Harbor | Lemon Bay | CORAL CREEK (EAST BRANCH) | 2078B | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting not accepted. Exclusion of some data based on systematic errors and QA issues leaves insufficient data to assess. Given potential impairment identified in cycle 1, water should remain listed until sufficient data is available. EPA understands that DEP intends to adopt this change to the delist list in December 2009. This water will remain on the 303(d) List for nutrients in IR category 3c. |
| Group 2 | Lower St. Johns | Black Creek | LITTLE BLACK CREEK | 2368 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. This water will remain on the 303(d) List in IR category 3c. |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK | 2415B | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. This water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK (SOUTH FORK) | 2415C | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. This water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | Crescent Lake | LITTLE HAW CREEK | 2630A | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List for DO in IR category 3c. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | ASSESSMENT CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|------------------|----------------------|------------------|-------|----------------------------------|--------------------------------|------------------|------------------------|--|
| Group 2 | Lower St. Johns | Julington Creek | JULINGTON CREEK | 2351 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, with nutrients identified as the cause, in December 2009. In the interim, this water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | Julington Creek | BIG DAVIS CREEK | 2356 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STRAWBERRY CREEK | 2239 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | Sixmile Creek | SIXMILE CREEK | 2411 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Ashby Drain | 2925B | | Dissolved Oxygen | 2 | 4c | Decision Not to List Not Accepted. Based on independent review, water is impaired for DO with insufficient evidence of natural condition. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | ASSESSMENT CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|-------------------------|-----------------------|------------------------------|-------|----------------------------------|--------------------------------|------------------|------------------------|---|
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Ashby Creek | 2936 | | Dissolved Oxygen | 2 | 4c | Decision Not to List Not Accepted. Based on independent review, water is impaired for DO with insufficient evidence of natural condition. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Econlockhatchee River | 2991A | Dissolved Oxygen | Dissolved Oxygen | 1 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. This water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Little Econlockhatchee River | 3001 | Dissolved Oxygen | Dissolved Oxygen | 1 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. This water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Middle St. Johns | Wekiva River | Lower Wekiva River | 2956B | | Dissolved Oxygen | 2 | 4c | Decision Not to List Not Accepted. Based on independent review, water is impaired for DO with insufficient evidence of natural condition. EPA would accept an assessment call of 4a, as a nutrient TMDL for this water was approved on 9-9-08. |
| Group 2 | St. Lucie - Loxahatchee | C-25 | Cowbone Creek (C-25) | 3189 | Dissolved Oxygen | Dissolved Oxygen | 2 | 3a | Delisting not accepted. A DO TMDL was proposed for this water in 2006. 1998 listing was apparently based on data collected in the immediately adjacent 3160 - a much larger water which surrounds, and drains to, 3189. DEP has verified 3160 for DO, and nutrients is a possible cause. Since 3160 drains to 3189, 3189 should remain listed until adequate data to assess becomes available. This water will remain on the 303(d) List in IR category 3c. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|-----------------------|--------------------|------------------------|--------|----------------------------------|--------------------------------|-------|------------------------|---|
| Group 1 | Everglades West Coast | Estero Bay | ESTERO RIVER MARINE | 3258D1 | | Copper | 2 | 2 | Delisting Accepted: WBID was listed in IWR cycle 1, and now meets 62-303.720(2)(a)1. |
| Group 1 | Everglades West Coast | Estero Bay | SPRING CREEK | 3258H | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 1 | Everglades West Coast | Interdrainage Area | TAMIAMI CANAL | 3261B | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 1 | Everglades West Coast | Interdrainage Area | TAMIAMI CANAL | 3261B | Cadmium | Cadmium | 2 | 2 | Delisting Accepted: Independent data review confirmed no exceedances in an extensive sample set collected over the last 7.5 years. |
| Group 1 | Everglades West Coast | Southwest Coast | COCOHATCHEE RIVER | 3259A | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 1 | Everglades West Coast | Southwest Coast | LAKE TRAFFORD | 3259W | | pH | 2 | 4a | Delisting Accepted. DEP completed and adopted a TMDL for nutrients, DO and un-ionized ammonia which addresses pH. |
| Group 1 | Everglades West Coast | Southwest Coast | COCOHATCHEE INLAND | 3278D | | Iron | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an extensive sample set collected over the last 7.5 years. This waterbody was identified as 3259B at the time of 2002 listing, so EPA's action applies to 3259B. Other parts of 3259B have been assessed appropriately in the current cycle. |
| Group 1 | Everglades West Coast | Southwest Coast | GORDON RIVER EXTENSION | 3278K | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an extensive sample set collected over the last 7.5 years. This waterbody comprises part of 3259C, as listed in 1998, so EPA's action applies to 3259C. Other parts of 3259C have been assessed appropriately in the current cycle. |
| Group 1 | Everglades West Coast | Southwest Coast | SOUTHWEST COAST GULF 5 | 8065 | | Bacteria (in Shellfish) | 2 | 4c | Delisting In Error. DEP included this water on the final Verified List, so it is being added to the 303(d) List. EPA understands that DEP intends to adopt this change to the delist list in December 2009. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212A | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Not Needed: EPA approved a DO delisting for this water in 2003, based on 10-16-01 establishment and approval of a TP TMDL which addresses DO. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212A | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Not Needed: EPA approved a nutrient delisting for this water in 2003, based on 10-16-01 establishment and approval of a TP TMDL. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212B | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Not Needed: EPA approved a nutrient delisting for this water in 2003, based on 10-16-01 establishment and approval of a TP TMDL. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212C | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Not Needed: EPA approved a DO delisting for this water in 2003, based on 10-16-01 establishment and approval of a TP TMDL which addresses DO. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212D | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Not Needed: EPA approved a DO delisting for this water in 2003, based on 10-16-01 establishment and approval of a TP TMDL which addresses DO. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-------------------------|------------------|---------------------|-------|--|--------------------------------------|-------|------------------------------|---|
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212D | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Not Needed: EPA approved a nutrient delisting for this water in 2003, based on 10-16-01 establishment and approval of a TP TMDL. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212D | Un-ionized Ammonia | Un-ionized Ammonia | 2 | 4a | Delisting Not Needed. EPA accepted delisting of this water in 2003, based on attainment of WQS. Assessment category will be changed to 4a, based on establishment and approval of a nutrient TMDL for this water on 10-16-01. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212E | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Not Needed: EPA approved a nutrient delisting for this water in 2003, based on 10-16-01 establishment and approval of a TP TMDL. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212F | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Not Needed: EPA approved a DO delisting for this water in 2003, based on 10-16-01 establishment and approval of a TP TMDL which addresses DO. Based on the current assessment, the water is attaining the WQS. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212G | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Not Needed: EPA approved a nutrient delisting for this water in 2003, based on 10-16-01 establishment and approval of a TP TMDL. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212G | Un-ionized Ammonia | Un-ionized Ammonia | 2 | 4a | Delisting Accepted. A TP TMDL for this water was established and approved 10-16-01. Delisting was also accepted in 2003, based on attainment of WQS. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212H | | Nutrients (TSI) | 2 | 4a | Delisting Not Needed. 3212H was not included on the 1998 List or the 2002 Update for nutrients, as a nutrient TMDL was approved 10-16-01, prior to submittal of DEP's 2002 Update. |
| Group 1 | Lake Okeechobee | Lake Okeechobee | LAKE OKEECHOBEE | 3212I | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Not Needed. 3212I was not included on the 1998 List or the 2002 Update for nutrients, as a nutrient TMDL was approved 10-16-01, prior to submittal of DEP's 2002 Update. |
| Group 1 | Lake Okeechobee | TOL Complex | TAYLOR CREEK | 3205 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples exceeding the WQS in a large sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | Lake Iamonia | LAKE IAMONIA OUTLET | 442 | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 400 CFU in a large sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | Lake Iamonia | LAKE IAMONIA OUTLET | 442 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 2 | Delisting Not Needed. EPA approved a nutrient delisting for this water in the 2003 Decision Document (cycle 1). Data continues to support attainment status. |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | HARBINWOOD ESTATES | 746 | BOD 5Day | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review of an adequate DO sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. Standard for BOD linked to DO impairment. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|----------------------------|------------------|-------------------------|------|--|---------------------------------------|---------------------------|----------|---|
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | MEGGINNIS ARM RUN | 809 | BOD 5Day | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Median BOD is below screening level (median 0.52 mg/l). |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | MEGGINNIS ARM RUN | 809 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | MEGGINNIS ARM RUN | 809 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | MEGGINNIS ARM RUN | 809 | Total Suspended Solids (TSS) | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | Lake Jackson | MEGGINNIS ARM RUN | 809 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | LAKE LAFAYETTE DRAIN | 756 | Coliforms | Fecal Coliform | 2 | 2 | Delisting Not Accepted: WBID was listed in IWR cycle 1, and does not meet 62-303.720(2)(a)1. EPA understands that DEP intends to adopt this change to the delist list in December 2009. This water remains on the 303(d) List in IR category 3c. |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | LAKE LAFAYETTE DRAIN | 756 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | LAKE LAFAYETTE DRAIN | 756 | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|----------------------------|------------------------------------|---------------------------|------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 1 | Ochlockonee - St. Marks | Lake Lafayette | LAKE LAFAYETTE DRAIN | 756 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in a large sample set collected for 756 within the last 7.5 years was well below the threshold for verification. Other parts of this water, as defined in 1998, have been appropriately assessed in the current cycle. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | GODBY DITCH | 820 | BOD 5Day | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review of an adequate sample set collected for DO over the last 7.5 years confirmed that water quality does not indicate DO impairment. Standard for BOD linked to DO impairment. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | GODBY DITCH | 820 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | CENTRAL DRAINAGE DITCH | 857 | BOD 5Day | Dissolved Oxygen | 2 | 2 | Delisting Not Needed. EPA accepted BOD and COD delisting of this water in the 2003 Decision Document. Review of current data set confirms that water should remain delisted for BOD. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | CENTRAL DRAINAGE DITCH | 857 | COD | COD | 2 | 2 | Delisting Not Needed. EPA approved BOD and COD delistings for this water in the 2003 Decision Document. Review of current data set confirms that water should remain delisted for COD. No standard for COD, so DO is a reasonable surrogate. Independent data review of a considerable sample set collected for DO over the last 7.5 years confirmed that water quality does not indicate DO impairment. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | CENTRAL DRAINAGE DITCH | 857 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | ST AUGUSTINE BRANCH | 865 | BOD 5Day | Dissolved Oxygen | 2 | 2 | Delisting Not Needed. EPA accepted BOD delisting of this water in the 2003 Decision Document. Review of current data set confirms that water should remain delisted for BOD. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | ST AUGUSTINE BRANCH | 865 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|-------------------------|------------------------------|-----------------------------------|------|----------------------------------|--------------------------------|-------|------------------------|--|
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | ST AUGUSTINE BRANCH | 865 | Total Suspended Solids (TSS) | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | ST AUGUSTINE BRANCH | 865 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | EAST DRAINAGE DITCH | 916 | BOD 5Day | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review of a considerable sample set collected for DO over the last 7.5 years confirmed that water quality does not indicate DO impairment. Standard for BOD linked to DO impairment. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | EAST DRAINAGE DITCH | 916 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | EAST DRAINAGE DITCH | 916 | Total Suspended Solids (TSS) | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | EAST DRAINAGE DITCH | 916 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | MUNSON SLOUGH (ABOVE LAKE MUNSON) | 807D | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | MUNSON SLOUGH (ABOVE LAKE MUNSON) | 807D | Turbidity | Turbidity | 2 | 2 | Delisting Not Needed. EPA accepted turbidity delisting for this water in the 2003 Decision Document. Independent data review of data set for the Period of Record confirm that the water continues to meet WQS for turbidity. |
| Group 1 | Ochlockonee - St. Marks | Lake Munson/Fred George Sink | LAKE BRADFORD | 878A | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | LITTLE RIVER | 424 | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 400 CFU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|----------------------------|-------------------------------|----------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | LITTLE RIVER | 424 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | LITTLE RIVER | 424 | Total Suspended Solids (TSS) | Turbidity | 2 | 2 | Delisting Not Needed. EPA accepted turbidity delisting for this water in the 2003 Decision Document. Independent data review of the current data set confirmed that the water continues to meet WQS. |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | LITTLE RIVER | 424 | Turbidity | Turbidity | 2 | 2 | Delisting Not Needed. EPA accepted turbidity delisting for this water in the 2003 Decision Document. Independent data review of the current data set confirmed that the water continues to meet WQS. |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | SWAMP CREEK | 427 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | SWAMP CREEK | 427 | Total Suspended Solids (TSS) | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | SWAMP CREEK | 427 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | OCHLOCKONEE RIVER | 1297F | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 400 CFU in a large sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | OCHLOCKONEE RIVER | 1297F | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ochlockonee - St. Marks | North Ochlockonee River | OCHLOCKONEE RIVER | 1297F | Turbidity | Turbidity | 2 | 2 | Delisting Not Needed. EPA accepted turbidity delisting for this water in the 2003 Decision Document. Independent data review of the current data set confirmed that the water continues to meet WQS. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|----------------------------|-------------------------------|----------------------|-------|--|---------------------------------------|---------------------------|------------------------------|---|
| Group 1 | Ochlockonee - St. Marks | Sopchoppy River | OCHLOCKONEE BAY | 1248C | | Fecal Coliform (3) | 2 | 2 | Delisting In Error. DEP included this water on the final Verified List, based on comparison to the 43 MPN criterion, so it is being added to the 303(d) List. EPA understands that DEP intends to adopt this change to the delist list in December 2009. |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE RIVER | 1297A | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Not Needed. EPA accepted DO delisting of this water in the 2003 Decision Document based on independent data review. Current independent data review of a considerable sample set collected for DO over the last 7.5 years confirmed that water quality continues to show attainment and should remain delisted. |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE RIVER | 1297B | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed no samples above 400 CFU in an adequate sample set collected within the last 7.5 years. |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE RIVER | 1297B | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Needed. EPA accepted delisting of this water in the 2003 Decision Document, based on dataset which did not show evidence of impairment. 2008 TMDL not needed document supports current finding that DO is impaired, but impairment is attributable to pollution resulting from an upstream dam. EPA will therefore change assessment category from 2 to 4c. |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE RIVER | 1297B | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE RIVER | 1297B | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ochlockonee - St. Marks | South Ochlockonee River | OCHLOCKONEE RIVER | 1297B | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in a large sample set collected within the last 7.5 years was well below the threshold for verification. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|----------------------------|----------------------|-------------------------------------|-------|--|--------------------------------------|-------|------------------------------|---|
| Group 1 | Ochlockonee - St. Marks | St. Marks River | BLACK CREEK | 628 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | ST. MARKS RIVER (SOUTH | 793A | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed no samples above 400 CFU in an adequate sample set collected within the last 7.5 years. |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | ST. MARKS RIVER (SOUTH | 793A | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review of an adequate sample set collected for DO over the last 7.5 years confirmed that water quality does not indicate DO impairment. |
| Group 1 | Ochlockonee - St. Marks | St. Marks River | HORN SPRING | 793Z | | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 1 | Ochlockonee - St. Marks | Telogia Creek | JUNIPER CREEK | 682 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A DO TMDL for this water which addressed nutrients was approved on 9-22-08. |
| Group 1 | Ochlockonee - St. Marks | Telogia Creek | JUNIPER CREEK | 682 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed no samples above 29 NTU in an adequate sample set collected within the last 7.5 years. |
| Group 1 | Ochlockonee - St. Marks | Wakulla River | WAKULLA RIVER BETWEEN BRIDGES | 1006W | | Biology | 2 | 2 | Delisting Accepted. The attainment status of this water was confirmed by two bioassessments (stream condition indexes) conducted for this water in 2004. |
| Group 1 | Ocklawaha | Lake Apopka | APOPKA SPRING | 2835C | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved 9-30-03 |
| Group 1 | Ocklawaha | Lake Apopka | LAKE APOPKA | 2835D | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A Nutrient TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Lake Apopka | LAKE APOPKA | 2835D | | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples exceeding the WQS in a large sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ocklawaha | Lake Griffin Unit | OCKLAWAHA RIVER/SUNNYHIL L | 2740F | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed no samples above 400 CFU in an adequate sample set collected within the last 7.5 years. |
| Group 1 | Ocklawaha | Lake Griffin Unit | LAKE YALE CANAL | 2807 | | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A DO TMDL which addressed nutrients was approved for this water on 9-30-03. |
| Group 1 | Ocklawaha | Lake Griffin Unit | LAKE YALE CANAL | 2807 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Lake Griffin Unit | LAKE YALE | 2807A | | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A DO TMDL for Lake Yale Canal which addressed nutrients was approved 9-30-03. This TMDL also addressed Lake Yale. |
| Group 1 | Ocklawaha | Lake Griffin Unit | NONCONTRIBUTI NG AREA | 2809 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that data for the period of record was below the threshold for verification in an adequate sample set (20 samples). |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------|----------------------|------------------------|-------|--|--------------------------------------|-------|------------------------------|---|
| Group 1 | Ocklawaha | Lake Griffin Unit | LAKE GRIFFIN OUTLET | 2814 | | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted. A nutrient and un-ionized ammonia TMDL for Lake Griffin, approved 9-30-03, also addresses the nutrient condition of the outlet. |
| Group 1 | Ocklawaha | Lake Griffin Unit | LAKE GRIFFIN | 2814A | | Dissolved Oxygen | 2 | 4a | Delisting Accepted. A nutrient and un-ionized ammonia TMDL for this water, approved 9-30-03, also addressed DO. |
| Group 1 | Ocklawaha | Lake Griffin Unit | LAKE GRIFFIN | 2814A | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted. A nutrient and un-ionized ammonia TMDL for this water was approved 9-30-03. |
| Group 1 | Ocklawaha | Lake Griffin Unit | LAKE GRIFFIN | 2814A | Un-ionized Ammonia | Un-ionized Ammonia | 2 | 4a | Delisting Accepted. A nutrient and un-ionized ammonia TMDL for this water was approved 9-30-03. |
| Group 1 | Ocklawaha | Lake Griffin Unit | HAYNES CREEK REACH | 2817A | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A nutrient and DO TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Lake Griffin Unit | HAYNES CREEK REACH | 2817A | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A nutrient and DO TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Lake Griffin Unit | LAKE LORRAINE | 2829A | | Nutrients (TSI) | 2 | 3b | Delisting Accepted. Original cycle 1 listing was flawed and inapplicable, as it was based on the consideration of data which cannot be used for regulatory proceedings under Florida law, due to systematic errors. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE EUSTIS | 2817B | Lead | Lead | 2 | 2 | Delisting Accepted: Independent data review confirmed no exceedances out of numerous samples collected over the last 7.5 years. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE EUSTIS | 2817B | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient and un-ionized ammonia TMDL for this water was approved 9-30-03. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE EUSTIS | 2817B | Un-ionized Ammonia | Un-ionized Ammonia | 2 | 4a | Delisting Accepted: A nutrient and un-ionized ammonia TMDL for this water was approved 9-30-03. |
| Group 1 | Ocklawaha | Lake Harris Unit | DEAD RIVER | 2817C | | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A nutrient TMDL for Lake Harris, approved 9-30-03, also addresses Dead River. |
| Group 1 | Ocklawaha | Lake Harris Unit | TROUT LAKE | 2819A | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved 9-30-03. |
| Group 1 | Ocklawaha | Lake Harris Unit | DORA CANAL | 2831A | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved 9-30-03. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE DORA | 2831B | | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water, approved 9-30-03, also addresses DO. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE DORA | 2831B | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient and un-ionized ammonia TMDL for this water was approved 9-30-03. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE DORA | 2831B | Un-ionized Ammonia | Un-ionized Ammonia | 2 | 4a | Delisting Accepted: A nutrient and un-ionized ammonia TMDL for this water was approved 9-30-03. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE DENHAM | 2832A | | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples exceeding the WQS in a large sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE BEAUCLAIR | 2834C | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for Lake Beauclair Outlet (2834B), approved on 9-30-03, also addressed Lake Beauclair. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------|------------------|--------------------|-------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE BEAUCLAIR | 2834C | Turbidity | | 2 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples exceeding the WQS in a large sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE APOPKA OUTLET | 2835A | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE APOPKA OUTLET | 2835A | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A DO TMDL for this water, which also addressed nutrients, was approved on 9-30-03. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE CARLTON | 2837B | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved 5-17-04. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE CARLTON | 2837B | Un-ionized Ammonia | Un-ionized Ammonia | 2 | 2 | Delisting Accepted: Independent data review confirms that the number of samples above 0.02 mg/L in a large sample set collected for 2837B within the last 7.5 years is below the threshold for verification. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE CARLTON | 2837B | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water, approved 5-17-04, will also address DO. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE HARRIS | 2838A | | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water, approved 9-30-03, also addressed DO. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE HARRIS | 2838A | Lead | Lead | 2 | 2 | Delisting Accepted: Independent data review confirmed no exceedances out of numerous samples collected for 2838A over the last 7.5 years. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE HARRIS | 2838A | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE HARRIS | 2838A | Selenium | Selenium | 2 | 2 | Delisting Accepted: Independent data review confirmed no samples above 5 ug/L in a considerable sample set collected for 2838A over the last 7.5 years. |
| Group 1 | Ocklawaha | Lake Harris Unit | LITTLE LAKE HARRIS | 2838B | | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water, approved 9-30-03, also addressed DO. |
| Group 1 | Ocklawaha | Lake Harris Unit | LITTLE LAKE HARRIS | 2838B | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Lake Harris Unit | LITTLE LAKE HARRIS | 2838B | Un-ionized Ammonia | Un-ionized Ammonia | 2 | 2 | Delisting Accepted: A nutrient TMDL for this water, approved 9-30-03, also addressed un-ionized Ammonia. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE BLUE SPRINGS | 2838C | Cadmium | Cadmium | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected over the last 7.5 years. |
| Group 1 | Ocklawaha | Lake Harris Unit | LAKE BLUE SPRINGS | 2838C | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------|------------------------|-----------------------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 1 | Ocklawaha | Lake Harris Unit | HOLIDAY SPRINGS | 2838D | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ocklawaha | Lake Harris Unit | HOLIDAY SPRINGS | 2838D | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Needed. EPA accepted DO delisting of this water in the 2003 Decision Document, based on an independent data review which supported natural conditions <5 mg/L DO. Current DEP analysis continues to support 4C status. |
| Group 1 | Ocklawaha | Marshall Swamp Unit | OCKLAWAHA RIVER ABOVE DAISY | 2740D | | Iron | 2 | 2 | Delisting Accepted. Independent data review confirmed no samples above 1000 ug/L in an adequate sample set collected within the last 7.5 years. Data set meets IWR delisting requirements; number of samples not meeting criterion does not exceed that allowed under 62-303.720(2). |
| Group 1 | Ocklawaha | Marshall Swamp Unit | LAKE WEIR OUTLET | 2790 | | Nutrients (Chlorophyll-a) | 2 | 2 | Delisting Accepted. Original cycle 1 listing was flawed and inapplicable, as it was based on the consideration of data which cannot be used for regulatory proceedings under Florida law, due to systematic errors. |
| Group 1 | Ocklawaha | Orange Creek | HATCHET CREEK | 2688 | Iron | Iron | 2 | 4a | Delisting Accepted: An iron TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Orange Creek | LITTLE HATCHET CREEK | 2695 | | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, EPA will add this water to the 303(d) List. |
| Group 1 | Ocklawaha | Orange Creek | HOGTOWN CREEK | 2698 | Coliforms | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Orange Creek | NEWNANS LAKE OUTLET | 2705 | | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Orange Creek | NEWNANS LAKE | 2705B | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Orange Creek | NEWNANS LAKE | 2705B | Un-ionized Ammonia | Un-ionized Ammonia | 2 | 4a | Delisting Accepted: An un-ionized ammonia TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Orange Creek | SWEETWATER BRANCH | 2711 | Coliforms | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 9-30-03. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------|-----------------------|-------------------------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 1 | Ocklawaha | Orange Creek | SWEETWATER BRANCH | 2711 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ocklawaha | Orange Creek | TUMBLING CREEK | 2718A | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review of a considerable sample set collected for DO over the last 7.5 years confirmed that water quality does not indicate DO impairment. |
| Group 1 | Ocklawaha | Orange Creek | TUMBLING CREEK | 2718A | Coliforms | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Orange Creek | TUMBLING CREEK SOUTH | 2718C | | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Ocklawaha | Orange Creek | ALACHUA SINK | 2720A | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 12-20-06. |
| Group 1 | Ocklawaha | Orange Creek | WAUBERG LAKE | 2741A | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL which addressed this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Orange Creek | ORANGE LAKE | 2749A | Lead | Lead | 2 | 2 | Delisting Accepted. Independent data review confirmed that data for the period of record was below the threshold for verification in an adequate sample set (20 samples). |
| Group 1 | Ocklawaha | Orange Creek | ORANGE LAKE | 2749A | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDLs which addressed this water was approved on 9-30-03. |
| Group 1 | Ocklawaha | Orange Creek | CROSS CREEK | 2754 | Total Suspended Solids (TSS) | Total Suspended Solids | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no samples above 29 NTU in a large sample set collected within the last 7.5 years. |
| Group 1 | Ocklawaha | Palatlahaka River | PALATLAHAHA RIVER | 2839 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO TMDL which addresses all of this water, as listed in 1998, was approved on 9-30-03. |
| Group 1 | Ocklawaha | Palatlahaka River | PALATLAHAHA RIVER | 2839 | | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A DO TMDL which also addresses nutrients, and addresses all of this water, as listed in 1998, was approved on 9-30-03. |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | OCKLAHAHA RIVER ABOVE STJOHNS RIVER | 2740A | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. Other parts of 2740A, as defined in 1998, have been assessed appropriately in the current cycle. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------|--------------------------|---|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 1 | Ocklawaha | Rodman Reservoir Unit | OCKLAWAHA RIVER ABOVE LAKE OCKLAWAHA | 2740C | Cadmium | Cadmium | 2 | 2 | Delisting Accepted: Independent data review confirmed no exceedances in a considerable sample set for 2740C collected over the last 7.5 years. No current evidence of impairment in other parts of 2740C, as listed in 1998; these will be assessed appropriately in future cycles. |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | OCKLAWAHA RIVER ABOVE LAKE OCKLAWAHA | 2740C | Lead | Lead | 2 | 2 | Delisting Accepted: Independent data review confirmed no samples above 8.5 ug/L in a considerable sample set collected for 2740C over the last 7.5 years. No current evidence of impairment in other parts of 2740C, as listed in 1998; these will be assessed appropriately in future cycles. |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | OCKLAWAHA RIVER ABOVE LAKE OCKLAWAHA | 2740C | Selenium | Selenium | 2 | 2 | Delisting Accepted: Independent data review confirmed no samples above 5 ug/L in a considerable sample set for 2740C collected over the last 7.5 years. No current evidence of impairment in other parts of 2740C, as listed in 1998; these will be assessed appropriately in future cycles. |
| Group 1 | Ocklawaha | Rodman Reservoir Unit | DAISY CREEK | 2769 | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 1 | Suwannee | Econfina | ECONFINA RIVER | 3402 | Cadmium | Cadmium | 2 | 2 | Delisting Accepted: Independent data review confirmed no exceedances in an adequate sample set for 3402 collected over the last 7.5 years. |
| Group 1 | Suwannee | Fenholloway | FENHOLLOWAY AT MOUTH | 3473A | Nutrients | Nutrients (Chlorophyll-a) | 2 | 2 | Delisting In Error. DEP included this water on the final Verified List for nutrients, so it is being added to the 303(d) List. EPA understands that DEP intends to adopt this change to the delist list in December 2009. |
| Group 1 | Suwannee | Fenholloway | ROCKY CREEK | 3489 | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed no samples above 400 CFU in an adequate sample set collected within the last 7.5 years. |
| Group 1 | Suwannee | Fenholloway | ROCKY CREEK | 3489 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed no samples above 29 NTU in an adequate sample set collected within the last 7.5 years. |
| Group 1 | Suwannee | Middle Suwannee | ALLEN MILL POND | 3525 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Suwannee | Middle Suwannee | ALLEN MILL POND | 3525 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------|-------------------|----------------------------|-------|--|--------------------------------------|---------------------------|------------------------------|---|
| Group 1 | Suwannee | Santa Fe River | NEW RIVER | 3506A | | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed number of samples above 30.9 NTU (29 NTU + a natural background turbidity of 1.9 NTU) is below the threshold of impairment in an adequate sample set collected within the last 7.5 years. |
| Group 1 | Suwannee | Santa Fe River | ICHETUCKNEE HEAD SPRING | 3519Z | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Suwannee | Santa Fe River | FIVEMILE CREEK | 3578 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 1 | Suwannee | Santa Fe River | FIVEMILE CREEK | 3578 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Suwannee | Santa Fe River | LAKE ROWELL | 3598B | Nutrients | Nutrients (TSI) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Suwannee | Santa Fe River | SANTA FE RIVER | 3605B | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review of a considerable sample set collected for DO over the last 7.5 years confirmed that water quality does not indicate DO impairment. |
| Group 1 | Suwannee | Santa Fe River | HAMPTON LAKE | 3635A | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted: Independent data review of an adequate sample set collected for DO over the last 7.5 years confirmed that water quality in 3635A does not indicate DO impairment. |
| Group 1 | Suwannee | Santa Fe River | ROCKY CREEK | 3641 | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed no samples above 400 CFU in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------|-------------------|-----------------------|-------|--|--------------------------------------|-------|------------------------------|---|
| Group 1 | Suwannee | Santa Fe River | ROCKY CREEK | 3641 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Suwannee | Santa Fe River | ROCKY CREEK | 3641 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 1 | Suwannee | Steinhatchee | STEINHATCHEE RIVER | 3573B | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review of an adequate sample set collected for DO over the last 7.5 years confirmed that water quality does not indicate DO impairment. |
| Group 1 | Suwannee | Upper Suwannee | SWIFT CREEK | 3375 | Total Suspended Solids (TSS) | Total Suspended Solids | 2 | 2 | Delisting Not Needed. EPA approved TSS delisting for this water, based on turbidity data, in 2003. Independent data review of current data set confirmed that the water continues to meet WQS. |
| Group 1 | Suwannee | Upper Suwannee | DEEP CREEK | 3388 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Needed. EPA accepted DO delisting of this water in the 2003 Decision Document, based on an independent data review which supported natural conditions. |
| Group 1 | Suwannee | Upper Suwannee | ROARING CREEK | 3392 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Suwannee | Upper Suwannee | ROARING CREEK | 3392 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Needed. EPA accepted DO delisting of this water in the 2003 Decision Document, based on an independent data review which supported natural conditions. DEP is submitting this water for inclusion on the 303(d) List, as IR category 4d, in 2009. |
| Group 1 | Suwannee | Upper Suwannee | CAMP BRANCH | 3401 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Needed. EPA accepted DO delisting of this water in the 2003 Decision Document, based on an independent data review which supported natural conditions. DEP is submitting this water for inclusion on the 303(d) List, as IR category 4d, in 2009. |
| Group 1 | Suwannee | Upper Suwannee | FALLING CREEK | 3477 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Needed. EPA accepted DO delisting of this water in the 2003 Decision Document, based on an independent data review which supported natural conditions. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------|--|-------------------------------|-------|--|--------------------------------------|-------|------------------------------|---|
| Group 1 | Suwannee | Waccasassa River | HORSEHOLE CREEK | 3703 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 1 | Suwannee | Waccasassa River | LITTLE WACCASASSA RIVER | 3747 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | SIXMILE CREEK | 1536B | BOD | BOD | 2 | 2 | Delisting Accepted. Independent data review of an adequate sample set collected for DO over the last 7.5 years confirmed that water quality does not indicate DO impairment. Standard for BOD linked to DO impairment. |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | SIXMILE CREEK | 1536B | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review of an adequate sample set collected for DO over the last 7.5 years confirmed that water quality does not indicate DO impairment. |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | SIXMILE CREEK | 1536B | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review of a small sample set collected over the last 7.5 years, providing adequate information to support a finding that the water is not impaired for fecal coliform (only 2 of 18 samples exceeded the WQS). |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | SIXMILE CREEK | 1536B | Turbidity | Turbidity | 2 | 2 | Delisting Not Accepted. Insufficient data to assess in the verified or planning periods. This water will remain on the 303(d) List in IR category 3c. |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | PALM RIVER | 1536E | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 400 CFU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | BLACK POINT CHANNEL | 1637 | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review of an adequate sample set collected for DO over the last 7.5 years confirmed that water quality does not indicate DO impairment. |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | YBOR CITY DRAIN | 1584A | Total Suspended Solids (TSS) | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. (See also analysis for cycle 1 delisting request.) |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------|--|--------------------|-------|--|--------------------------------------|------------------------------------|--|
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | YBOR CITY DRAIN | 1584A | Nutrients | N/A (Nutrients) | 1 (none) | Delisting not needed. This delisting appears on the Group 2 cycle 1 Tampa Bay Tributaries Delist List. However, EPA previously acted on, and disapproved, this Group 1 cycle 1 delisting in 2003, so it remains on the 1998 303(d) List, and should be assessed as 3c. Current data continues to support listing. Water discharges into, and is tidally connected to, Bay. |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | YBOR CITY DRAIN | 1584A | Total Suspended Solids | N/A (TSS) | 1 (none) | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. (See also analysis for cycle 2 delisting request.) |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | YBOR CITY DRAIN | 1584A | BOD | N/A (BOD) | 1 (none) | Delisting not needed. This delisting appears on the Group 2 cycle 1 Tampa Bay Tributaries Delist List. However, EPA previously acted on, and disapproved, this Group 1 cycle 1 delisting in 2003, so it remains on the 1998 303(d) List, and should be assessed as 3c. Current data continues to support listing. Water discharges into, and is tidally connected to, Bay. |
| Group 1 | Tampa Bay | Coastal Hillsborough Bay Tributary | YBOR CITY DRAIN | 1584A | COD | N/A (COD) | 1 (none) | Delisting not needed. This delisting appears on the Group 2 cycle 1 Tampa Bay Tributaries Delist List. However, EPA previously acted on, and disapproved, this Group 1 cycle 1 delisting in 2003, so it remains on the 1998 303(d) List, and should be assessed as 3c. Current data continues to support listing. Water discharges into, and is tidally connected to, Bay. |
| Group 1 | Tampa Bay | Coastal Lower Tampa Bay Tribut | BISHOP HARBOR | 1797B | Nutrients | Nutrients (Chlorophyll-a) | 2 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | COFFEEPOT BAYOU | 1700 | Coliforms | Fecal Coliform | 2 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 400 CFU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------------|---------------------------------------|--|-------|--|---------------------------------------|---------------------------|----------------|---|
| Group 1 | Tampa Bay | Coastal Middle Tampa Bay Tribu | BIG BAYOU - BASIN W | 1709 | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 2 | Delisting not needed. EPA accepted DEP's delisting of 1709 for nutrients and DO in the 2003 Decision Document, based on low chlorophyll, DO attainment and no evidence of imbalance in flora and fauna. Control strategies implemented by Tampa Bay partnership can reasonably be expected to maintain water quality in these coastal inlets. 1709 now consists of only a portion of the water identified in 1998, but other portions of the 1998-listed water have been appropriately assessed in the current cycle. |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | LAKE TARPON OUTLET | 1486 | | Dissolved Oxygen | 2 | 2 | Delisting not needed. EPA review of the 1998 303(d) List and EPA's 2003 Decision Document for the 2002 Update indicates that only Lake Tarpon Canal (1541A & 1541B) was included on the 1998 303(d) List, and that DEP subsequently verified Lake Tarpon (1486A) for DO in 2002. Lake Tarpon Outlet (1486) does not appear to have been included in either listing, and so does not require delisting. |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ROCKY CREEK | 1507 | Total Suspended Solids (TSS) | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | ALLIGATOR LAKE | 1574A | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 400 CFU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 1 | Tampa Bay | Coastal Old Tampa Bay Tributary | DIRECT RUNOFF TO BAY (ROOSEVELT BASIN MARINE) | 1624 | Un-ionized Ammonia | Un-ionized Ammonia | 2 | 2 | Delisting Accepted. Flaw in original analysis confirmed. Salinity occasionally ranges as high as 20-30. No numeric criterion for un-ionized ammonia in marine waters. |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Apalachicola Bay | 1274 | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Apalachicola Bay | 1274B | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Apalachicola - Chipola | Apalachicola Bay | Apalachicola Bay | 1274B | Nutrients | Nutrients (Chla) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------------|-----------------------|---------------------------------|-------|--|--------------------------------------|-------|------------------------------|---|
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375E | Coliforms | Total Coliform | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Apalachicola River | 375E | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that data for the planning period was below the threshold for verification in an adequate sample set (20 samples). |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Flat Creek | 487 | Total Suspended Solids | Turbidity | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Flat Creek | 487 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Equiloxic Creek | 1109A | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold for minimum sample set which includes available data collected within the last 7.5 years. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Mosquito Creek Upper Segment | 376 | | Fecal Coliform | 2 | 3b | Delisting not Accepted. The data which supported cycle 1 verification of 376 was collected from the Class 3F waters which comprised most of this water, as defined in 2002. Post-2002 division of this water into a small, central Class I area (376), and a surrounding Class 3F drainage area (376A), resulted in reassignment of all available data to 376A. Florida is verifying 376A for fecal coliform, based on assessment of that data. No data is now available to assess 376, but the impaired status of the surrounding drainage area provides evidence that 376 could be impaired. EPA cannot support delisting of 376 until data is available to confirm that this Class I area has not been adversely impacted by the surrounding impaired drainage area. EPA will add this water to the 303(d) List. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Flat Creek | 487 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Sweetwater Creek | 728 | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected in the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------------|-------------------------------------|--------------------|-------|--|---|-------|------------------------------|--|
| Group 2 | Apalachicola - Chipola | Apalachicola River | Little Gully Creek | 1039 | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review found number of exceedances in a small sample set sufficiently low to support an assessment of attainment. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Little Gully Creek | 1039 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review found number of exceedances in a small sample set sufficiently low to support an assessment of attainment. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Gregory Mill Creek | 1135 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Gregory Mill Creek | 1135 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Gregory Mill Creek | 1135 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review found number of exceedances in a small sample set sufficiently low to support an assessment of attainment. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Horseshoe Creek | 1272 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Huckleberry Creek | 1286 | Coliforms | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 3-17-05. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Equiloxic Creek | 1109A | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Glen Julia Spring | 393Z | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an adequate sample set collected in the last 7.5 years. |
| Group 2 | Apalachicola - Chipola | Apalachicola River | Glen Julia Spring | 393Z | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Apalachicola - Chipola | Chattahoo River/Lake Seminole | Lake Seminole | 60 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Apalachicola - Chipola | Chattahoo River/Lake Seminole | Lake Seminole | 60 | | Mercury (based on fish consumption advisory) | 2 | 2 | Delisting Accepted. Fish tissue concentration of 0.19 mg/kg is below the concentration needed to establish the equivalent of a limited consumption advisory (i.e. 1 meal/week for the general population or 1 meal/month for sensitive groups) |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------------|----------------------------|---------------------------|-------|--|--------------------------------------|---------------------------|----------|---|
| Group 2 | Apalachicola - Chipola | Chipola River | Dead Lake | 51A | Coliforms | Total Coliform | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Apalachicola - Chipola | Chipola River | Dead Lake | 51A | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Apalachicola - Chipola | Chipola River | Dead Lake | 51A | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Apalachicola - Chipola | Chipola River | Otter Creek | 819 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Apalachicola - Chipola | Chipola River | Chipola River | 51B | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Apalachicola - Chipola | New River | Whiskey George Creek | 1236 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Apalachicola - Chipola | New River | Crooked River | 1251 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | NO. PRONG ALLIGATOR CR | 2071 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed number of exceedances in an adequate sample set collected in the last 7.5 years is below verification threshold. |
| Group 2 | Charlotte Harbor | Charlotte Harbor Proper | NO. PRONG ALLIGATOR CR | 2071 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List in IR category 3c. |
| Group 2 | Charlotte Harbor | Lemon Bay | LEMON BAY | 1983A | DISSOLVED OXYGEN | DISSOLVED OXYGEN | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in a large sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------------|------------------|---------------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | Charlotte Harbor | Lemon Bay | ALLIGATOR CREEK | 2030 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Charlotte Harbor | Lemon Bay | CORAL CREEK (EAST BRANCH) | 2078B | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting not accepted. Exclusion of some data based on systematic errors and QA issues leaves insufficient data to assess. Given potential impairment identified in cycle 1, water should remain listed until sufficient data is available. EPA understands that DEP intends to adopt this change to the delist list in December 2009. This water will remain on the 303(d) List for nutrients in IR category 3c. |
| Group 2 | Charlotte Harbor | Lemon Bay | LEMON BAY | 1983A | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Charlotte Harbor | Pine Island | MATLACHA PASS | 2065F | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Lower St. Johns | Black Creek | DOCTORS LAKE | 2389 | CADMIUM | CADMIUM | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | DOCTORS LAKE | 2389 | COLIFORMS | FECAL COLIFORMS | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in the most recent adequately-sized data set for the Period of Record. |
| Group 2 | Lower St. Johns | Black Creek | DOCTORS LAKE | 2389 | COLIFORMS | TOTAL COLIFORMS | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Lower St. Johns | Black Creek | DOCTORS LAKE | 2389 | DISSOLVED OXYGEN | DISSOLVED OXYGEN | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | DOCTORS LAKE | 2389 | LEAD | LEAD | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|--------------------|------------------|------------------------|-------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 2 | Lower St. Johns | Black Creek | GROG BRANCH | 2407 | DISSOLVED OXYGEN | DISSOLVED OXYGEN | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Lower St. Johns | Black Creek | SWIMMING PEN CREEK | 2410 | CADMIUM | CADMIUM | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | SWIMMING PEN CREEK | 2410 | LEAD | LEAD | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | SWIMMING PEN CREEK | 2410 | TOTAL SUSPENDED SOLIDS | TOTAL SUSPENDED SOLIDS | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate well below verification threshold in a large sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | SWIMMING PEN CREEK | 2410 | ZINC | ZINC | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK | 2415B | CADMIUM | CADMIUM | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK | 2415B | IRON | IRON | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK S. FORK | 2415C | IRON | IRON | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK S.FORK | 2415C | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 2 | Delisting Accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients. DEP has also concluded that nutrients are not contributing to dissolved oxygen impairment, and is delisting this water for dissolved oxygen. However, EPA is adding this water to the 303(d) List for dissolved oxygen, with nutrients identified as the causative pollutant. This water therefore remains on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). (See also, EPA analysis for cycle 2 delisting.) |
| Group 2 | Lower St. Johns | Black Creek | PETERS CREEK | 2444 | CADMIUM | CADMIUM | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | PETERS CREEK | 2444 | COLIFORMS | FECAL COLIFORMS | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for fecal coliforms in cycle 2. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|------------------|--------------------------|-------|--|--------------------------------------|---------------------------|------------------------------|---|
| Group 2 | Lower St. Johns | Black Creek | PETERS CREEK | 2444 | IRON | IRON | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | PETERS CREEK | 2444 | LEAD | LEAD | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for lead in cycle 2. |
| Group 2 | Lower St. Johns | Black Creek | PETERS CREEK | 2444 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 2 | Delisting Accepted. Available data confirms attainment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. Biological assessment data confirms that nutrients are not causing an imbalance in flora or fauna. (See also, EPA analysis for cycle 2 delisting.) |
| Group 2 | Lower St. Johns | Black Creek | GREENE CREEK | 2478 | BOD | BOD | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Lower St. Johns | Black Creek | LITTLE BLACK CREEK | 2368 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. This water will remain on the 303(d) List in IR category 3c. |
| Group 2 | Lower St. Johns | Black Creek | DOCTORS LAKE | 2389 | Selenium | Selenium | 2 | 2 | Delisting Accepted. Independent data review confirmed number of exceedances in an adequate sample set collected in the last 7.5 years is well below verification threshold. |
| Group 2 | Lower St. Johns | Black Creek | GROG BRANCH | 2407 | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Lower St. Johns | Black Creek | GROG BRANCH | 2407 | Total Suspended Solids | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | GROG BRANCH | 2407 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK | 2415B | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. This water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK (SOUTH FORK) | 2415C | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. This water will remain on the 303(d) List for DO in IR category 3c. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|------------------|-------------------------------|-------|--|--------------------------------------|---------------------------|----------------|--|
| Group 2 | Lower St. Johns | Black Creek | BLACK CREEK (SOUTH FORK) | 2415C | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 2 | Delisting Accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients. DEP has also concluded that nutrients are not contributing to dissolved oxygen impairment, and is delisting this water for dissolved oxygen. However, EPA is adding this water to the 303(d) List for dissolved oxygen, with nutrients identified as the causative pollutant. This water therefore remains on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). (See also, EPA analysis for cycle 1 delisting.) |
| Group 2 | Lower St. Johns | Black Creek | PETERS CREEK | 2444 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Lower St. Johns | Black Creek | PETERS CREEK | 2444 | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 2 | Delisting Accepted. Available data confirms attainment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. Biological assessment data confirms that nutrients are not causing an imbalance in flora or fauna. (See also, EPA analysis for cycle 1 delisting.) |
| Group 2 | Lower St. Johns | Black Creek | GREENE CREEK | 2478 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 2 | Delisting Accepted. Available data confirms attainment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. Biological assessment data confirms that nutrients are not causing an imbalance in flora or fauna. |
| Group 2 | Lower St. Johns | Crescent Lake | HAW CREEK ABOVE CRESCENT LAKE | 2622A | LEAD | LEAD | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Crescent Lake | LITTLE HAW CREEK | 2630A | COLIFORMS | FECAL COLIFORMS | 1 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 1-4-06. |
| Group 2 | Lower St. Johns | Crescent Lake | HAW CREEK ABOVE CRESCENT LAKE | 2622A | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Lower St. Johns | Crescent Lake | HAW CREEK ABOVE CRESCENT LAKE | 2622A | Selenium | Selenium | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Crescent Lake | LITTLE HAW CREEK | 2630A | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | Crescent Lake | LITTLE HAW CREEK | 2630A | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|--------------------|-------------------------|------------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | Lower St. Johns | Crescent Lake | LITTLE HAW CREEK | 2630A | Selenium | Selenium | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Crescent Lake | LAKE DISSTON | 2630B | | Selenium | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Crescent Lake | SOUTH LAKE TALMADGE | 2630I | | Nutrients (TSI) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | TOCOI CREEK | 2492 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. (See also, EPA analysis for cycle 2 delisting.) |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | MOCCASIN BRANCH | 2540 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | DEEP CREEK | 2549 | CADMIUM | CADMIUM | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | DEEP CREEK | 2549 | COPPER | COPPER | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | DEEP CREEK | 2549 | IRON | IRON | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | DEEP CREEK | 2549 | LEAD | LEAD | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | TOCOI CREEK | 2492 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|----------------------|-------------------|-------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 2 | Lower St. Johns | Deep Creek Unit LSJR | TOCOI CREEK | 2492 | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. (See also, EPA analysis for cycle 1 delisting.) |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | CADMIUM | CADMIUM | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | DISSOLVED OXYGEN | DISSOLVED OXYGEN | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for DO in cycle 2. |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | IRON | IRON | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | LEAD | LEAD | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | TOTAL SUSPENDED SOLIDS | TOTAL SUSPENDED SOLIDS | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567A | TURBIDITY | TURBIDITY | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567B | COLIFORMS | FECAL COLIFORMS | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567B | IRON | IRON | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567B | LEAD | LEAD | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|-----------------------|-------------------|-------|--|--------------------------------------|-------|------------------------------|---|
| Group 2 | Lower St. Johns | Etonia Creek | RICE CREEK | 2567B | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Lower St. Johns | Intracoastal Waterway | ICWW | 2205C | COLIFORMS | FECAL COLIFORMS | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Intracoastal Waterway | ICWW | 2205C | COLIFORMS | TOTAL COLIFORMS | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Lower St. Johns | Intracoastal Waterway | ICWW | 2205C | DISSOLVED OXYGEN | DISSOLVED OXYGEN | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Julington Creek | JULINGTON CREEK | 2351 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 3b | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients as 'unassessed'. However, EPA also understands that DEP intends to submit dissolved oxygen, relating nutrients to that impairment, for inclusion on the 303(d) List in December 2009. In the interim, EPA is not accepting delisting of this water for dissolved oxygen. Therefore, this water will remain on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). (See also, EPA analysis for cycle 2 delisting.) |
| Group 2 | Lower St. Johns | Julington Creek | JULINGTON CREEK | 2351 | TOTAL SUSPENDED SOLIDS | TOTAL SUSPENDED SOLIDS | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Julington Creek | JULINGTON CREEK | 2351 | TURBIDITY | TURBIDITY | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Julington Creek | JULINGTON CREEK | 2351 | COLIFORMS | FECAL COLIFORMS ⁴ | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for fecal coliforms in cycle 2. |
| Group 2 | Lower St. Johns | Julington Creek | JULINGTON CREEK | 2351 | COLIFORMS | TOTAL COLIFORMS | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|------------------|-------------------|------|--|--------------------------------------|---------------------------|------------------------------|---|
| Group 2 | Lower St. Johns | Julington Creek | JULINGTON CREEK | 2351 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, with nutrients identified as the cause, in December 2009. In the interim, this water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | Julington Creek | JULINGTON CREEK | 2351 | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 3b | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients as 'unassessed'. However, EPA also understands that DEP intends to submit dissolved oxygen, relating nutrients to that impairment, for inclusion on the 303(d) List in December 2009. In the interim, EPA is not accepting delisting of this water for dissolved oxygen. Therefore, this water will remain on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). (See also, EPA analysis for cycle 1 delisting.) |
| Group 2 | Lower St. Johns | Julington Creek | BIG DAVIS CREEK | 2356 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | Julington Creek | BIG DAVIS CREEK | 2356 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients as 'unassessed'. However, EPA also understands that DEP intends to submit dissolved oxygen, relating nutrients to that impairment, for inclusion on the 303(d) List in December 2009. In the interim, EPA is not accepting delisting of this water for dissolved oxygen. Therefore, this water will remain on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). |
| Group 2 | Lower St. Johns | Julington Creek | BIG DAVIS CREEK | 2356 | Selenium | Selenium | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Julington Creek | DURBIN CREEK | 2365 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Lower St. Johns | Julington Creek | DURBIN CREEK | 2365 | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|---------------------|-----------------------------|-------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 2 | Lower St. Johns | Julington Creek | DURBIN CREEK | 2365 | Selenium | Selenium | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE MOUTH | 2213A | TOTAL SUSPENDED SOLIDS | TOTAL SUSPENDED SOLIDS | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE ICWW | 2213B | COLIFORMS | FECAL COLIFORMS | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE ICWW | 2213B | COLIFORMS | TOTAL COLIFORMS | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE ICWW | 2213B | TOTAL SUSPENDED SOLIDS | TOTAL SUSPENDED SOLIDS | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE ICWW | 2213B | TURBIDITY | TURBIDITY | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE DAMES PT | 2213C | TOTAL SUSPENDED SOLIDS | TOTAL SUSPENDED SOLIDS | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE DAMES PT | 2213C | TURBIDITY | TURBIDITY | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE TROUT RIVER | 2213D | COLIFORMS | FECAL COLIFORMS | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE TROUT RIVER | 2213D | COLIFORMS | TOTAL COLIFORMS | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE TROUT RIVER | 2213D | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-23-08. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|---------------------|-------------------------------|-------|--|--------------------------------------|---------------------------|----------|---|
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE TROUT RIVER | 2213D | TOTAL SUSPENDED SOLIDS | TOTAL SUSPENDED SOLIDS | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE TROUT RIVER | 2213D | TURBIDITY | TURBIDITY | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE WARREN BRIDGE | 2213E | COLIFORMS | FECAL COLIFORMS | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE WARREN BRIDGE | 2213E | COLIFORMS | TOTAL COLIFORMS | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE PINEY PT | 2213F | COLIFORMS | FECAL COLIFORMS | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STJ RIVER ABOVE PINEY PT | 2213F | COLIFORMS | TOTAL COLIFORMS | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STRAWBERRY CREEK | 2239 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Lower St. Johns | North Mainstem Unit | POTTSBURG CREEK | 2265B | TURBIDITY | TURBIDITY | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | GOODBYS CREEK | 2326 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 2 | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients. However, DEP has also verified this water for DO in cycles 1 & 2, relating nutrients to that impairment (TP was identified as a causative pollutant in cycle 1). This water therefore remains on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|---------------------|----------------------------------|-------|--|--------------------------------------|---------------------------|----------------|--|
| Group 2 | Lower St. Johns | North Mainstem Unit | CLAPBOARD CREEK | 2188 | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Lower St. Johns | North Mainstem Unit | CEDAR POINT CREEK | 2205B | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Lower St. Johns | North Mainstem Unit | CEDAR POINT CREEK | 2205B | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE MOUTH | 2213A | | Nickel | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE MOUTH | 2213A | | Nutrients (Historic Chlorophyll-a) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE ICWW | 2213B | | Copper | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed few exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE ICWW | 2213B | | Nickel | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE ICWW | 2213B | | Nutrients (Historic Chlorophyll-a) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE DAMES POINT | 2213C | | Nickel | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE DAMES POINT | 2213C | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE TROUT RIVER | 2213D | | Copper | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed few exceedances in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|---------------------|------------------------------------|-------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE TROUT RIVER | 2213D | | Nickel | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE WARREN BRIDGE | 2213E | | Copper | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed few exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE WARREN BRIDGE | 2213E | | Nickel | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE WARREN BRIDGE | 2213E | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | North Mainstem Unit | ST JOHNS RIVER ABOVE PINEY POINT | 2213F | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | North Mainstem Unit | STRAWBERRY CREEK | 2239 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | North Mainstem Unit | GOODBYS CREEK | 2326 | Total Suspended Solids | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | North Mainstem Unit | GOODBYS CREEK | 2326 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | ORTEGA RIVER | 2213P | COPPER | COPPER | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | ORTEGA RIVER | 2213P | TOTAL SUSPENDED SOLIDS | TOTAL SUSPENDED SOLIDS | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|------------------|-------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | Lower St. Johns | Ortega River | CEDAR RIVER | 2262 | COPPER | COPPER | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | CEDAR RIVER | 2262 | TURBIDITY | TURBIDITY | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | CEDAR RIVER | 2262 | ZINC | ZINC | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | MCCOYS CREEK | 2262A | COPPER | COPPER | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |
| Group 2 | Lower St. Johns | Ortega River | MCCOYS CREEK | 2262A | ZINC | ZINC | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |
| Group 2 | Lower St. Johns | Ortega River | WILLS BRANCH | 2282 | DISSOLVED OXYGEN | DISSOLVED OXYGEN | 1 | 4d | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category of 4d, DEP is submitting this water for inclusion on the 303(d) List. |
| Group 2 | Lower St. Johns | Ortega River | WILLS BRANCH | 2282 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Lower St. Johns | Ortega River | FISHING CREEK | 2324 | TOTAL SUSPENDED SOLIDS | TOTAL SUSPENDED SOLIDS | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | FISHING CREEK | 2324 | TURBIDITY | TURBIDITY | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | ORTEGA RIVER | 2213P | Iron | Iron | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | CEDAR RIVER | 2262 | Total Suspended Solids | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|------------------|----------------------------|------|--|--------------------------------------|-------|------------------------------|---|
| Group 2 | Lower St. Johns | Ortega River | WILLS BRANCH (NORTH PRONG) | 2282 | Copper | Copper | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected in the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | WILLS BRANCH (NORTH PRONG) | 2282 | Total Suspended Solids | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | WILLS BRANCH (NORTH PRONG) | 2282 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | BUTCHER PEN CREEK | 2322 | Total Suspended Solids | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Ortega River | BUTCHER PEN CREEK | 2322 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Sixmile Creek | SIXMILE CREEK | 2411 | LEAD | LEAD | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | Sixmile Creek | SIXMILE CREEK | 2411 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 3b | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients as 'unassessed'. However, EPA also understands that DEP intends to submit dissolved oxygen, relating nutrients to that impairment, for inclusion on the 303(d) List in category 4d, in December 2009. In the interim, EPA is not accepting delisting of this water for dissolved oxygen. Therefore, this water will remain on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). (See also, EPA analysis for cycle 2 delisting.) |
| Group 2 | Lower St. Johns | Sixmile Creek | MILL CREEK | 2460 | COLIFORMS | FECAL COLIFORMS | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for fecal coliforms in cycle 2. |
| Group 2 | Lower St. Johns | Sixmile Creek | MILL CREEK | 2460 | COLIFORMS | TOTAL COLIFORMS | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Lower St. Johns | Sixmile Creek | MILL CREEK | 2460 | IRON | IRON | 1 | 3c | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|---------------------|-----------------------------|-------|--|--------------------------------------|---------------------------|------------------------------|---|
| Group 2 | Lower St. Johns | Sixmile Creek | SIXMILE CREEK | 2411 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. EPA understands that DEP intends to adopt this change to the delist list, and submit this water for inclusion on the 303(d) List as IR category 4d, in December 2009. In the interim, this water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Lower St. Johns | Sixmile Creek | SIXMILE CREEK | 2411 | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 3b | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients as 'unassessed'. However, EPA also understands that DEP intends to submit dissolved oxygen, relating nutrients to that impairment, for inclusion on the 303(d) List in category 4d, in December 2009. In the interim, EPA is not accepting delisting of this water for dissolved oxygen. Therefore, this water will remain on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). (See also, EPA analysis for cycle 1 delisting.) |
| Group 2 | Lower St. Johns | South Mainstem Unit | STJ RIVER ABOVE DOCTOR LAKE | 2213G | IRON | IRON | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | South Mainstem Unit | STJ RIVER ABOVE DOCTOR LAKE | 2213G | NUTRIENTS | NUTRIENTS (TSI) | 1 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | South Mainstem Unit | STJ RIVER ABOVE TOCIO | 2213K | COPPER | COPPER | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | South Mainstem Unit | STJ RIVER ABOVE TOCIO | 2213K | LEAD | LEAD | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | South Mainstem Unit | STJ RIVER ABOVE FEDERAL PT | 2213L | CADMIUM | CADMIUM | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | South Mainstem Unit | STJ RIVER ABOVE FEDERAL PT | 2213L | COPPER | COPPER | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | South Mainstem Unit | STJ RIVER ABOVE FEDERAL PT | 2213L | LEAD | LEAD | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | South Mainstem Unit | WEST RUN INTERCEPTER D | 2569 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Lower St. Johns | South Mainstem Unit | WEST RUN INTERCEPTER D | 2569 | TOTAL SUSPENDED SOLIDS | TOTAL SUSPENDED SOLIDS | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|-----------------|---------------------|------------------------------------|-------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 2 | Lower St. Johns | South Mainstem Unit | WEST RUN INTERCEPTER D | 2569 | TURBIDITY | TURBIDITY | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | South Mainstem Unit | DOG BRANCH | 2578 | LEAD | LEAD | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | South Mainstem Unit | DOG BRANCH | 2578 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Lower St. Johns | South Mainstem Unit | DOG BRANCH | 2578 | TURBIDITY | TURBIDITY | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE DOCTORS LAKE | 2213G | | Cadmium | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed no exceedances in a large sample set collected in the last 7.5 years. |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE BLACK CREEK | 2213I | | Nutrients (TSI) | 2 | 4a | Delisting Not Needed. Assessment call of 4a accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE PALMO CREEK | 2213J | | Nutrients (TSI) | 2 | 4a | Delisting Not Needed. Assessment call of 4a accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE TOCOI | 2213K | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE FEDERAL POINT | 2213L | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE RICE CREEK | 2213M | | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | South Mainstem Unit | ST JOHNS RIVER ABOVE DUNNS CREEK | 2213N | | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-23-08. |
| Group 2 | Lower St. Johns | South Mainstem Unit | WEST RUN INTERCEPTER D | 2569 | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Lower St. Johns | Trout River | TROUT RIVER | 2203A | CADMIUM | CADMIUM | 1 | 2 | Delisting Accepted. 0/16 exceedances in verified period, so minimum sample set required by IWR would have exceedance rate below verification threshold. Available results consistently well below criterion. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------------|----------------------|---------------------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | Lower St. Johns | Trout River | TROUT RIVER | 2203A | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Lower St. Johns | Trout River | LITTLE TROUT RIVER | 2206 | NUTRIENTS | NUTRIENTS (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Lower St. Johns | Trout River | TROUT RIVER (MIDDLE REACH) | 2203 | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Lower St. Johns | Trout River | TROUT RIVER (LOWER REACH) | 2203A | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Harney | 2964A | Cadmium | Cadmium | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | St Johns River Above Lake Jesup | 2893F | | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Deep Creek / Lake Ashby Canal | 2925 | Cadmium | Cadmium | 2 | 2 | Delisting Accepted. Independent data review confirmed one exceedance in an adequate sample set collected in the last 7.5 years. |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Deep Creek / Lake Ashby Canal | 2925 | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Insufficient samples in VP. However, inclusion of samples collected after VP yields adequate-sized sample set (>20 samples) with exceedance rate below verification threshold. |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Deep Creek / Lake Ashby Canal | 2925 | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Deep Creek / Lake Ashby Canal | 2925 | Lead | Lead | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an adequate sample set collected in the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|------------------|-----------------------|------------------------------|-------|----------------------------------|--------------------------------|-------|------------------------|--|
| Group 2 | Middle St. Johns | Deep Creek Unit MSJR | Lake Winnemissett | 2931 | | Lead | 2 | 3b | Delisting not needed. Florida verified this water in cycle 1, but EPA did not take action to add this water to the 303(d) List. Following exclusion of data with QA issues in cycle 2, independent data review confirmed no evidence to support adding this water to the 303(d) List. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Econlockhatchee River | 2991A | BOD | BOD | 1 | 4c | Delisting Accepted. Median BOD is below screening level (181 BOD values, median 1.7 mg/l) |
| Group 2 | Middle St. Johns | Econlockhatchee River | Econlockhatchee River | 2991A | Dissolved Oxygen | Dissolved Oxygen | 1 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. This water will remain on the 303(d) List for DO in IR category 3c. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Econlockhatchee River | 2991A | Coliform Bacteria | Fecal Coliform Bacteria | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Econlockhatchee River | 2991A | Nutrients | Nutrients (Chla) | 1 | 2 | Delisting Accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients. DEP has also concluded that nutrients are not contributing to dissolved oxygen impairment, and is delisting this water for dissolved oxygen. However, EPA is adding this water to the 303(d) List for dissolved oxygen, with nutrients identified as the causative pollutant. This water therefore remains on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). |
| Group 2 | Middle St. Johns | Econlockhatchee River | Econlockhatchee River | 2991A | Coliform Bacteria | Total Coliform Bacteria | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Little Econlockhatchee River | 3001 | BOD | BOD | 1 | 4c | Delisting Accepted. Median BOD is below screening value (196 BOD values, median 1 mg/L) |
| Group 2 | Middle St. Johns | Econlockhatchee River | Little Econlockhatchee River | 3001 | Dissolved Oxygen | Dissolved Oxygen | 1 | 4c | Delisting Not Accepted. Based on independent review, insufficient evidence of natural condition. This water will remain on the 303(d) List for DO in IR category 3c. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------|-----------------------|------------------------------------|-------|--|--------------------------------------|---------------------------|----------------|--|
| Group 2 | Middle St. Johns | Econlockhatchee River | Little Econlockhatchee River | 3001 | Nutrients | Nutrients (Chla) | 1 | 2 | Delisting Accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients. DEP has also concluded that nutrients are not contributing to dissolved oxygen impairment, and is delisting this water for dissolved oxygen. However, EPA is adding this water to the 303(d) List for dissolved oxygen, with nutrients identified as the causative pollutant. This water therefore remains on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). |
| Group 2 | Middle St. Johns | Econlockhatchee River | Little Econlockhatchee River | 3001 | Coliform Bacteria | Total Coliform Bacteria | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Crane Strand Drain | 3014 | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Long Branch | 3030 | Nutrients | Nutrients (Chla) | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Long Branch | 3030 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Econlockhatchee River | 2991A | Lead | Lead | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an adequate sample set collected in the last 7.5 years. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Crane Strand Drain | 3014 | | Biology | 2 | 4a | Delisting Accepted. A DO and BOD TMDL for this water, which addressed biology, was approved on 1-3-07. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Crane Strand Drain | 3014 | Biochemical Oxygen Demand | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A BOD/DO TMDL for this water was approved on 1-3-07. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Crane Strand Drain | 3014 | | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 1-4-07. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Crane Strand | 3023 | | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 1-4-07. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Long Branch | 3030 | Biochemical Oxygen Demand | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A BOD/DO TMDL for this water was approved on 1-3-07. |
| Group 2 | Middle St. Johns | Econlockhatchee River | Long Branch | 3030 | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------|---------------------|--|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | Middle St. Johns | Lake Jesup | Soldier Creek Reach | 2986 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Lake Jesup | Soldier Creek Reach | 2986 | Nutrients | Nutrients (Chla) | 1 | 2 | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Middle St. Johns | Lake Jesup | Gee Creek | 2994A | Nutrients | Nutrients (Chla) | 1 | 2 | Delisting Accepted. Available data confirms attainment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. Biological assessment data confirms that nutrients are not causing an imbalance in flora or fauna. |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Jesup | 2981 | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 1-9-07. |
| Group 2 | Middle St. Johns | Lake Jesup | Lake Jesup | 2981 | Un-ionized Ammonia | Un-ionized Ammonia | 2 | 4a | Delisting Accepted. A nutrient and un-ionized Ammonia TMDL for this water was approved on 1-9-07. |
| Group 2 | Middle St. Johns | Lake Jesup | Chub Creek | 2985 | | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Middle St. Johns | Lake Jesup | Soldier Creek Reach | 2986 | Lead | Lead | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an adequate sample set collected in the last 7.5 years. |
| Group 2 | Middle St. Johns | Lake Jesup | Salt Creek | 2990 | | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Middle St. Johns | Lake Jesup | Gee Creek | 2994A | Lead | Lead | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an adequate sample set collected in the last 7.5 years. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | St. Johns River Above Wekiva River | 2893C | Dissolved Oxygen | Dissolved Oxygen | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for DO in cycle 2. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | St. Johns River Above Wekiva River | 2893C | Lead | Lead | 1 | 2 | Delisting Accepted. VP = 0/4; however, inclusion of last two years of PP preceding VP provides adequate sample set with no exceedances. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | St. Johns River Above Wekiva River | 2893C | Total Suspended Solids | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Lake Monroe | 2893D | Lead | Lead | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Lake Monroe | 2893D | Selenium | Selenium | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------|-----------------------|---|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | Middle St. Johns | Lake Monroe Unit | Lake Monroe | 2893D | Un-Ionized Ammonia | Un-Ionized Ammonia | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Smith Canal | 2962 | Nutrients | Nutrients (Chla) | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Smith Canal | 2962 | Coliform Bacteria | Total Coliform Bacteria | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Lake Jesup Near St. Johns River | 2981A | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Smith Canal | 2962 | Iron | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Smith Canal | 2962 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Deforest Lake | 2973F | | Nutrients (TSI) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Middle St. Johns | Lake Monroe Unit | Lake Jesup Near St Johns River | 2981A | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 1-9-07. |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | St. Johns River Above Lake George | 2893Z | Dissolved Oxygen | Dissolved Oxygen | 1 | 4d | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 4d, DEP is submitting this water for inclusion on the 303(d) List. |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | St. Johns River Above Lake George | 2893Z | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients as 'unassessed'. However, DEP has submitted nutrients, related to DO impairment, for inclusion on the 303(d) List in category 4d. Therefore, this water will remain on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). |
| Group 2 | Middle St. Johns | Lake Woodruff Unit | St. Johns River Above Lake George | 2893Z | Total Suspended Solids | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------------|------------------|------------------------|-------|--|--------------------------------------|---------------------------|------------------------------|---|
| Group 2 | Middle St. Johns | Wekiva River | Black Water Creek | 2929A | Cadmium | Cadmium | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Wekiva River | Black Water Creek | 2929A | Dissolved Oxygen | Dissolved Oxygen | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Middle St. Johns | Wekiva River | Black Water Creek | 2929A | Iron | Iron | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Middle St. Johns | Wekiva River | Black Water Creek | 2929A | Lead | Lead | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Wekiva River | Black Water Creek | 2929A | Nutrients | Nutrients (Chla) | 1 | 2 | Delisting Accepted. Available data confirms attainment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. Biological assessment data confirms that nutrients are not causing an imbalance in flora or fauna. (See also, EPA analysis for cycle 2 delisting.) |
| Group 2 | Middle St. Johns | Wekiva River | Black Water Creek | 2929A | Selenium | Selenium | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Wekiva River | Black Water Creek | 2929A | Zinc | Zinc | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Wekiva River | Wekiva Spring (Orange) | 2956C | Nutrients | Nutrients (Chla) | 1 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved by EPA on 9-09-08. (See also analysis for Cycle 2 Delisting) |
| Group 2 | Middle St. Johns | Wekiva River | Wekiva Spring (Orange) | 2956C | Coliform Bacteria | Total Coliform Bacteria | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Middle St. Johns | Wekiva River | Rock Springs Run | 2967 | Nutrients | Nutrients (Chla) | 1 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-9-08. (See also analysis for cycle 2 delisting) |
| Group 2 | Middle St. Johns | Wekiva River | Little Wekiva River | 2987 | Nutrients | Nutrients (Chla) | 1 | 2 | Delisting Accepted. Available data confirms attainment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. Biological assessment data confirms that nutrients are not causing an imbalance in flora or fauna. |
| Group 2 | Middle St. Johns | Wekiva River | Lake Prevatt | 2993 | Coliform Bacteria | Fecal Coliform Bacteria | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------|------------------|---------------------|-------|--|--|-------|------------------------------|--|
| Group 2 | Middle St. Johns | Wekiva River | Lake Prevatt | 2993 | Nutrients | Nutrients (TSI) | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |
| Group 2 | Middle St. Johns | Wekiva River | Lake Prevatt | 2993 | Coliform Bacteria | Total Coliform Bacteria | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Middle St. Johns | Wekiva River | Little Wekiva Canal | 3004 | Coliform Bacteria | Total Coliform Bacteria | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Middle St. Johns | Wekiva River | Cowpen Pond | 2934A | | Mercury (Based on fish consumption advisory) | 2 | 3a | Delisting Accepted. Flaw in original, cycle 1 analysis. There is no data for 2934A. However, 2723A (Cowpen Lake), which has a 2008 "Do Not Eat" advisory, should be verified and included on the 303(d) List. |
| Group 2 | Middle St. Johns | Wekiva River | Wekiva River | 2956 | | Nutrients (Other Information) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-9-08. |
| Group 2 | Middle St. Johns | Wekiva River | Wekiva River | 2956A | | Nutrients (Other Information) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-9-08. |
| Group 2 | Middle St. Johns | Wekiva River | Wekiwa Spring | 2956C | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Wekiva River | Wekiwa Spring | 2956C | Nutrients | Nutrients (Other Information) | 2 | 4a | Delisting Accepted. A nutrient TMDL for this water was approved on 9-9-08. (See also analysis for Cycle 1 Delisting) |
| Group 2 | Middle St. Johns | Wekiva River | Rock Springs Run | 2967 | Biochemical Oxygen Demand | Dissolved Oxygen | 2 | 4c | Delisting Accepted. DO was measured at the spring vent, a natural condition. Median BOD is below screening level (26 BOD values, median 0.7 mg/l). |
| Group 2 | Middle St. Johns | Wekiva River | Rock Springs Run | 2967 | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Middle St. Johns | Wekiva River | Rock Springs Run | 2967 | Nutrients | Nutrients (Other Information) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-9-08. (See also analysis for cycle 1 delisting) |
| Group 2 | Middle St. Johns | Wekiva River | Little Wekiva River | 2987 | Coliforms | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 9-9-08. |
| Group 2 | Middle St. Johns | Wekiva River | Spring Lake | 2987A | | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-10-08. |
| Group 2 | Middle St. Johns | Wekiva River | Lake Florida | 2998A | | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-10-08. |
| Group 2 | Middle St. Johns | Wekiva River | Lake Orienta | 2998C | | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-10-08. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|----------------------------|------------------|--|-------|--|--------------------------------------|---------------------------|----------|---|
| Group 2 | Middle St. Johns | Wekiva River | Lake Adalaide | 2998E | | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-10-08. |
| Group 2 | Middle St. Johns | Wekiva River | Lake Prevatt | 2993 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | Middle St. Johns | Wekiva River | Little Wekiva Canal | 3004 | Biochemical Oxygen Demand | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO/Nutrient TMDL for this water was approved on 5-5-09. |
| Group 2 | Middle St. Johns | Wekiva River | Little Wekiva Canal | 3004 | Coliforms | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 9-9-08. |
| Group 2 | Middle St. Johns | Wekiva River | Little Wekiva Canal | 3004 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 5-5-09. |
| Group 2 | Middle St. Johns | Wekiva River | Lake Lawne | 3004C | | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-10-08. |
| Group 2 | Middle St. Johns | Wekiva River | Silver Lake | 3004D | | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-10-08. |
| Group 2 | Middle St. Johns | Wekiva River | Bay Lake | 3004G | | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 9-10-08. |
| Group 2 | St. Lucie - Loxahatchee | C-23 | C-23 | 3200 | | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO and Nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | C-23 | C-23 | 3200 | | Iron | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed exceedance rate below Verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | St. Lucie - Loxahatchee | C-23 | C-23 | 3200 | | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A DO and Nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | C-24 | C-24 | 3197 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO and Nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | C-24 | C-24 | 3197 | | Iron | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed exceedance rate below Verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | St. Lucie - Loxahatchee | C-24 | C-24 | 3197 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A DO and Nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | C-25 | FT.PIERCE FARM CANAL (BELCHER CAN/TAYLOR CK) | 3163 | Nutrients | Nutrients (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | St. Lucie - Loxahatchee | C-25 | C-25 East Segment | 3163B | | Iron | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed exceedance rate below Verification threshold in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|----------------------------|------------------|--------------------------|-------|--|---------------------------------------|---------------------------|------------------------------|--|
| Group 2 | St. Lucie - Loxahatchee | C-25 | Cowbone Creek (C- 25) | 3189 | Dissolved Oxygen | Dissolved Oxygen | 2 | 3a | Delisting not accepted. A DO TMDL was proposed for this water in 2006. 1998 listing was apparently based on data collected in the immediately adjacent 3160 - a much larger water which surrounds, and drains to, 3189. DEP verified 3160 for DO in 2009. Since 3160 drains to 3189, 3189 should remain listed until adequate data to assess becomes available. This water will remain on the 303(d) List in IR category 3c. |
| Group 2 | St. Lucie - Loxahatchee | C-25 | Cowbone Creek (C- 25) | 3189 | Coliforms | Fecal Coliform | 2 | 3a | Delisting accepted. A fecal coliform TMDL was established for this water 10-15-08. 1998 listing was apparently based on data collected in the immediately adjacent 3160 - a much larger water which surrounds, and drains to, 3189. However, as 3160 and 3189 both currently have insufficient data to assess for fecal coliforms under the IWR, and are prioritized for future sampling, EPA will accept delisting of 3189 for fecal coliforms. |
| Group 2 | St. Lucie - Loxahatchee | C-25 | Cowbone Creek (C- 25) | 3189 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 3a | Delisting accepted. A nutrient TMDL was proposed for this water in 2006. 1998 listing was apparently based on data collected in the immediately adjacent 3160 - a much larger water which surrounds, and drains to, 3189. However, as 3160 and 3189 both currently have insufficient data to assess for nutrients under the IWR, and are prioritized for future sampling, EPA will accept delisting of 3189 for nutrients. |
| Group 2 | St. Lucie - Loxahatchee | C-25 | Cowbone Creek (C- 25) | 3189 | Nutrients | Nutrients (Historic Chlorophyll-a) | 2 | 3a | Delisting accepted. A nutrient TMDL was proposed for this water in 2006. 1998 listing was apparently based on data collected in the immediately adjacent 3160 - a much larger water which surrounds, and drains to, 3189. However, as 3160 and 3189 both currently have insufficient data to assess for nutrients under the IWR, and are prioritized for future sampling, EPA will accept delisting of 3189 for nutrients. |
| Group 2 | St. Lucie - Loxahatchee | Coastal | MANATEE POCKET | 3208 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | St. Lucie - Loxahatchee | Coastal | St. Lucie River | 3193 | | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | KITCHINGS CREEK | 3224B | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|----------------------------|--------------------|-----------------------------------|-------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | KITCHINGS CREEK | 3224B | Coliforms | Total Coliform | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | NW FORK LOXAHATCHEE | 3226A | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | NW FORK LOXAHATCHEE | 3226A | Nutrients | Nutrients (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | SW FORK LOXAHATCHEE | 3226C | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | SW FORK LOXAHATCHEE | 3226C | Nutrients | Nutrients (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | SW FORK LOXAHATCHEE | 3226C | Coliforms | Total Coliform | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | C-18 | 3234 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | Loxahatchee River (North Fork) | 3224A | | Nutrients (Chlorophyll-a) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | St. Lucie - Loxahatchee | Loxahatchee | C-18 | 3234 | | Iron | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | TENMILE CREEK | 3194A | Nutrients | Nutrients (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | St. Lucie River (North Fork) | 3194 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO and Nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | St. Lucie River (North Fork) | 3194 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A DO and Nutrient TMDL for this water was approved on 5-4-09. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|----------------------------|-----------------------------------|--|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | St. Lucie River (North Fork) | 3194B | | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO and Nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | North St. Lucie | St. Lucie River (North Fork) | 3194B | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A DO and Nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | Okeechobee Waterway (C- 44) | | C-44 | 3218 | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | Okeechobee Waterway (C- 44) | | C-44 | 3218 | Iron | 2 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | SOUTH FORK ST. LUCIE | 3210B | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | SOUTH FORK ST. LUCIE | 3210B | Nutrients | Nutrients (CHLA) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | BESSEY CREEK | 3211 | Coliforms | Total Coliform | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | St. Lucie River (South Fork) | 3210 | | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | St. Lucie Canal | 3210A | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | St. Lucie Canal | 3210A | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | St. Lucie River (South Fork) | 3210B | Total Suspended Solids | Turbidity | 2 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed number of exceedances in an extensive sample set collected within the last 7.5 years was well below Verification threshold. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | Bessey Creek | 3211 | Biochemical Oxygen Demand | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | Bessey Creek | 3211 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO TMDL for this water was approved on 5-4-09. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | Bessey Creek | 3211 | Coliforms | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | St. Lucie - Loxahatchee | South St.Lucie -IRL | Bessey Creek | 3211 | Nutrients | Nutrients (Chlorophyll-a) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 5-4-09. |
| Group 2 | Tampa Bay Tributaries | Alafia River | TURKEY CREEK ABOVE LITTLE ALAFIA | 1578B | Nutrients | Nutrients (Chlorophyll) | 1 | 5 -not VL | Delisting Not Needed. Cycle 1 Delisting no longer applicable, as water was assessed as impaired for nutrients in cycle 2. However, water needs to be included on the Verified List. In the interim, this water will remain on the 303(d) List for nutrients in IR category 3c. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|--------------------------|------------------|--|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | Tampa Bay Tributaries | Alafia River | TURKEY CREEK ABOVE LITTLE ALAFIA | 1578B | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER ABOVE HILLS.BAY | 1621G | Coliforms | Coliforms (Fecal Coliform) | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER ABOVE HILLS.BAY | 1621G | Coliforms | Coliforms (Total Coliform) | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Tampa Bay Tributaries | Alafia River | THIRTYMILE CREEK | 1639 | Coliforms | Coliforms (Total Coliform) | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Tampa Bay Tributaries | Alafia River | THIRTYMILE CREEK | 1639 | Coliforms | Coliforms (Fecal Coliform) | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Alafia River | SOUTH PRONG ALAFIA RIVER | 1653 | Coliforms | Coliforms (Fecal Coliform) | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Alafia River | SOUTH PRONG ALAFIA RIVER | 1653 | Nutrients | Nutrients (Chlorophyll) | 1 | 2 | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients. However, DEP has verified this water for inclusion the 303(d) List for dissolved oxygen, identifying nutrients (phosphorus) as the causative pollutant, and EPA is developing a nutrient TMDL for this water. This water therefore remains on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). |
| Group 2 | Tampa Bay Tributaries | Alafia River | POLEY CREEK | 1583 | | Dissolved Oxygen | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Independent data review confirmed exceedance rate is just below Verification threshold in a large sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Alafia River | POLEY CREEK | 1583 | Nutrients | Nutrients (Chlorophyll) | 2 | 2 | Delisting Accepted. Available data confirms attainment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. Biological assessment data confirms that nutrients are not causing an imbalance in flora or fauna. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|--------------------------|-----------------------|-------------------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | Tampa Bay Tributaries | Alafia River | POLEY CREEK | 1583 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Alafia River | ALAFIA RIVER (NORTH PRONG) | 1621E | Coliform | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review found few exceedances (number below verification threshold) in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Alafia River | BUCKHORN SPRING | 1635 | Nutrients | Nutrients (Chlorophyll) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Tampa Bay Tributaries | Alafia River | THIRTYMILE CREEK | 1639 | Dissolved Oxygen | Dissolved Oxygen | 2 | 4a | Delisting Accepted: A DO TMDL for this water was approved on 12-20-05. |
| Group 2 | Tampa Bay Tributaries | Alafia River | THIRTYMILE CREEK | 1639 | Nutrients | Nutrients (Chlorophyll) | 2 | 4a | Delisting Accepted: A DO and nutrient TMDL for this water was approved on 12-20-05. |
| Group 2 | Tampa Bay Tributaries | Alafia River | BELL CREEK | 1660 | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate well below Verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Alafia River | BELL CREEK | 1660 | Nutrients | Nutrients (Chlorophyll) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BLACKWATER CREEK | 1482 | Coliform | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 3-28-05. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | TWO HOLE BRANCH | 1489 | Biochemical Oxygen Demand | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Median BOD is at screening level (21 BOD values, median 2.0 mg/l). |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | TWO HOLE BRANCH | 1489 | Coliform | Fecal Coliform | 2 | 3c | Delisting not needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Exclusion of cycle 1 data due to QA issues leaves sparse, recent dataset which does not support impairment. However, based on potential impairment identified in cycle 1, place in 3c to prioritize for future sampling. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | FLINT CREEK | 1522A | Coliform | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 3-27-05. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE THONOTOSASSA | 1522B | Coliform | Fecal Coliform | 2 | 2 | Delisting Accepted. Independent data review found few exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BAKER CREEK | 1522C | Coliform | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 3-27-05. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|--------------------------|-----------------------|-----------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | Tampa Bay Tributaries | Hillsborough River | PEMBERTON CREEK | 1542 | Nutrients | Nutrients (Chlorophyll) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE HUNTER | 1543 | | Lead | 2 | 3b | Delisting Accepted. Original cycle 1 listing was flawed and inapplicable, as it considered data with systematic errors. Exclusion of this data resulted in a data set which provides no evidence of impairment, but is insufficient to confirm attainment. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CYPRESS CREEK | 1402 | Coliforms | Coliforms (Fecal Coliform) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for fecal coliforms in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | CYPRESS CREEK | 1402 | Nutrients | Nutrients (Chlorophyll) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | NEW RIVER | 1442 | Nutrients | Nutrients (Chlorophyll) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | NEW RIVER | 1442 | Total Suspended Solids | Turbidity | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. 0/19 exceedances in verified period, so minimum sample set required by IWR would have exceedance rate below verification threshold. All but one result well below criterion. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | NEW RIVER | 1442 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. 0/19 exceedances in verified period, so minimum sample set required by IWR would have exceedance rate below verification threshold. All but one result well below criterion. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443A | Coliforms | Coliforms (Fecal Coliform) | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443A | Coliforms | Coliforms (Total Coliform) | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443A | Total Suspended Solids | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443B | Coliforms | Coliforms (Fecal Coliform) | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|--------------------------|-----------------------|---------------------------|-------|--|--------------------------------------|---------------------------|----------------|--|
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443B | Coliforms | Coliforms (Total Coliform) | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443B | Nutrients | Nutrients (Chlorophyll) | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. EPA also understands that DEP intends to adopt this water as verified for nutrients, based on DO impairment caused by nutrients, in December 2009. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443D | Coliforms | Coliforms (Fecal Coliform) | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443D | Nutrients | Nutrients (Chlorophyll) | 1 | 2 | Delisting Accepted. Available data confirms attainment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. Biological assessment data confirms that nutrients are not causing an imbalance in flora or fauna. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | TROUT CREEK | 1455 | Nutrients | Nutrients (Chlorophyll) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BLACKWATER CREEK | 1482 | Nutrients | Nutrients (Chlorophyll) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BLACKWATER CREEK | 1482 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | TWO HOLE BRANCH | 1489 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | ITCHEPACKESAS SA CREEK | 1495B | Nutrients | Nutrients (Chlorophyll) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | FLINT CREEK | 1522A | Lead | Lead | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|--------------------------|-----------------------|----------------------|-------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 2 | Tampa Bay Tributaries | Hillsborough River | FLINT CREEK | 1522A | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE THONOTOSASSA | 1522B | Coliforms | Coliforms (Total Coliform) | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE THONOTOSASSA | 1522B | Dissolved Oxygen | Dissolved Oxygen | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for DO in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE THONOTOSASSA | 1522B | Lead | Lead | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BAKER CREEK | 1522C | Lead | Lead | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BAKER CREEK | 1522C | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | COW HOUSE CREEK | 1534 | Coliforms | Coliforms (Fecal Coliform) | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | COW HOUSE CREEK | 1534 | Coliforms | Coliforms (Total Coliform) | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | COW HOUSE CREEK | 1534 | Nutrients | Nutrients (Chlorophyll) | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | COW HOUSE CREEK | 1534 | Total Suspended Solids | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | COW HOUSE CREEK | 1534 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | PEMBERTON CREEK | 1542 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|--------------------------|-------------------------|---------------------------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 2 | Tampa Bay Tributaries | Hillsborough River | MILL CREEK | 1542A | Lead | Lead | 1 | 3c | Delisting not needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category 3c, this water remains on the 1998 303(d) List in IR category 3c. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | MILL CREEK | 1542A | Nutrients | Nutrients (Chlorophyll) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | MILL CREEK | 1542A | Unionized Ammonia | Unionized Ammonia | 1 | 2 | Delisting Accepted. VP = 0/12, PP = 2/81. No recent evidence of impairment, combined with considerable older data with few exceedances support delisting. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | SPARKMAN BRANCH | 1561 | Nutrients | Nutrients (Chlorophyll) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | SPARKMAN BRANCH | 1561 | Total Suspended Solids | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | SPARKMAN BRANCH | 1561 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE HUNTER | 1543 | Nutrients | Nutrients (TSI) | 2 | 4a | Delisting Accepted: A nutrient TMDL for this water was approved on 3-29-05. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | LAKE HUNTER | 1543 | | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed number of samples above 29 NTU + 20th percentile value of 45.04 NTU is below the threshold of impairment in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | SPARTMAN BRANCH | 1561 | Coliform | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 3-28-05. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | NEW RIVER | 1442 | Coliform | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 3-28-05. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | HILLSBOROUGH RIVER | 1443E | Coliform | Fecal Coliform | 2 | 4a | Delisting Accepted: A fecal coliform TMDL for this water was approved on 3-27-05. |
| Group 2 | Tampa Bay Tributaries | Hillsborough River | BIG DITCH | 1469 | Turbidity | Turbidity | 2 | 2 | Delisting Accepted. Independent data review confirmed few exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | LITTLE MANATEE RIVER | 1742A | Nutrients | Nutrients (Chlorophyll) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | SOUTH FORK LITTLE MANATEE RIVER | 1790 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years, based on data set with corrected stations in Run 35. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|--------------------------|-------------------------|---------------------------------------|-------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 2 | Tampa Bay Tributaries | Little Manatee River | SOUTH FORK LITTLE MANATEE RIVER | 1790 | Nutrients | Nutrients (Chlorophyll) | 1 | 2 | Delisting Accepted. Available data confirms attainment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. Biological assessment data confirms that nutrients are not causing an imbalance in flora or fauna. |
| Group 2 | Tampa Bay Tributaries | Little Manatee River | LITTLE MANATEE RIVER | 1742A | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review found exceedance rate below Verification threshold in a large sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Manatee River | LAKE MANATEE RESERVOIR | 1807B | Nutrients | Nutrients (TSI) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Manatee River | GAMBLE CREEK | 1819 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Manatee River | GAMBLE CREEK | 1819 | Nutrients | Nutrients (Chlorophyll) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Tampa Bay Tributaries | Manatee River | GAMBLE CREEK | 1819 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Manatee River | MILL CREEK | 1872 | Coliforms | Coliforms (Fecal Coliform) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for fecal coliforms in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Manatee River | MILL CREEK | 1872 | Coliforms | Coliforms (Total Coliform) | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Tampa Bay Tributaries | Manatee River | GAP CREEK | 1899 | Coliforms | Coliforms (Total Coliform) | 1 | | Delisting Accepted. DEP/ERC removal of the total coliform criterion from Florida's water quality standards on 9-28-06 was approved by EPA on 5-4-07. DEP continues to assess this water for bacteriological impairment, based on comparison to fecal coliform criterion. |
| Group 2 | Tampa Bay Tributaries | Manatee River | UNNAMED STREAM | 1913 | Total Suspended Solids | Turbidity | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Manatee River | BRADEN RIVER ABOVE WARD LAKE | 1914 | Nutrients | Nutrients (Chlorophyll) | 1 | 4e | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Based on final cycle 2 assessment category of 4e, DEP is submitting this water for inclusion on the 303(d) List. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|--------------------------|------------------|------------------------------------|-------|--|--------------------------------------|---------------------------|----------|--|
| Group 2 | Tampa Bay Tributaries | Manatee River | BRADEN RIVER ABOVE WARD LAKE | 1914 | Total Suspended Solids | Turbidity | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed exceedance rate below verification threshold in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Manatee River | RATTLESNAKE SLOUGH | 1923 | Nutrients | Nutrients (Chlorophyll) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Manatee River | CEDAR CREEK | 1926 | Nutrients | Nutrients (Chlorophyll) | 1 | 5 | Delisting Not Needed. Cycle 1 Delisting no longer applicable. Water verified for nutrients in cycle 2. |
| Group 2 | Tampa Bay Tributaries | Manatee River | CEDAR CREEK | 1926 | Total Suspended Solids | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected within the last 7.5 years. |
| Group 2 | Tampa Bay Tributaries | Manatee River | GILLY CREEK | 1840 | Dissolved Oxygen | Dissolved Oxygen | 2 | 2 | Delisting Accepted. Independent data review found exceedance rate below Verification threshold in an adequate sample set collected within the last 7.5 years, base on corrected station assignments in Run 34. |
| Group 2 | Tampa Bay Tributaries | Manatee River | GILLY CREEK | 1840 | Nutrients | Nutrients (Chlorophyll) | 2 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Tampa Bay Tributaries | Manatee River | MANATEE RIVER BELOW DAM | 1848B | | Nutrients (Chlorophyll) | 2 | 3b | Delisting not needed. Florida verified this water in cycle 1, but EPA did not take action to add this water to the 303(d) List. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 2 | Tampa Bay Tributaries | Manatee River | GAP CREEK | 1899 | Coliform | Fecal Coliform | 2 | 2 | Delisting Not Needed. Assessment supports not adding this waterbody-pollutant to the 303(d) List. Exclusion of cycle 1 data due to QA issues leaves sparse, recent dataset which does not support listing. |
| Group 2 | Tampa Bay Tributaries | Manatee River | WARD LAKE | 1914A | | Nutrients (TSI) | 2 | 3b | Delisting not needed. Florida verified this water in cycle 1, but EPA did not take action to add this water to the 303(d) List. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------|------------------------------------|--------------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 5 | Everglades | Everglades Agricultural Area | WEST PALM BEACH CANAL | 3238 | Unionized Ammonia | Unionized Ammonia | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 0.02 mg/L in an extensive sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Everglades | Everglades Agricultural Area | 715 FARMS | 3247 | Total Suspended Solids (TSS) | Turbidity | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed that the small number of samples above 29 NTU in a large sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Everglades | Everglades Agricultural Area | 715 FARMS | 3247 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed that the small number of samples above 29 NTU in a large sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Everglades | Everglades Agricultural Area | N. NEW RIVER CANAL | 3248 | Total Suspended Solids (TSS) | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in a large sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Everglades | Everglades Agricultural Area | N. NEW RIVER CANAL | 3248 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in a large sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Everglades | Everglades Agricultural Area | HILLSBORO CANAL | 3248A | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Everglades | Everglades Agricultural Area | HILLSBORO CANAL | 3248A | Unionized Ammonia | Unionized Ammonia | 1 | 2 | Delisting Accepted. Independent data review confirmed no samples above 0.02 mg/L in a large sample set collected within the last 7.5 years. |
| Group 5 | Everglades | Everglades Agricultural Area | S-3 | 3251 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Everglades | Everglades Agricultural Area | SOUTH BAY | 3253 | Unionized Ammonia | Unionized Ammonia | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 0.02 mg/L in a large sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Everglades | Everglades Agricultural Area | S-8 | 3260 | Nutrients | Nutrients (Chla) | 1 | 2 | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients. However, DEP has also retained this water on the 303(d) List for dissolved oxygen, relating nutrients to that impairment. This water therefore remains on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------------------|---|--|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 5 | Everglades | Everglades Agricultural Area | S-7 | 3263 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed no samples above 29 NTU in an extensive sample set collected for 3263 within the last 7.5 years. |
| Group 5 | Everglades | Everglades Agricultural Area | HOLEY LAND | 3263A | Nutrients | Nutrients (Chla) | 1 | 2 | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients. However, DEP has also retained this water on the 303(d) List for dissolved oxygen, relating nutrients to that impairment. This water therefore remains on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). |
| Group 5 | Everglades | Everglades National Park | ENP SHARK SLOUGH | 3289 | Iron | Iron | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 5 | Everglades | Everglades National Park | ENP SHARK SLOUGH | 3289 | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Everglades | Everglades National Park | ENP TAYLOR SLOUGH | 3289K | Iron | Iron | 1 | 2 | Delisting Accepted. Based on independent review, water should be changed to 3F, in which case, existing data supports WQS (<1000 ug/L Fe). |
| Group 5 | Indian River Lagoon | Banana River Unit | SYKES CREEK/BARGE CANAL | 3044B | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an extensive sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <4.0 ug/L in the sample set was well below the IWR threshold for verification. |
| Group 5 | Indian River Lagoon | Mosquito Lagoon Unit | MOSQUITO LAGOON | 2924B | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 43 CFU in an extensive sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIAN RIVER ABOVE SEBASTIAN INLET | 2963A | Cadmium | Cadmium | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected over the last 7.5 years. |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIAN RIVER ABOVE SEBASTIAN INLET | 2963A | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an extensive sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <4.0 ug/L in the sample set was below the IWR threshold for verification. |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIAN RIVER ABOVE SEBASTIAN INLET | 2963A | Lead | Lead | 1 | 2 | Delisting Accepted. Independent data review confirmed that there were no samples above 8.5 ug/L in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------|-----------------------------------|------------------------------------|-------|--|--------------------------------------|-------|------------------------------|---|
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | INDIAN RIVER ABOVE SEBASTIAN INLET | 2963A | Selenium | Selenium | 1 | 2 | Delisting Accepted. Independent data review confirmed that there were no samples above 71 ug/L in an adequate sample set collected within the last 7.5 years. |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | EAU GALLIE RIVER | 3082 | Iron | Iron | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | CRANE CREEK | 3085 | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, available data is insufficient to confirm attainment, as evidenced by EPA establishment of a nutrient TMDL for this water on 4-10-07. Implementation of this TMDL should help maintain the 'not impaired' status of this water for nutrients. |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | CRANE CREEK | 3085A | Iron | Iron | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | CRANE CREEK | 3085A | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, available data is insufficient to confirm attainment, as evidenced by EPA establishment of a nutrient TMDL for this water on 4-10-07. Implementation of this TMDL should help maintain the 'not impaired' status of this water for nutrients. |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | TURKEY CREEK | 3098 | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, available data is insufficient to confirm attainment, as evidenced by EPA establishment of a nutrient TMDL for this water on 4-10-07. Implementation of this TMDL should help maintain the 'not impaired' status of this water for nutrients. |
| Group 5 | Indian River Lagoon | North Central Indian River Lagoon | GOAT CREEK | 3107 | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE NASA CSWY | 2963E | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an extensive sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <4.0 ug/L in the sample set was below the IWR threshold for verification. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------|--------------------------------|------------------------------------|-------|--|--------------------------------------|------------------------------------|---|
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE M. BREWER | 2963F | Iron | Iron | 1 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 300 ug/L in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | INDIAN RIVER ABOVE M. BREWER | 2963F | Lead | Lead | 1 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 8.5 ug/L in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Indian River Lagoon | North Indian River Lagoon Unit | ADDISON CREEK | 3028 | | Turbidity | 1 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 44.9 (29+15.9(background)) NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | N. PRONG SEBASTIAN RIVER | 3128 | Nutrients | Nutrients (Chla) | 1 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, available data is insufficient to confirm attainment, as evidenced by EPA establishment of a nutrient TMDL for this water on 4-10-07. Implementation of this TMDL should help maintain the 'not impaired' status of this water for nutrients. |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | N. PRONG SEBASTIAN RIVER | 3128 | Turbidity | Turbidity | 1 2 | Delisting Accepted. Independent data review confirmed no samples above 29 NTU in an adequate sample set collected within the last 7.5 years. |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | N. PRONG SEBASTIAN RIVER | 3128 | Total Suspended Solid | Turbidity | 1 2 | Delisting Accepted. Independent data review confirmed no samples above 29 NTU in an adequate sample set collected within the last 7.5 years. |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SEBASTIAN RIVER ABOVE INDIAN RIVER | 3129A | Nutrients | Nutrients (Chla) | 1 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, available data is insufficient to confirm attainment, as evidenced by EPA establishment of a nutrient TMDL for this water on 4-10-07. Implementation of this TMDL should help maintain the 'not impaired' status of this water for nutrients. |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SEBASTIAN RIVER | 3129B | Iron | Iron | 1 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 1000 ug/L in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | C-54 CANAL | 3135 | | Iron | 1 4c | Delisting Not Needed. Water does not appear on 303(d) List. Based on independent review, sufficient evidence of natural condition. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------|--------------------------------|--------------------|-------|--|--------------------------------------|---------------------------|------------------------------|---|
| Group 5 | Indian River Lagoon | South Central Indian River Lag | FELSMERE CANAL | 3136 | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, available data is insufficient to confirm attainment, as evidenced by EPA establishment of a nutrient TMDL for this water on 4-10-07. Implementation of this TMDL should help maintain the 'not impaired' status of this water for nutrients. |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH INDIAN RIVER | 5003C | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an extensive sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <4.0 ug/L in the sample set was below the IWR threshold for verification. |
| Group 5 | Indian River Lagoon | South Central Indian River Lag | SOUTH INDIAN RIVER | 5003D | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an extensive sample set collected over the last 7.5 years for 5003D confirmed that water quality does not indicate DO impairment. |
| Group 5 | Perdido | Perdido Bay | ELEVENMILE CREEK | 489 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed that the small number of samples above 29 NTU in an extensive sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Perdido | Perdido Bay | ELEVENMILE CREEK | 489 | Total Suspended Solids (TSS) | Turbidity | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed that the small number of samples above 29 NTU in an extensive sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Perdido | Perdido Bay | EIGHTMILE CREEK | 624 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 400 CFU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Perdido | Perdido Bay | EIGHTMILE CREEK | 624 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 30 (29+1(background)) NTU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Perdido | Perdido Bay | UPPER PERDIDO BAY | 797 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an extensive sample set collected for 797 over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <4.0 ug/L in the sample set was well below the IWR threshold for verification. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------|--|-------------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 5 | Perdido | Perdido Bay | DIRECT RUNOFF TO BAY | 991 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an extensive sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. There were no samples <4.0 ug/L in the sample set. |
| Group 5 | Perdido | Perdido River | BRUSHY CREEK | 4 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an extensive sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <4.0 ug/L in the sample set was well below the IWR threshold for verification. |
| Group 5 | Perdido | Perdido River | BRUSHY CREEK | 4 | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 31.2 (29+2.2(background)) NTU in an extensive sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Perdido | Perdido River | BRUSHY CREEK | 4 | Total Suspended Solids (TSS) | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 31.2 (29+2.2(background)) NTU in an extensive sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Perdido | Perdido River | PERDIDO RIVER | 462A | Nutrients | Chlorophyll | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Perdido | Perdido River | PERDIDO RIVER | 462A | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an adequate sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <4.0 ug/L for the sample set was well below the IWR threshold for verification. |
| Group 5 | Perdido | Perdido River | PERDIDO RIVER | 462C | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 400 CFU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | SPRING BAYOU | 1440A | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 400 CFU in an adequate sample set collected for 1440A within the last 7.5 years was below the threshold for verification. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|---------------|---|--------------------------------|------|----------------------------------|--|-------|------------------------|--|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | SOUTH BRANCH | 1456 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 400 CFU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | SOUTH BRANCH | 1456 | Nutrients | Nutrients (Chlorophyll-a) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | HOLLIN CREEK | 1475 | Nutrients | Nutrients (Chlorophyll-a) | 1 | 2 | Delisting accepted. Independent review of available chlorophyll a annual means confirmed that water meets IWR criteria for delisting nutrients. However, DEP has verified this water for inclusion the 303(d) List for dissolved oxygen, identifying nutrients (phosphorus) as the causative pollutant. This water therefore remains on the 303(d) list for nutrients pursuant to 62-302.530(47)(a). |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | KLOSTERMAN BAYOU RUN TIDAL | 1508 | Un-ionized Ammonia | N/A | 1 | N/A | Delisting Accepted. Listing of the marine portion of this water in 1998 was flawed, as Florida has no numeric criterion for un-ionized ammonia in marine waters. The freshwater portion of this 1998-listed water, now identified as 1508A will be appropriately assessed. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | HEALTH SPRING DRAIN | 1512 | Nutrients | Nutrients (Chlorophyll-a and Historic Chlorophyll-a) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | SUTHERLAND BAYOU (SMITH CREEK) | 1527 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of a large sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <5.0 ug/L for the sample set was well below the IWR threshold for verification. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | SUTHERLAND BAYOU (SMITH CREEK) | 1527 | Nutrients | Nutrients (Chlorophyll-a) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------|--|--|------|--|---|---------------------------|------------------------------|--|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CLEARWATER HARBOR SOUTH | 1528 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of a large sample set collected for 1528 over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <4.0 ug/L for the sample set was well below the IWR threshold for verification. Other portions of 1528, as listed in 1998, have been appropriately assessed in the current cycle. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CLEARWATER HARBOR SOUTH | 1528 | Nutrients | Nutrients (Chlorophyll-a and Historic Chlorophyll- a) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | DIRECT RUNOFF TO GULF (MINNOW CREEK) | 1535 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that there were no samples above 43 CFU in an adequate sample set collected within the last 7.5 years. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | DIRECT RUNOFF TO GULF (MINNOW CREEK) | 1535 | Nutrients | Nutrients (Chlorophyll-a and Historic Chlorophyll- a) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CURLEW CREEK TIDAL | 1538 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 43 CFU in an adequate sample set collected for 1538 within the last 7.5 years was below the threshold for verification. The other portion of 1538, as included on the 1998 List, has been appropriately assessed in the current cycle. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | CEDAR CREEK TIDAL | 1556 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 43 CFU in an adequate sample set collected for 1556 within the last 7.5 years was below the threshold for verification. The other portion of 1556, as included on the 1998 List, has been appropriately assessed in the current cycle. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | STEVENSON CREEK TIDAL | 1567 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 43 CFU in an adequate sample set collected for 1567 within the last 7.5 years was below the threshold for verification. The other portion of 1567, as included on the 1998 List, has been appropriately assessed in the current cycle. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|------------------|---|---------------------------|-------|----------------------------------|--|---------------------|-------------|--|
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | LAKE SEMINOLE | 1618 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 400 CFU in a large sample set collected for 1618 within the last 7.5 years was below the threshold for verification. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | LAKE SEMINOLE | 1618 | Nutrients | Nutrients (TSI) | 1 | 4b | Delisting Accepted. EPA prepared a demonstration of 4B classification in support of the Lake Seminole Watershed Reasonable Assurance Plan which was finalized by DEP for 1618 in May 2007. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | ST JOE CREEK | 1668A | Total Suspended Solids (TSS) | Turbidity | 1 | 2 | Delisting Accepted. No criteria for TSS. Analyzed for turbidity. Independent data review confirmed no samples above 29 NTU in an extensive sample set collected for 1668A within the last 7.5 years. Other portions of 1668A, as included on the 1998 List, have been appropriately assessed in the current cycle. |
| Group 5 | Springs Coast | Anclote River / Coastal Pinellas County | PINELLAS PARK DITCH NO. 5 | 1668B | Turbidity | Turbidity | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 29 NTU in a large sample set collected for 1668B within the last 7.5 years was well below the threshold for verification. Other portions of 1668B, as included on the 1998 List, have been appropriately assessed in the current cycle. |
| Group 5 | Springs Coast | Crystal River / Kings Bay Planning Unit | CRYSTAL RIVER | 1341I | Nutrients | Nutrients (Chlorophyll-a and Historic Chlorophyll-a) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Springs Coast | Middle Coastal | PITHLACHASCOTEE RIVER | 1409 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that there were no samples above 400 CFU in an adequate sample set collected for 1409 within the last 7.5 years. The other portion of 1409, as included on the 1998 List, has been appropriately assessed in the current cycle. |
| Group 5 | Upper East Coast | Halifax River Unit | Halifax River | 2363A | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that there were no samples above 43 CFU in an extensive sample set collected within the last 7.5 years. |
| Group 5 | Upper East Coast | Halifax River Unit | Halifax River | 2363B | Lead | Lead | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of samples above 8.5 ug/L in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------------|--------------------|-------------------|-------|--|--------------------------------------|---------------------------|------------------------------|--|
| Group 5 | Upper East Coast | Halifax River Unit | Halifax River | 2363B | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Upper East Coast | Halifax River Unit | Tomoka River | 2634 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 400 CFU in an extensive sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Upper East Coast | Halifax River Unit | Tomoka River | 2634 | Iron | Iron | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 1000 ug/L in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Upper East Coast | Halifax River Unit | Tomoka River | 2634 | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Upper East Coast | Halifax River Unit | Tomoka River | 2634A | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Upper East Coast | Halifax River Unit | Tomoka River | 2634A | Iron | Iron | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 5 | Upper East Coast | Halifax River Unit | Rose Bay | 2672 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 43 CFU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Upper East Coast | Halifax River Unit | Spruce Creek | 2674 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an adequate sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <5.0 ug/L for the sample set was below the IWR threshold for verification. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | FINAL FDEP IR CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|------------------|---------------------|---------------------|-------|--|--------------------------------------|---------------------------|------------------------------|---|
| Group 5 | Upper East Coast | Halifax River Unit | Spruce Creek | 2674 | Nutrients | Nutrients (Chla and Histchla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Upper East Coast | Halifax River Unit | Spruce Creek | 2674 | Iron | Iron | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 5 | Upper East Coast | Halifax River Unit | Spruce Creek | 2674A | Iron | Iron | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 5 | Upper East Coast | Matanzas River Unit | St. Augustine Inlet | 2363H | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted, but may not be needed. This WBID does not appear to be included on the 1998 (303(d) List or the 2002 update to that list. Please clarify the basis for identifying 2362H as a listed water. Independent data review confirmed that there were no samples above 43 CFU in an extensive sample set collected within the last 7.5 years. |
| Group 5 | Upper East Coast | Matanzas River Unit | St. Augustine Inlet | 2363H | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Upper East Coast | Matanzas River Unit | Moultrie Creek | 2493 | | Iron | 1 | 4c | Delisting Not Needed. Water does not appear on 303(d) List. Based on independent review, sufficient evidence of natural condition. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Palm Coast | 2363D | Cadmium | Cadmium | 1 | 2 | Delisting Accepted. Independent data review confirmed no exceedances in an adequate sample set collected over the last 7.5 years. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Palm Coast | 2363D | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 43 CFU in a large sample set collected within the last 7.5 years was well below the threshold for verification. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Palm Coast | 2363D | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of a large sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <4.0 ug/L for the sample set was well below the IWR threshold for verification. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Palm Coast | 2363D | Lead | Lead | 1 | 2 | Delisting Accepted. Independent data review confirmed that there were no samples above 8.5 ug/L in an adequate sample set collected within the last 7.5 years. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------|------------------|---------------------|---------------------------------|-------|----------------------------------|--------------------------------|-------|------------------------|--|
| Group 5 | Upper East Coast | Pellicer Creek Unit | Palm Coast | 2363D | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Palm Coast | 2363D | Selenium | Selenium | 1 | 2 | Delisting Accepted. Independent data review confirmed that there were no samples above 71 ug/L in an adequate sample set collected within the last 7.5 years. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Palm Coast | 2363D | Thallium | Thallium | 1 | 2 | Delisting Accepted. Independent data review confirmed that there were no samples above 6.3 ug/L in an adequate sample set collected within the last 7.5 years. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Cracker Branch (Pellicer Creek) | 2553 | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 400 CFU in an adequate sample set collected within the last 7.5 years was below the threshold for verification. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Cracker Branch (Pellicer Creek) | 2553 | Dissolved Oxygen | Dissolved Oxygen | 1 | 2 | Delisting Accepted. Independent data review of an adequate sample set collected over the last 7.5 years confirmed that water quality does not indicate DO impairment. The number of samples <5.0 ug/L for the sample set was below the IWR threshold for verification. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Cracker Branch (Pellicer Creek) | 2553 | Iron | Iron | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Pellicer Creek | 2580B | Lead | Lead | 1 | 2 | Delisting Accepted. Independent data review confirmed that the small number of exceedances in an adequate sample set collected over the last 7.5 years was well below the threshold for verification. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Pellicer Creek | 2580B | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |
| Group 5 | Upper East Coast | Pellicer Creek Unit | Pellicer Creek | 2580B | Iron | Iron | 1 | 4c | Delisting Accepted. Based on independent review, sufficient evidence of natural condition. |
| Group 5 | Upper East Coast | Tolomato River Unit | Tolomato River | 2363I | Coliforms | Fecal Coliform | 1 | 2 | Delisting Accepted. Independent data review confirmed that the number of samples above 43 CFU in an extensive sample set collected within the last 7.5 years was well below the threshold for verification. |

| BASIN GROUP NUMBER | BASIN NAME | PLANNING UNIT | WATERBODY NAME | WBID | 1998 303(d) PARAMETER OF CONCERN | 2009 FDEP PARAMETER OF CONCERN | CYCLE | FINAL FDEP IR CATEGORY | EPA ANALYSIS & CONCLUSIONS |
|--------------------------|---------------------|------------------------|-------------------|-------|--|--------------------------------------|-------|------------------------------|--|
| Group 5 | Upper East Coast | Tolomato River Unit | Tolomato River | 2363I | Nutrients | Nutrients (Chla) | 1 | 3b | Delisting Accepted. Available data does not confirm impairment under the IWR. Chlorophyll levels are low, and nitrogen and phosphorus have not been confirmed as pollutants. However, data does not confirm attainment. Water will therefore be considered unassessed until sufficient data to confirm nutrient attainment is available. |

Appendix E

FDEP's Rotating Basin Approach

In May 1999, the Florida Legislature enacted the Florida Watershed Restoration Act (FWRA) to clarify FDEP's statutory authority for TMDL development and to establish the processes for listing impaired waters and developing TMDLs. FDEP uses a watershed management approach, which is a program for managing the state's water resources on the basis of hydrologic units, as the framework for implementing the FWRA. The approach utilizes a process that rotates through the state's 52 basins over the following five-year phased cycle:

Phase 1: Initial Basin Assessment

Conduct preliminary assessments of water body health; develop a Planning List of potentially impaired waters using the methodology in Part II of Chapter 62-303, FAC; identify sources of pollution; develop a coordinated monitoring plan, focusing on waters on the Planning List; and produce a Basin Status Report.

Phase 2: Strategic Monitoring

Supplement existing data to further characterize basin conditions by: obtaining from monitoring entities existing data that are not currently in STORET and entering it into the Florida STORET database; monitoring waters on the 1998 303(d) list for which insufficient data are available to analyze the waters using the methods in Chapter 62-303, FAC; monitoring waters on the Planning List to verify potential impairment; conducting intensive survey monitoring to obtain data needed for TMDL development; producing a Basin Assessment Report that assesses all waters using the methodology in EPA's 2002 Integrated Water Quality Monitoring and Assessment Report Guidance; preparing a revised Planning List of potentially impaired waters; and adopting, using a public participation process, a Verified List of impaired waters that is submitted to EPA as a basin-specific 303(d) list that will update the state's 303(d) list.

Phase 3: Data Analysis and TMDL Development

Develop TMDLs for waters on the basin-specific Verified List of impaired waters in accordance with the schedule agreed to by EPA and FDEP; conduct a more detailed assessment of major pollutant sources, including the quantification of nonpoint source loadings; and, begin the development of the Basin Management Action Plan that will specify load reduction allocations and activities that will be undertaken to reduce loadings in order to meet the TMDL.

Phase 4: Basin Management Action Plan Development

Work with local stakeholders to develop a Basin Management Action Plan that specifies how established goals will be achieved by recommending management activities, establishing who is responsible for implementation, establishing a schedule for implementation, and noting how effectiveness of the plan will be assessed. While the

plan will focus on implementation of TMDLs developed in the basin, it may also address more general watershed goals.

Phase 5: Basin Management Action Plan Implementation

Begin implementation of the Basin Management Action Plan and associated water resource protection and restoration efforts, including implementation of Best Management Practices, habitat protection and restoration activities, environmental infrastructure improvements, and issuance of NPDES permits.

At the conclusion of this cycle, the process begins anew so that all basins in the state are assessed every five years.

FDEP organized the state's 52 basins into 30 groups for assessment purposes. The groups were then organized as follows for the basin rotation cycle:

| Group 1 | Group 2 | Group 3 | Group 4 | Group 5 |
|---------------------------|---------------------------------|---|-----------------------------------|-----------------------------------|
| St. Marks | Apalachicola/ Chipola | Choctawhatchee/St. Andrews | Pensacola | Perdido |
| Suwannee | Hillsborough/ Alafia/Manatee | Peace/Myakka/ Sarasota Bay | South Withlacoochee | Crystal River |
| Ocklawaha | Charlotte Harbor | Caloosahatchee | Southeast Coast - Biscayne Bay | Everglades |
| Tampa Bay | St. Lucie - Loxahatchee | Lake Worth Lagoon - Palm Beach Coast | Kissimmee River | Florida Keys |
| Everglades/ West Coast | Lower St. Johns | Lower St. Johns | Fisheating Creek | Upper East Coast |
| Lake Okeechobee | Upper St. Johns | Upper St. Johns | Nassau/St. Mary's | Middle East Coast/Indian River |

The first basin rotation cycle began in July 2000 and is proceeding in accordance with the following schedule:

| Group | July 2000 | July 2001 | July 2002 | July 2003 | July 2004 | July 2005 | July 2006 | July 2007 | July 2008 |
|-------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 | Phase 1 | Phase 2 | Phase 3 | Phase 4 | Phase 5 | Phase 1 | Phase 2 | Phase 3 | Phase 4 |
| 2 | | Phase 1 | Phase 2 | Phase 3 | Phase 4 | Phase 5 | Phase 1 | Phase 2 | Phase 3 |
| 3 | | | Phase 1 | Phase 2 | Phase 3 | Phase 4 | Phase 5 | Phase 1 | Phase 2 |
| 4 | | | | Phase 1 | Phase 2 | Phase 3 | Phase 4 | Phase 5 | Phase 1 |
| 5 | | | | | Phase 1 | Phase 2 | Phase 3 | Phase 4 | Phase 5 |

Appendix F

Assessing Ambient Data for Naturally Variable Parameters Against Numeric Water Quality Criteria

Water quality criteria for aquatic life are typically established for two intended levels of protection. The first level provides for survival over short periods of time and the second allows for organisms to live, grow, and reproduce in a given area over a longer period of time. Florida's water quality criteria provide the latter level of protection for their aquatic life uses.

EPA recognizes that all numeric water quality criteria have three elements: magnitude (e.g., how much), duration (e.g., how long at the specified magnitude), and frequency of exceedance (e.g., how often for the specified duration period), regardless of whether they are explicitly described in state water quality standards. A characterization of these three elements is essential to perform tasks such as the development of wasteload allocation for deriving permit limits. Often this is accomplished by identifying a "design flow" (e.g., the 7Q10 - lowest seven day average flow with a recurrence interval of ten years) to match an expression of criterion magnitude (e.g., a concentration) that accounts for allowable duration and frequency. Florida's water quality standards include numeric water quality criteria that are typically expressed as concentration values "not to be exceeded". As stated by Florida, this expression relates to their intended use for wasteload allocation purposes. Indeed, it is Florida's typical practice to establish permit limits that simply reflect the criterion magnitude (with or without an allowable mixing zone, where exceeding criteria for short periods of time and space is consistent with Florida water quality standards under certain circumstances).

In addition to serving as the basis for water quality-based pollutant source controls, water quality standards also function as the basis for assessing ambient water quality to determine if waters are impaired. Because the technical capability and resources for continuous monitoring are extremely rare, assessors typically rely on analytical chemistry measures of "grab samples" of surface waters taken at infrequent intervals of time over a period of years to serve as the data base for these determinations. These data do not allow a direct characterization of duration and frequency as typically expressed in water quality standards for purposes of wasteload allocation. These assessment data can be grouped and presented as data distributions that can subsequently be statistically compared to criteria magnitude values. The closest approximation of duration and frequency from this type of analysis is the percent of samples above a criterion magnitude. This could be further characterized as the "percent of time" a criterion magnitude is exceeded, provided the data are considered representative of ambient conditions over the assessment period.

Many State water quality standards, including Florida's, do not explicitly specify an allowable percent of ambient measurement samples above numeric criteria magnitude values for determining impairment. The Florida statute that authorizes state development of water quality standards, however, directs Florida to establish and apply criteria in water quality standards recognizing the inherent natural and statistical variability (F.S. 403.021(11)). EPA believes that Florida has correctly interpreted its own statute to recognize natural and statistical variability when making determinations of impairment.

Statistical variability relates to an accounting for sampling and analytical error and other factors that confer uncertainty in the accuracy, precision, and representativeness of sample data to represent "true" conditions. Generally, the smaller the sample size, the greater the uncertainty that "true" conditions are accurately represented. Statistical variability can be mathematically expressed as a confidence level, and the desired confidence level is generally a risk management decision left to the discretion of the state in interpreting its available data for purposes of determining impairment. However, overwhelming evidence of gross impairment should not be masked by unreasonable expectations for statistical certainty.

Natural variability relates to the degree that conditions in nature vary as a function of time and space based on physical, chemical, biological, hydrological, and geomorphological factors. Pollutants and pollutant parameters can be placed into three distinct groups for considering the effects of natural variability. Some pollutants, such as chlorine and pesticides, are introduced solely as a function of anthropogenic activity and, although natural factors can mitigate or augment their effects, their presence cannot be attributed to natural conditions. The second group of pollutants usually occur naturally in the environment at low levels, such as copper and cadmium, but protective water quality criteria for these pollutants lie well above the typical range of solely natural occurrence. For this group, the natural contribution is likely negligible at measured levels above or near the water quality criterion. Natural variability is generally not a factor for consideration in evaluating ambient measurement samples that exceed water quality criterion magnitude values for these first two groups of pollutants. In contrast, the third group of pollutants or pollutant parameters have protective water quality criteria that lie within or near the range of naturally occurring conditions. This "naturally variable" group include pollutants or pollutant parameters such as dissolved oxygen, turbidity, bacteria, conductivity, and alkalinity. Natural variability is an appropriate and reasonable factor to consider in evaluating ambient data for this group of pollutants or pollutant parameters.

Dissolved oxygen (DO) is perhaps the best example of a naturally variable pollutant parameter. DO refers to the volume of oxygen that is contained in water, and is measured and expressed as a concentration (typically in mg/L). Oxygen arrives in surface water as a by-product of photosynthesis by aquatic plants and from transfer from the overlying air. DO solubility and, as a result, the

expected ambient measured levels, are affected by temperature (colder water holds more oxygen), salinity (fresher water holds more oxygen), and altitude (lower pressure reduces solubility). DO levels are also affected by flow and stream channel or lake morphology (more turbulent or well-mixed water transfers more oxygen from the air at the water surface), degree of biological activity (plant and animal respiration deplete oxygen, especially at night), and the amount of naturally occurring organic matter (aerobic decomposition depletes oxygen). As a result, DO can change and vary in a single water body according to time of day, season, weather, temperature, depth and location of sampling, and flow. The variability across different waters is augmented by many of the factors described above. DO can range from 0-18 mg/L in natural water systems, with long-term levels set generally within 5-6 mg/L to support a diverse aquatic community in most warmwater systems, as reflected by Florida's water quality standards. Specific information concerning dissolved oxygen and other naturally variable pollutants can be found in textbooks such as *Water Quality: Prevention, Identification and Management of Diffuse Pollution* by Novotny and Olem (published by Van Nostrand Reinhold, 1994), *Limnology* (second edition) by Wetzel (published by Saunders College Publishing, 1983), and *Water Quality: Characteristics, Modeling, and Modification* by Tchobanoglous and Schroeder (published by Addison-Wesley Publishing Company, 1985). Information summaries and general information can be found at University web sites, including excellent ones on DO from North Carolina State University (<http://h2osparc.wg.ncsu.edu/info/do.html>) and <http://www.ncsu.edu/sciencejunction/depot/experiments/water/lessons/do/>)

Although States have discretion in selecting a target for determining impairment of water quality standards, the State would need to justify why the target for an allowable number of ambient measurement samples to exceed a criterion magnitude for a naturally variable pollutant parameter is appropriate and reasonable and results in an acceptable 303(d) listing decision. Florida's choice of 10% is consistent with EPA's general recommendations for pollutant parameters of this type, and represents a reasonable choice for this application with respect to naturally variable pollutants and pollutant parameters, such as DO. Waters that are not listed as impaired, or are removed from the list of impaired waters, on this basis can reasonably be expected to achieve the intended level of protection expressed in Florida's water quality standards.

Appendix G

FDEP Data Exclusion Screens

Removal of results reported in Florida STORET that did not include units, or included units that were inappropriate for the particular analyte: These were excluded as the results could not accurately be quantified, or relied upon for assessment purposes under the IWR.

Results reported as negative values: It was concluded that any results reporting a negative value for the substance analyzed represent reporting errors: Credible data could not have any values less than the detection limit (in all cases a positive value) reported. Therefore, results reported as negative values could not be relied upon for assessment purposes under the IWR.

Results reported as any of "888" "8888" "88888" "888888" "8888888" and "999" "9999" "99999" "999999" "9999999": Upon investigation, all data reported using these values were found to be provided by a particular Water Management District. The District intentionally coded the values in this manner to flag the fact that they should not be used, as the values reported from the lab were suspect. The data coded in this manner was generally older.

Removal of J-qualified Results: J-qualified results from this same Water Management District were excluded from the assessments after the District brought to the attention of FDEP that their use of the J-qualifier was not consistent with FDEP's use of the FDEP J-qualifier.

Removal of extremely old USGS data (beginning of the previous century): This data did not have complete date information available. Accurate date information is required to be able to assess results under the IWR. USGS data using USGS parameter codes of 32230 or 32231 were also excluded from assessments performed under the IWR, based on information in a memo that was sent from USGS.

Removal of results for iron which were confirmed to be entered into dbHydro using the wrong legacy STORET parameter codes: These results were found to be reported by a particular Water Management District. They were excluded from the assessment under the IWR.

Removal of results reported using "K", "U", "W", and "T" qualifier codes (all of which suggest that the result was below method detection limits) when the reported value of the mdl was greater than the criterion, or the mdl was not provided: In order to be able to compare a non-detect result to a criterion value, it is necessary to know that it was possible to measure as low as the numeric value of the criterion.

Removal of certain results reported using an “I” qualifier code (meaning that the result value was between the method detection limit and the practical quantification limit):

These results were excluded from assessments performed under the IWR, where the mdl was not provided, or where the mdls and pqls were inconsistent with the rest of the data record.,

Removal of certain results reported for metals using an “I” qualifier code: Where the criteria is expressed as a function of hardness, and the numeric value of the metal criteria corresponding to the reported hardness value was between the mdl and the pql, these data were excluded from the assessments performed under the IWR.

Removal of results reported using an “L” qualifier code (meaning that the actual value is known to be greater than the reported value) where the reported value for the upper quantification limit was less than the criterion: The reasoning for excluding these data follows a logic somewhat similar to the reasoning to the cases discussed above for results reported as below the method detection limits.

Removal of results reported with a “Z” qualifier code (which indicates that the results were too numerous to count): These results were excluded because there was no consistency among data providers in how data using this qualifier code were reported: Some data providers entered numeric estimates of bacteria counts, while other data providers entered the dilution factor. As a result, meaningful interpretation of data reported using this qualifier was not uniformly possible.

Removal of results reported with an “F” qualifier code (which indicates female species): Since the IWR does not assess any analytes for which this qualifier code would be appropriate, the intended meaning of the use of this qualifier code is unknown. The reported result is therefore rendered uninterpretable (although there are very few instances of the use of this qualifier code in the IWR dataset, and it is possible that some agencies use this to indicate a field measurement).

Results reported with an “O” qualifier code (which indicates that the sample was collected but that the analysis was lost or not performed): Exclusion of results reported using this qualifier code is self-explanatory.

Removal of results reported with an “N” qualifier code (which indicates presumption of evidence of the presence of the analyte). Comparing concentrations of analytes to criteria from the Florida Standards requires a numeric result value: Presence or absence, for the purposes of assessments performed under the IWR, is not sufficient information upon which to base an impairment decision.

Removal of results reported with a “V” or “Y” qualifier code (which indicate the presence of analyte in both the environmental sample and the blank, or a laboratory analysis that was from an unpreserved or improperly preserved sample): Such data may not be accurate. Use of these codes indicates that the reported result is not sufficiently reliable to be used in IWR assessments.

Removal of certain results reported with a “Q” qualifier code (which indicates that the holding time was exceeded): These data were reviewed to determine if the holding time that was exceeded. When appropriate, such data were excluded from the assessments. These reviews were performed manually, not as part of the automated processing of the IWR data.

Removal of results reported for mercury not collected and analyzed using Clean techniques: The use of clean techniques removes the chance for contamination of mercury samples from the atmosphere, which significantly biases the results upward, and ultimately does not represent in stream water quality. It is therefore reasonable for the State not to rely upon data entries based on non-clean techniques as evidence for instream water quality assessment.

Removal of result values based on recommendations from FDEP’s Environmental Assessment Section as a result of lab audits performed on behalf of the TMDL program: The data excluded based on lab audits were generally analyte-specific and referred to a specific time frame. While the data issues encountered are variable, lack of acceptable, or verifiable, records is a common issue.

Removal of certain dissolved oxygen measurements collected for Group 2, Cycle 2 Assessments: Results reported for dissolved oxygen which were collected using a field kit (as opposed to a meter) were excluded from assessment under the IWR.